

**PRODUCT:** Dynamic Receiver

**EDITION:** A/2016

Soberton Inc.

### THIS SPECIFICATION COVERS OUR PRODUCT OF DYNAMIC RECEIVER UNIT FOR MOBILE TELEPHONE USE

### RECEIVER ELECTROACOUSTIC CHARACTERISTICS


sound pressure level 103±3dB SPL @1KHz (0dB SPL=20µ Pa)				
	Input voltage: 179mV (Sine wave) measured with IEC318 coupler.			
resonance frequency (FO)	700±150Hz at 179mVrms Sine Wave			
measuring diagram	Shown in Fig.1			
earpiece view	Show in Fig.2			
typical frequency response	Shown in Fig.3.			
 curve				
rated noise power	20mW.			
short-term max.power	30mW			
distortion	<5% @ 1KHz Input 179mV			
operation test	Must be free of audible noise (buzzes and rattles) (300 ~ 3400Hz frequency range , input level up to 0.8Vrms)			

## **GENERAL SPECIFICATIONS**

operating temperature	-20°C ~ +60°C
range	
storage temperature rang	e -20°C ~ +60°C
dc resistance	28±10%Ω
ac impedance	32±20%Ω(@ 1KHz 179mV)
dimension	12 x 6 x 4.8 mm

## TYPICAL FREQUENCY RESPONSE CURVE

FREQUENCY MEASURING CIRCUIT (RECEIVER MODE) (Fig.1)






**PRODUCT:** Dynamic Receiver


**EDITION:** A/2016

Soberton Inc.


## TYPICAL FREQUENCY RESPONSE CURVE (Continued)

**EARPIECE VIEW** (Fig.2)





# TYPICAL FREQUENCY RESPONSE CURVE (RECEIVER MODE) (Fig.3)





**PRODUCT:** Dynamic Receiver

**EDITION:** A/2016



## **TEST CLIMATIC CONDITIONS**

### STANDARD TEST CONDITIONS

temperature	15~35℃
relative humidity	25%~75%(RH)
air pressure	86~106KPa

# **RELIABILITY TESTS**

The sound pressure as specified shall neither deviate more than  $\pm 3$ dB from the initial value, nor any significant damage after any of following testing.

	IIICII TEMPERATURE TECT	-		
		HIGH TEMPERATURE TEST		
	high temperature	+75±2°C		
	duration	96 hours		
	LOW TEMPERATURE TEST			
	low temperature	-40±2℃		
	duration	96 hours		
	<b>HEAT SHOCK TEST</b> (See in	HEAT SHOCK TEST (See in Fig. 4)		
	high temperature	+75±2℃		
	low temperature	-40±2°C		
	changeover time	< 30 seconds		
	duration	1 hour		
	cycle	10		
	<b>HUMIDITY TEST</b>			
	temperature	+40±2℃		
	relative humidity	90~95%		
	duration	48 hours		
	TEMPERATURE CYCLE TES	TEMPERATURE CYCLE TEST (See in Fig. 5)		
	temperature	-40°C +75°C		
	duration	45 minutes 45 minutes		
	temperature gradient	1~3°C/min.		
	cycle	10		
	DROP TEST			
	mounted with dummy set mass	100 g		
	height	1.5 m		
	cycle	6 (1 each plain) onto the concrete board		
	LOAD TEST			
	noise signal	White noise (EIA filter)		
-	input power	10mW (0.56Vrms)		
-	duration	96 hours		




**PRODUCT:** Dynamic Receiver

**EDITION:** A/2016


# Soberton Inc.

## **TEST METHOD**

### **HEAT SHOCK TEST** (Fig. 4)





### **TEMP. CYCLE TEST** (Fig. 5)




# PRODUCT EXTERNAL VIEW AND DIMENSIONS (Fig. 6)

Tolerance +/- 0.5 (unit: MM)







no	item	material			
1	Silk screen gasket	Adhesive			
2	Foam ring	EVA			
3	Acoustic paper	White Y2			
4	Cover	Stainless steel			
5	Membrane	PEI			
6	Voice coil	Copper			
7	Plate	SPCC			
8	Magnet	Nd-Fe-B			
9	Frame	PBT			
10	Spring	Stainless steel			
11	Outer pole shoe	SPCC			
12	Glue cushion	Felt paper			



**PRODUCT:** Dynamic Receiver

**EDITION:** A/2016

Soberton Inc.

# **PACKING**

.

