

Specification Sheet

Part Number: 151-02587



Channel gradually bends bundles at 120-degree angle around corners and or obstructions to avoid wire bundle strain.

L-shape channel provides protection and support for wire or bundle.

Tie slots and guides in multiple locations help locate and secure cable ties to prevent slipping.

6.5 mm fir tree enables mounting.

Protects against abrasion and other environmental factors.

Mini Channel, 70mm Long, 120 degree, 17.1mm radius angle, PA66HIRHSUV, Black, 856/ctn

Article Number	151-02587
-----------------------	-----------

Type	120MINICHNLFT6.5
-------------	------------------

Color	Black (BK)
--------------	------------

Quantity Per	carton
---------------------	--------

Product Description	HellermannTyton Mini Channels provide protection and configurable routing in a cost-effective solution. The variety of sizes and configurations enables engineers and installers to create optimum routing scenarios. Mini channels replace engineered channels that are costly to design and develop.
----------------------------	--

Short Description	Mini Channel, 70mm Long, 120 degree, 17.1mm radius angle, PA66HIRHSUV, Black, 856/ctn
Global Part Name	120MINICHNLFT6.5-PA66HIRHSUV-BK
Length L (Imperial)	3.01
Length L (Metric)	76.53
Width W (Imperial)	0.765
Width W (Metric)	19.44
Mounting Hole Diameter D (Imperial)	0.255
Mounting Hole Diameter D (Metric)	6.5 mm
Material	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
Material Shortcut	PA66HIRHSUV
Operating Temperature	-40°F to +230°F (-40°C to +110°C)
ROHS Compliant	Yes
Package Quantity (Imperial)	856

Package Quantity (Metric)	856
----------------------------------	-----

Customs Number	3926909988
-----------------------	------------