

Specification Sheet

Part Number: 161-05089



Sheathing allows flexible routing and lead-out of cables
The inner edges are beveled preventing damage to cables
Sheathing is reusable and resistant to most chemicals
Spiralwrap is U.L. Recognized

Spiralwrap Protective Sheathing, 0.75" Diameter, PA6, Black, 500ft/roll

Article Number 161-05089

Type 4N0H

Color Black (BK)

Quantity Per reel

Product Description HellermannTyton's Spiralwrap protective sheathing provides cable protection and flexible routing. Spiralwrap is wrapped around a group of cables to shield and organize.

Short Description Spiralwrap Protective Sheathing, 0.75" Diameter, PA6, Black, 500ft/roll

Global Part Name 4N0H-PA6-BK

| | |
|---------------------------------------|-------------------|
| Length L (Imperial) | 500.0 |
| Length L (Metric) | 152.4 |
| Variant | Spiral Binding |
| Bundle Diameter Min (Imperial) | 0.5 |
| Bundle Diameter Min (Metric) | 12.7 |
| Bundle Diameter Max (Imperial) | 5.0 |
| Bundle Diameter Max (Metric) | 127.0 |
| Diameter D (Imperial) | 0.75 |
| Diameter D (Metric) | 19.05 |
| Nominal Diameter (Imperial) | 0.75 |
| Nominal Diameter (Metric) | 19.05 |
| Wall Thickness WT (Imperial) | 0.032 |
| Wall Thickness WT (Metric) | 0.81 |
| Material | Polyamide 6 (PA6) |
| Material Shortcut | PA6 |

| | |
|-------------------------------------|-----------------------------------|
| Flammability | Self-extinguishing |
| Halogen Free | Yes |
| Operating Temperature | -40°F to +250°F (-40°C to +121°C) |
| Reach Compliant (Article 33) | Yes |
| ROHS Compliant | Yes |
| UL Recognized (US) | Yes |
| Package Quantity (Imperial) | 500 |
| Package Quantity (Metric) | 152.40 |
| Customs Number | 3926909988 |