

## Specification Sheet

Part Number: 151-00982



Integrated design allows for easy insertion by hand.

1–3mm panel thickness range allows for multiple applications.

Double-compression design can accommodate up to 2 wires or cables of varying sizes.

Presents a high extraction force for withstanding extreme conditions.

Heavy Duty Metal Edge Clip, 1–3mm Panel Thickness, 5–7.6mm Cable Range, SS304, 100/bag

**Article Number** 151-00982

**Type** MSC2

**Color** Metal (ML)

**Quantity Per** bag

**Product Description** HellermannTyton's Heavy Duty Metal Edge Clip provides an excellent alternative to managing up to 2 wire and PV cables where plastic fasteners are not the preferred method. Designed for effortless insertion, the Heavy Duty Edge Clip has a high extraction force that tolerates extreme environments and provides assurance that the cables are secure on a panel. This Metal Edge Clip is simple to install and can easily be removed with a flathead screwdriver.

**Short Description** Heavy Duty Metal Edge Clip, 1–3mm Panel Thickness, 5–7.6mm Cable Range, SS304, 100/bag

**Global Part Name** MSC2-SS304-ML

**Length L (Imperial)** 0.95

**Length L (Metric)** 24.1

**Width W (Imperial)** 0.50

**Width W (Metric)** 13.0

**Bundle Diameter Min (Imperial)** 0.20

**Bundle Diameter Min (Metric)** 5.0

**Bundle Diameter Max (Imperial)** 0.30

**Bundle Diameter Max (Metric)** 7.6

**Panel Thickness Min (Imperial)** 0.04

**Panel Thickness Max (Imperial)** 0.12

**Panel Thickness Min (Metric)** 1.0

**Panel Thickness Max (Metric)** 3.0

**Material** Stainless Steel (SS304)

<b>Material Shortcut</b>	SS304
<b>Flammability</b>	Non-burning
<b>Halogen Free</b>	No
<b>Operating Temperature</b>	-112°F to +1000°F (-80°C to +538°C)
<b>Reach Compliant (Article 33)</b>	Yes
<b>ROHS Compliant</b>	Yes
<b>UL Recognized (US)</b>	Yes
<b>UL Listed (US and Canada)</b>	Yes
<b>UL Recognized (US and Canada)</b>	Yes
<b>UL Listed (US)</b>	Yes
<b>Package Quantity (Imperial)</b>	100
<b>Package Quantity (Metric)</b>	100
<b>Customs Number</b>	7326908695