

## Specification Sheet

Part Number: 151-10915



2- or 4-way entry options for the Q Tie, offering flexibility and stability

Q Tie Mount with Adhesive, 1.2" x 1.2" x 0.21", 4 way entry for Q18 thru Q50 ties, PA66, Black, 100/bag

**Article Number** 151-10915

**Type** QM30A

**Color** Black (BK)

**Quantity Per** bag

**Product Description** Q Mounts are designed to work exclusively with the Q Tie cable tie series. This mounting component is available with adhesive or can be secured with screws. The Q Mount allows either a 2- or 4-way entry for the Q Tie, providing a quick and simple insertion into the mount. Once in place, the Q Tie will not slip out, even in vertical mounting applications.

**Short Description** Q Tie Mount with Adhesive, 1.2" x 1.2" x 0.21", 4 way entry for Q18 thru Q50 ties, PA66, Black, 100/bag

**Global Part Name**

QM30A-PA66-BK

**Length L (Imperial)**

1.2

**Length L (Metric)**

30.0

**Fixation Method**

Screw Mounting and Adhesive

**Width W (Imperial)**

1.2

**Width W (Metric)**

30.0

**Height H (Imperial)**

0.21

**Height H (Metric)**

4.5

**Cable Tie Width Max (Imperial)**

0.2

**Cable Tie Width Max (Metric)**

5.1

**Mounting Hole Diameter D (Imperial)**

0.16

**Mounting Hole Diameter D (Metric)**

4.1 mm

**Mounting Hole Diameter D Min (Imperial)**

0.16

**Mounting Hole Diameter D Max (Metric)**

4.1

**Mounting Hole Centers (Imperial)**

0.83

<b>Material</b>	Polyamide 6.6 (PA66)
<b>Material Shortcut</b>	PA66
<b>Adhesive</b>	Synthetic rubber with base of polyethylene foam
<b>Flammability</b>	UL 94 V-2 (excluding adhesive)
<b>Halogen Free</b>	Yes
<b>Adhesive Operating Temperature</b>	-40°F to +140°F (-40°C to +60°C)
<b>Operating Temperature</b>	-40°F to +140°F (-40°C to +60°C)
<b>Reach Compliant (Article 33)</b>	Yes
<b>ROHS Compliant</b>	Yes
<b>Package Quantity (Imperial)</b>	100
<b>Package Quantity (Metric)</b>	100
<b>Customs Number</b>	3926909988