## NOTES:

I. MATERIALS AND FINISHES:
LOCK RING - BRASS, NICKEL PLATING

BODY - BRASS, NICKEL PLATING

CONTACT - PHOSPHOR BRONZE, GOLD PLATING

INSULATOR - PTFE, NATURAL

## 2. ELECTRICAL:


A. IMPEDANCE: 75 OHM
B. FREQUENCY RANGE: 0-2 GHz

C. VSWR (RETURN LOSS): 1.300 (-17.7 dB) MAX.


D. D.W.V: 1500 VRMS, MIN.


## 3. MECHANICAL:

A. DURABILITY: 500 CYCLES MIN. B. TEMPERATURE RANGE: -65°C TO +165°C





PCB MOUNTING HOLE





SCALE 3.000





## **CUSTOMER OUTLINE DRAWING**

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES AR	E :				
<pre>&lt; 0.5mm  0.5 - 6mm  6 - 30mm  30 - 120mm  ANGLES</pre>					
$\pm$ 0.05mm $\pm$ 0.1mm $\pm$ 0.2mm $\pm$ 0.3mm $\pm$ 1°					
NOTICE - These drawings, specifications, or other data (I) are, and remain the					
property of Amphenol corp. (2) must be returned upon request; and (3) are					
confidential and not to be disclosed to any person other than those to whom they					
are given by Amphenol Corp. the furnishing of these drawings, specifications, o					
other data by Amphenol Corp., or to any other person to anyone for any purpose i					
not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sell					
product, process or design, patented or otherwise, that may in any way be relate					
or disclosed by said drawings, specifications, or other data.	•				

MATERIAL	DRAWN M. ZHANG	DATE II-Jun-15	ΤΙ
	ENGINEER S.HSIEH	DATE 01-Sep-05	
REFERENCE AND	APPROVED S.HSIEH	DATE II-Jun-15	SCA
CONFIGURATION LEVEL: In Work FINISH	CAD FILE		

TITLE			Λ	
BNC P.C. M	10 U N T	RECEPT.	A	
JACK - 75	ohm,	. 095"	V	
CENTER CONTACT/2-LEGS			DRAWING	
			DRAWING	
SCALE: 6.0:1.0 S			TITEM NO.	
DWG SIZE		REV		
В		C	PART NO.	

Amphenol RF
www.amphenolrf.com
NG NO.B6251C1-012-NT3G-75
NO. 016251ACJAINA7F

112405-10-2