

## Specification Sheet

Part Number: 166-90376



Integrated flip open lid for quick and easy assembly.  
Smooth inner surface holds tubing from slipping.

Easy access mounting hole reduces installation time.

Quick release for easy future access.

HelaGuard AFCP Smooth Tubing Clip,0.75" Dia, PA66, Black, 10/pkg

**Article Number** 166-90376

**Type** AFCP0750

**Color** Black (BK)

**Quantity Per** pack

**Product Description** Conduit Clips clamp onto corrugated conduits and tubing to secure. Nylon material resists corrosion and chemicals. Can also be used on C-shaped DIN rails.

**Short Description** HelaGuard AFCP Smooth Tubing Clip,0.75" Dia, PA66, Black, 10/pkg

**Global Part Name** AFCP0750-PA66-BK

<b>Length L (Imperial)</b>	1.61
<b>Length L (Metric)</b>	41
<b>Variant</b>	Clip
<b>Width W (Imperial)</b>	0.59
<b>Width W (Metric)</b>	15
<b>Height H (Imperial)</b>	1.77
<b>Height H (Metric)</b>	45
<b>Nominal Diameter (Imperial)</b>	0.75
<b>Nominal Diameter (Metric)</b>	25
<b>Mounting Hole Diameter D (Imperial)</b>	0.24
<b>Mounting Hole Diameter D (Metric)</b>	6.0 mm
<b>Mounting Hole Diameter D Max (Metric)</b>	6

**Material** Polyamide 6.6 (PA66)

**Material Shortcut** PA66

**Flammability** UL 94 V-2

**Operating Temperature** -58°F to +275°F (-50°C to +135°C)

**Package Quantity (Imperial)** 10

**Package Quantity (Metric)** 10

**Customs Number** 3926909988