

2020





PROFESSIONAL AUTOMOTIVE TOOLS









COMPLETE AUTOMOTIVE AND INDUSTRIAL SHOP TOOLS PROGRAM




Wiha Combination Wrenches Index

Description	Page
 Combo Ratchet Wrenches	4-5
 Combination Wrenches	6-7




Wiha Sockets Index

Description	Page
 1/4" Sockets & Deep Sockets	8-9
 1/4" Socket Accessories	8-9
 3/8" Sockets & Deep Sockets	10-11
 3/8" Socket Accessories	10-11
 1/2" Sockets & Deep Sockets	12-13
 1/2" Socket Accessories	12-13


Wiha Bit Socket Rail Sets Index

Description	Page
 Bit Socket Sets on rails	14, 18









Wiha Sockets & Accessories Index

Description	Page
 External Torx® Sockets 1/4", 3/8", 1/2"	16
 6" Bit Sockets 1/4" & 3/8" Drive	18
 1/4" Hex to Sq. Adapter	16





Wiha Impact Bit Holding Sockets Index

Description	Page
 Impact Bit Holding Sockets 1/4" Drive Bits	16



Wiha Torx® & Hex Bit Sockets Index

Description	Page
 Torx® 1/4" Square Drive	17
 Torx® 3/8" Square Drive	17
 Torx® 3/8"-5/16" Bits	17
 Security Torx® 1/4" & 3/8" Sq. Drive	17
 Security Torx® 3/8"-5/16" Bits	17
 TorxPlus® 1/4" & 3/8" Sq. Dr.	17
 Hex 1/4" Sq. Dr. Bit Sockets	15
 Hex 3/8" Sq. Dr. Bit Sockets	15

Wiha 1/2" Square Drive Bit Sockets Index

Description	Page
 Torx® 1/2" Sq. Drive	15
 Security Torx® 1/2" Sq. Dr.	15
 Slotted 1/2" Square Drive	15
 Phillips 1/2" Square Drive	15


Wiha Metric Punches Index

Description	Page
 Tapered Punches	19
 Parallel Pin Punches	19

Wiha Combination Ratchet Wrenches

Professional Ratchet Wrenches

- 72 tooth geared ratcheting
- 12 point box end with 5° swing arc
- Box end is offset 0° to deliver maximum power
- Open end is offset 15° for maximum rotation in tight places



Soft grip rack with wire bail holds wrenches securely



303 Ratchet Wrenches Metric

Made from high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit.

Item No.	Ø _{MM} mm	OAL mm	OAL Inch	Weight lbs.
30308	8.0	136	5.4	.08
30309	9.0	142	5.6	.10
30310	10.0	160	6.3	.12
30311	11.0	168	6.6	.15
30312	12.0	174	6.9	.18
30313	13.0	180	7.1	.22
30314	14.0	190	7.5	.26
30315	15.0	200	7.9	.31
30316	16.0	215	8.5	.37
30317	17.0	230	9.1	.43
30318	18.0	240	9.4	.45
30319	19.0	248	9.8	.52
30301	20.0	288	11.3	.81
30302	21.0	288	11.3	.73
30303	22.0	288	11.3	.72
30304	23.0	288	11.3	.76
30305	24.0	322	12.7	1.15
30306	25.0	322	12.7	1.05
30307	26.0	322	12.7	1.07
30320	27.0	359	14.1	1.45
30321	28.0	359	14.1	1.43
30326	29.0	359	14.1	1.41
30328	30.0	425	16.7	2.38

303 Ratchet Wrenches Inch

Made from high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit.

Item No.	Inch	OAL mm	OAL Inch	Weight lbs.
30322	1/4	124	4.9	.07
30323	5/16	124	4.9	.08
30324	11/32	142	5.6	.10
30325	3/8	160	6.3	.13
30327	7/16	168	6.6	.15
30329	1/2	180	7.1	.22
30331	9/16	190	7.5	.26
30333	5/8	215	8.5	.36
30334	11/16	230	9.1	.43
30335	3/4	248	9.8	.51
30336	13/16	285	11.2	.76
30337	7/8	285	11.2	.74
30338	15/16	322	12.7	1.12
30339	1	322	12.7	1.09
30340	1-1/16	359	14.1	1.45
30341	1-1/8	359	14.1	1.47
30343	1-1/4	425	16.7	2.20
30344	1-3/8	485	19.1	3.56
30345	1-1/2	485	19.1	3.41

30393 7-Piece Set Inch Combination Ratchet Wrenches

Made from 31CRV3 high performance tool steel. Chromed sure grip body. Precision formed for exact fit.

Item No.	Inch:
30393	5/16, 11/32, 3/8, 7/16, lbs. 2.02
	1/2, 9/16, 5/8"



Soft grip rack with wire bail holds wrenches securely

30390 7-Piece Set Metric Combination Ratchet Wrenches

Made from 31CRV3 high performance tool steel. Chromed sure grip body. Precision formed for exact fit.

Item No.	Metric:
30390	9.0, 10.0, 11.0, 12.0, lbs. 2.02
	13.0, 14.0, 15.0mm

Wiha Professional Combination Wrenches

Combination Wrenches

- 12 point box end with 5° swing arc
- Box end is offset 15° to deliver maximum power
- Open end is offset 15° for maximum rotation in tight places



304 Combination Wrenches Metric

Made from high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit.

Item No.	Ø _{MM}	OAL mm	OAL Inch	Weight lbs.
30406	6.0	120	4.7	.05
30407	7.0	130	5.1	.06
30408	8.0	140	5.5	.07
30409	9.0	150	5.9	.10
30410	10.0	160	6.3	.13
30411	11.0	170	6.7	.15
30412	12.0	175	6.9	.17
30413	13.0	180	7.1	.18
30414	14.0	195	7.7	.25
30415	15.0	200	7.9	.29
30416	16.0	225	8.9	.32
30417	17.0	230	9.1	.38
30418	18.0	240	9.4	.49
30419	19.0	250	9.8	.49
30420	20.0	260	10.2	.58
30422	22.0	295	11.6	.74
30424	24.0	315	12.4	.91
30425	25.0	340	13.4	1.12
30426	26.0	340	13.4	1.04
30427	27.0	365	14.4	1.20
30428	28.0	395	15.6	1.61
30429	29.0	395	15.6	1.58
30430	30.0	395	15.6	1.60




Soft grip rack with wire bail holds wrenches securely

30490 7-Piece Set Metric Combination Wrenches

Made from 31CRV3 high performance tool steel. Chromed sure grip body. Precision formed for exact fit.

Item No.	Metric:
30490	10.0, 12.0, 13.0, 14.0, 15.0, 16.0, 17.0mm




Soft grip rack with wire bail holds wrenches securely



30491 12-Piece Set Metric Combination Wrenches

Made from 31CRV3 high performance tool steel. Chromed sure grip body. Precision formed for exact fit.

Item No.	Metric:
30491	8.0, 9.0, 10.0, 11.0, 12.0, 13.0, 14.0, 15.0, 16.0, 17.0, 18.0, 19.0mm



304 Combination Wrenches Inch

Made from high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit.

Item No.	Inch	OAL mm	OAL Inch	Weight lbs.
30433	1/4	130	5.1	.07
30434	5/16	140	5.5	.08
30435	3/8	160	6.3	.13
30436	7/16	170	6.7	.15
30437	1/2	180	7.1	.22
30438	9/16	190	7.5	.26
30440	5/8	210	8.3	.36
30441	11/16	230	9.1	.43
30442	3/4	250	9.8	.51
30444	13/16	270	10.6	.76
30445	7/8	290	11.4	.74
30446	15/16	320	12.6	1.12
30447	1	340	13.4	1.09
30448	1-1/16	360	14.2	1.45
30449	1-1/8	390	15.4	1.47
30450	1-1/4	430	16.9	2.20
30451	1-3/8	470	18.5	3.56
30452	1-1/2	500	19.7	3.41



Soft grip rack with wire bail holds wrenches securely

30493 7-Piece Set Inch Combination Wrenches

Made from 31CRV3 high performance tool steel. Chromed sure grip body. Precision formed for exact fit.

Item No.	Inch:
30493	3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"



Soft grip rack with wire bail holds wrenches securely




30494 12-Piece Set Inch Combination Wrenches

Precision formed for exact fit.

Item No.	Inch:
30494	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16"



Wiha Professional Combination Wrenches



Soft grip rack with wire bail holds wrenches securely



30488 23-Piece Set Metric Combination Wrenches

Item No.	Metric:
30488	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 24, 25, 26, 27, 28, 29, 30mm



30495 24-Piece Set Inch/Metric Combination Wrenches

Item No.	Inch/Metric:
30495	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 5/16", 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



30489 18-Piece Set Inch Combination Wrenches

Item No.	Inch:
30489	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4, 1-3/8, 1-1/2"

Full 41-Piece Combination Set



30487 41-Piece Set Inch/Metric Combination Wrenches

Item No.	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4, 1-3/8, 1-1/2"
30487	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 24, 25, 26, 27, 28, 29, 30mm

Notes:

Blank lined area for notes.

Wiha Universal Socket Rail System



91132 Universal Rail For 1/4, 3/8 and 1/2" Sockets Select any combination of socket drive sizes. Socket snaps firmly into place for a secure hold. Clips required.

Item	—		↔
No.	OAL	pkg.	lbs.
91132	8.0"	1	.06



91117 Replacement 1/4" Clips For The Universal Socket Rail Package of 10 pieces.

Item No.	↔	lbs.
91117		.03



91124 Replacement 1/2" Clips For The Universal Socket Rail Package of 10 pieces.

Item No.	↔	lbs.
91124		.05



91134 Universal Rail For 1/4, 3/8 and 1/2" Sockets Select any combination of socket drive sizes. Socket snaps firmly into place for a secure hold. Clips required.

Item	—		↔
No.	OAL	pkg.	lbs.
91134	14.0"	1	.08



91121 Replacement 3/8" Clips For The Universal Socket Rail Package of 10 pieces.

Item No.	↔	lbs.
91121		.03

Wiha 1/4" Sockets & Accessories



333 1/4" Sockets - 6 Points Hard chrome finish with ball retaining groove.

Item	—		↔
No.	mm	mm	wt.
33316	4.0	25	.02
33317	5.0	25	.02
33318	5.5	25	.02
33319	6.0	25	.02
33320	7.0	25	.02
33321	8.0	25	.02
33322	9.0	25	.03
33323	10.0	25	.03
33325	11.0	25	.03
33326	12.0	25	.04
33327	13.0	25	.04
33328	14.0	25	.04

333 1/4" Sockets - 6 Points Hard chrome finish with ball retaining groove.

Item	—		↔
No.	Inch	Inch	wt.
33305	5/32	.98	.02
33306	3/16	.98	.02
33307	7/32	.98	.02
33308	1/4	.98	.02
33309	9/32	.98	.02
33310	5/16	.98	.02
33311	11/32	.98	.03
33312	3/8	.98	.03
33313	7/16	.98	.03
33314	1/2	.98	.04
33315	9/16	.98	.04



333 1/4" Deep Sockets - 6 Points Hard chrome finish with ball retaining groove.

Item	—	
No.	mm	mm
33341	5.0	50
33342	5.5	50
33343	6.0	50
33344	7.0	50
33345	8.0	50
33346	9.0	50
33347	10.0	50
33348	11.0	50
33349	12.0	50
33350	13.0	50
33351	14.0	50



33301 1/4" Ratchet - Forged ratchet body, satin finish, nickel and hard chrome.

Item	—	
No.	Inch	mm
33301	5.0	128

333 1/4" Deep Sockets - 6 Points Hard chrome finish with ball retaining groove.

Item	—	
No.	Inch	Inch
33329	5/32	2.0
33330	3/16	2.0
33331	1/4	2.0
33332	9/32	2.0
33333	5/16	2.0
33334	11/32	2.0
33337	3/8	2.0
33338	7/16	2.0
33339	1/2	2.0
33340	9/16	2.0



333 1/4" Extension Bars

Satin chrome finish, fully polished with spring-loaded retaining ball.

Item	—	
No.	Inch	mm
33303	3.0	76
33304	6.0	152



60140 1/4" Converter To 3/8"

Hard chrome finish, fully polished with spring-loaded retaining ball.


Item	—		↔
No.	Inch	mm	wt.
60140	1.06	27	.04

Wiha 1/4" Sockets Sets On Rail



Professional series, long life
6 point sockets

Exact fit
precision
formed



Through hardened for
maximum durability



33392 13pc 1/4" Drive Deep Socket Set - Inch 1/4" Square Drive. Hard chrome finish with ball retaining groove.

Item No.	Includes:
33392	5/32, 3/16, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16"
lbs.	1/4" Ratchet: 5.0" OAL
1.63	1/4" Extension Bars: 3.0" & 6.0" OAL



33390 14pc 1/4" Drive Socket Set - Inch 1/4" Square Drive. Hard chrome finish with ball retaining groove.

Item No.	Includes:
33390	Sockets: 5/32, 3/16, 7/32, 9/32, 5/16, 11/32, 3/8, 1/4, 7/16, 1/2, 9/16"
lbs.	1/4" Ratchet: 5.0" OAL
1.39	1/4" Extension Bars: 3.0" & 6.0" OAL



33391 16pc 1/4" Drive Socket Set - Metric 1/4" Square Drive. Hard chrome finish with ball retaining groove.

Item No.	Includes:
33391	Sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
lbs.	1/4" Ratchet: 5.0" OAL
1.47	1/4" Extension Bars: 3.0" & 6.0" OAL



33393 14pc 1/4" Drive Deep Socket Set - Metric 1/4" Square Drive. Hard chrome finish with ball retaining groove.

Item No.	Includes:
33393	5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
lbs.	1/4" Ratchet: 5.0" OAL
1.84	1/4" Extension Bars: 3.0" & 6.0" OAL



33395 27-Piece Metric 1/4" Drive Professional Socket Tray Set

Professional series long life 6 point sockets, built of top quality materials for performance and durability.

Item	12 Standard Sockets: 4 - 14mm
No.	11 Deep Sockets: 5 - 14mm
33395	1/4" Dr. Ratchet: 72 Tooth
	1/4" Dr. Extension Bars: 3", 6"
	1/4" Dr. Universal Joint



33396 25-Piece Inch 1/4" Drive Professional Socket Tray Set

Professional series long life 6 point sockets, built of top quality materials for performance and durability.

Item	11 Standard Sockets: 5/32" - 9/16"
No.	10 Deep Sockets: 5/32" - 9/16"
33396	1/4" Dr. Ratchet: 72 Tooth
	1/4" Dr. Extension Bars: 3", 6"
	1/4" Dr. Universal Joint



Trays fit in most tool boxes

Wiha 3/8" Sockets & Accessories



337 3/8" Sockets - 12 Points Hard chrome finish with ball retaining groove.

Item				
No.	mm	mm	wt.	
33721	6.0	28	.02	
33722	7.0	28	.02	
33723	8.0	28	.02	
33724	9.0	28	.03	
33725	10.0	28	.03	
33726	11.0	28	.03	
33727	12.0	28	.04	
33728	13.0	28	.04	
33729	14.0	28	.04	
33730	15.0	28	.05	
33731	16.0	28	.05	
33732	17.0	28	.06	
33733	18.0	28	.06	
33734	19.0	28	.07	
33735	20.0	30	.07	
33736	21.0	30	.08	
33737	22.0	30	.08	
33738	24.0	30	.08	



33701 3/8" Ratchet - Forged ratchet body, satin finish, nickel and hard chrome.

Item			
No.	Inch	mm	
33701	5.0	128	



337 3/8" Deep Sockets - 12 Points Hard chrome finish with ball retaining groove.

Item			
No.	mm	mm	
33750	7.0	63	
33751	8.0	63	
33752	9.0	63	
33753	10.0	63	
33754	11.0	63	
33755	12.0	63	
33756	13.0	63	
33757	14.0	63	
33758	15.0	63	
33759	16.0	63	
33760	17.0	63	
33761	18.0	63	
33762	19.0	63	
33763	20.0	63	
33764	21.0	63	
33765	22.0	63	



337 3/8" Extension Bars

Satin chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	
33703	3.0	76	
33704	6.0	152	
33705	10.0	254	



337 3/8" Sockets - 12 Points Hard chrome finish with ball retaining groove.

Item				
No.	Inch	Inch	wt.	
33708	1/4	1.1	.02	
33709	9/32	1.1	.02	
33710	5/16	1.1	.02	
33711	11/32	1.1	.03	
33712	3/8	1.1	.03	
33713	7/16	1.1	.03	
33714	1/2	1.1	.04	
33715	9/16	1.1	.04	
33716	5/8	1.1	.04	
33717	11/16	1.1	.04	
33718	3/4	1.1	.04	
33719	13/16	1.2	.04	
33720	7/8	1.2	.04	



60260 3/8" Converter To 1/2"

Hard chrome finish, fully polished with spring-loaded retaining ball.

Item					
No.	Inch	mm	wt.		
60260	1.38	35	.11		



337 3/8" Deep Sockets - 12 Points Hard chrome finish with ball retaining groove.

Item			
No.	Inch	Inch	
33739	1/4	2.5	
33740	5/16	2.5	
33741	3/8	2.5	
33742	7/16	2.5	
33743	1/2	2.5	
33744	9/16	2.5	
33745	5/8	2.5	
33746	11/16	2.5	
33747	3/4	2.5	
33748	13/16	2.5	
33749	7/8	2.5	

Wiha 3/8" Socket Sets On Rail



Professional series, long life
12 point sockets


Exact fit
precision
formed



Through hardened for
maximum durability




33792 15pc 3/8" Drive Deep Socket Set - Inch 3/8" Square Drive. Hard chrome finish with ball retaining groove.

Item No.	Set includes the following:
33792	1/4, 5/16, 3/8, 7/16,
	1/2, 9/16, 5/8, 11/16,
lbs.	3/4, 13/16, 7/8"
4.15	3/8" Ratchet: 5.0" OAL
	3/8" Extension Bars:
	3.0", 6.0" & 10" OAL




33790 17pc 3/8" Drive Socket Set - Inch 3/8" Square Drive. Hard chrome finish with ball retaining groove.

Item No.	Includes:
33790	Sockets: 1/4, 9/32, 5/16,
	11/32, 3/8, 7/16, 1/2, 9/16,
lbs.	5/8, 11/16, 3/4, 13/16, 7/8"
3.11	3/8" Ratchet: 5.0" OAL
	3/8" Extension Bars:
	3.0", 6.0" & 10" OAL




33791 22pc 3/8" Drive Socket Set - Metric 3/8" Square Drive. Hard chrome finish with ball retaining groove.

Item No.	Includes:
33791	Sockets: 6, 7, 8, 9, 10, 11,
	12, 13, 14, 15, 16, 17, 18, 19,
lbs.	20, 21, 22, 24mm
3.94	3/8" Ratchet: 5.0" OAL
	3/8" Extension Bars:
	3.0", 6.0" & 10" OAL



33793 20pc 3/8" Drive Deep Socket Set - Metric 3/8" Square Drive. Hard chrome finish with ball retaining groove.

Item No.	Set includes the following:
33793	7, 8, 9, 10, 11, 12, 13,
	14, 15, 16, 17, 18, 19,
lbs.	20, 21, 22mm
5.20	3/8" Ratchet: 5.0" OAL
	3/8" Extension Bars:
	3.0", 6.0" & 10" OAL



33795 24-Piece Metric 3/8" Drive Professional Socket Tray Set

Professional series long life 12 point sockets, built of top quality materials for performance and durability.

Item No.	10 Standard Sockets: 8 - 19mm
33795	10 Deep Sockets: 8 - 19mm
	3/8" Dr. Ratchet: 72 Tooth
	3/8" Dr. Extension Bars: 3", 6"
	3/8" Dr. Universal Joint



33796 22-Piece Inch 3/8" Drive Professional Socket Tray Set

Professional series long life 12 point sockets, built of top quality materials for performance and durability.

Item No.	9 Standard Sockets: 1/4" - 3/4"
33796	9 Deep Sockets: 1/4" - 3/4"
	3/8" Dr. Ratchet: 72 Tooth
	3/8" Dr. Extension Bars: 3", 6"
	3/8" Dr. Universal Joint





Wiha 1/2" Sockets & Accessories



338 1/2" Sockets - 12 Points Hard chrome finish with ball retaining groove.

Item			
No.	mm	mm	wt.
33824	8.0	38	.02
33825	9.0	38	.03
33826	10.0	38	.03
33827	11.0	38	.03
33828	12.0	38	.04
33829	13.0	38	.04
33830	14.0	38	.04
33831	15.0	38	.05
33832	16.0	38	.05
33833	17.0	38	.06
33834	18.0	38	.06
33835	19.0	38	.07
33836	20.0	38	.07
33837	21.0	38	.08
33838	22.0	38	.08
33839	23.0	40	1.0
33840	24.0	40	1.0
33841	25.0	42	1.3
33842	26.0	42	1.3
33843	27.0	44	1.4
33844	28.0	44	1.4
33845	29.0	44	1.5
33846	30.0	44	1.5
33847	31.0	44	1.7
33848	32.0	44	1.7
33850	34.0	44	1.8

338 1/2" Sockets - 12 Points Hard chrome finish with ball retaining groove.

Item			
No.	Inch	Inch	wt.
33807	5/16	1.5	.02
33808	11/32	1.5	.03
33809	3/8	1.5	.03
33810	7/16	1.5	.03
33811	1/2	1.5	.04
33812	9/16	1.5	.04
33813	5/8	1.5	.05
33814	11/16	1.5	.05
33815	3/4	1.5	.06
33816	13/16	1.5	.06
33817	7/8	1.5	.06
33818	15/16	1.6	.08
33819	1	1.7	.09
33820	1-1/16	1.7	.09
33821	1-1/8	1.7	1.0
33822	1-3/16	1.7	1.0
33823	1-1/4	1.7	1.2

338 1/2" Deep Sockets - 12 Points Hard chrome finish with ball retaining groove.

Item		
No.	mm	mm
33866	10.0	77
33867	11.0	77
33868	12.0	77
33869	13.0	77
33870	14.0	77
33871	15.0	77
33872	16.0	77
33873	17.0	77
33874	18.0	77
33875	19.0	77
33876	20.0	77
33877	21.0	77
33878	22.0	77
33879	23.0	77
33880	24.0	77
33881	25.0	77
33882	26.0	77
33884	28.0	77
33885	29.0	77
33886	30.0	77
33888	32.0	77



33801 1/2" Ratchet - Forged ratchet body, satin finish, nickel and hard chrome.

Item		
No.	Inch	mm
33801	10.0	257



338 1/2" Extension Bars Satin chrome finish, fully polished with spring-loaded retaining ball.

Item		
No.	Inch	mm
33803	3.0	76
33804	6.0	152
33805	10.0	254

338 1/2" Deep Sockets - 12 Points Hard chrome finish with ball retaining groove.

Item		
No.	Inch	Inch
33851	3/8	3.0
33852	7/16	3.0
33853	1/2	3.0
33854	9/16	3.0
33855	5/8	3.0
33856	11/16	3.0
33857	3/4	3.0
33858	13/16	3.0
33859	7/8	3.0
33860	15/16	3.0
33861	1	3.0
33862	1-1/16	3.0
33863	1-1/8	3.0
33864	1-3/16	3.0
33865	1-1/4	3.0

Wiha 1/2" Socket Sets On Rail



Professional series, long life
12 point sockets

Exact fit
precision
formed



Through hardened for
maximum durability



33892 19pc 1/2" Drive Deep Socket Set - Inch 1/2" Square Drive. Hard chrome finish with ball retaining groove.

Item No.	Set includes the following:
33892	3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4"
lbs.	1/2" Ratchet: 10.0" OAL
10.30	1/2" Extension Bars: 3.0", 6.0" & 10" OAL



33890 21pc 1/2" Drive Socket Set - Inch 1/2" Square Drive. Hard chrome finish with ball retaining groove.

Item No.	Set includes the following:
33890	5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4"
lbs.	1/2" Ratchet: 10.0" OAL
7.23	1/2" Extension Bars: 3.0", 6.0" & 10" OAL



33891 30pc 1/2" Drive Socket Set - Metric 1/2" Square Drive. Hard chrome finish with ball retaining groove.

Item No.	Set includes the following:
33891	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 34mm
lbs.	1/2" Ratchet: 10.0" OAL
9.95	1/2" Extension Bars: 3.0", 6.0" & 10" OAL



33893 25pc 1/2" Drive Deep Socket Set - Metric 1/2" Square Drive. Hard chrome finish with ball retaining groove.

Item No.	Set includes the following:
33893	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 28, 29, 30, 32mm
lbs.	1/2" Ratchet: 10.0" OAL
12.79	1/2" Extension Bars: 3.0", 6.0" & 10" OAL



33895 29-Piece Metric 1/2" Drive Professional Socket Tray Set

Professional series long life 12 point sockets, built of top quality materials for performance and durability.

Item No.	12 Standard Sockets: 10 - 21mm
33895	13 Deep Sockets: 10 - 22mm
	1/2" Dr. Ratchet: 72 Tooth
	1/2" Dr. Extension Bars: 3", 6"
	1/2" Dr. Universal Joint



33896 28-Piece Inch 1/2" Drive Professional Socket Tray Set

Professional series long life 12 point sockets, built of top quality materials for performance and durability.

Item No.	11 Standard Sockets: 3/8" - 1"
33896	13 Deep Sockets: 3/8" - 1-1/8"
	1/2" Dr. Ratchet: 72 Tooth
	1/2" Dr. Extension Bars: 3", 6"
	1/2" Dr. Universal Joint

MODULAR SYSTEMS -

Hundreds of options to choose from



Wiha Socket Sets On Molded Rails



76397 9pc Security TORX® Socket Set

1/4" & 3/8" Square Drive Replaceable Bit Sockets. 1/4" & 5/16" Bits CVM tool steel.

Item No. **Set Includes:**


76397	lbs.	1/4": T10s, T15s, T20s, T25s, T27s, T30s
.85		3/8": T40s (1/4" bit)
		3/8": T45s, T50s (5/16" bit)



71698 8pc TORXPlus® Socket Set On Rail, In Vinyl Pouch 1/4" & 3/8" Square Drive Replaceable Bit Sockets. Bits CVM tool steel.

Item No. **Set Includes:**

71698	lbs.	Set Includes:
.60		1/4": IP9, IP10, IP15, IP20
		3/8": IP25, IP27, IP30, IP40



71389 7pc Hex Metric Socket Set

1/4" Square drive replaceable bit sockets. Bits CVM tool steel. OAL 1.5"

Item No. **Set includes the following:**

71389	lbs.	Set includes the following:
.60		2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm




71798 8pc Ball End Hex Inch Socket Set

1/4" Square Drive Replaceable Bit Sockets. 1/4" Bits CVM tool steel.

Item No. **Set includes the following:**

71798	lbs.	Set includes the following:
.72		3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



71398 7pc Ball End Hex Inch Socket Set

1/4" Square Drive Replaceable Bit Sockets. 1/4" Bits CVM tool steel.

Item No. **Set Includes:**

71398	lbs.	Set Includes:
.48		3/32, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



71797 7pc Ball End Hex Metric Socket Set

1/4" Square Drive Replaceable Bit Sockets. 1/4" Bits CVM tool steel.

Item No. **Set Includes:**

71797	lbs.	Set Includes:
.72		Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm



71392 8pc Hex Inch Socket Set 3/8" Square Drive Replaceable Bit Sockets.

1/4" Bits CVM tool steel. OAL 1.65"

Item No. **Set Includes:**

71392	lbs.	Set Includes:
.78		1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"



71393 5pc Hex Inch Socket Set

3/8" Square Drive Replaceable Bit Sockets. 1/4" Bits CVM tool steel.

Item No. **Set Includes:**

71393	lbs.	Set Includes:
.54		Hex Inch: 1/8, 3/16, 1/4, 5/16, 3/8"



71394 5pc Hex Metric Socket Set

3/8" Square Drive Replaceable Bit Sockets. 1/4" Bits CVM tool steel.

Item No. **Set Includes:**

71394	lbs.	Set Includes:
.56		Hex Metric: 4.0, 5.0, 6.0, 8.0, 10.0mm



71996 9pc Hex Metric Socket Set 1/4" & 3/8" Square Drive Replaceable Bit Sockets.

1/4" Bits CVM tool steel. OAL 1.65"

Item No. **Set Includes:**

71996	lbs.	Set Includes:
.66		1/4": 1.5, 2.0, 2.5, 3.0, 4.0mm
		3/8": 5.0, 6.0, 8.0, 10.0mm



71989 7pc Security Hex Metric Socket Set

3/8" Square Drive Replaceable Bit Sockets. 1/4" Bits CVM tool steel.

Item No. **Set Includes:**

71989	lbs.	Set Includes:
.74		Security Hex Metric: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm



71999 9pc Security Hex Inch Socket Set

3/8" Square Drive Replaceable Bit Sockets. 1/4" Bits CVM tool steel.

Item No. **Set Includes:**

71999	lbs.	Set Includes:
.86		Security Hex Inch: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Wiha TORX®, TORXPlus® & Security TORX® Sockets



Set Screw Replaceable Bit

761 TORX® Sockets, 1/4" Square Drive

Item			
No.	Size	mm	lbs.
76106	T6	38	.04
76107	T7	38	.04
76109	T8	38	.04
76111	T9	38	.04
76113	T10	38	.04
76117	T15	38	.04
76119	T20	38	.04
76121	T25	38	.04
76123	T27	38	.04
76129	T30	38	.05
76131	T40	38	.05



716 TORXPlus® Sockets, 1/4" Square Drive, Set Screw Replaceable Bit 1/4" Bits

Item			
No.	Size	mm	lbs.
71661	IP6	38	.04
71662	IP7	38	.04
71663	IP8	38	.04
71664	IP9	38	.04
71665	IP10	38	.04
71666	IP15	38	.04
71667	IP20	38	.04
71668	IP25	38	.04
71669	IP27	38	.04
71670	IP30	38	.04
71671	IP40	38	.04



Set Screw Replaceable Bit

763 Security TORX® Sockets
3/8" Square drive, 5/16" bits.

Item			
No.	Size	mm	lbs.
76339	T40s	51	.11
76340	T45s	51	.11
76341	T50s	51	.11



763 TORX® Sockets, 3/8" Square Drive, Set Screw Replaceable Bit 1/4" Bits

Item			
No.	Size	mm	lbs.
76312	T9	42	.09
76314	T10	42	.09
76316	T15	42	.09
76318	T20	42	.09
76322	T25	42	.09
76324	T27	42	.09
76326	T30	42	.09
76328	T40	42	.09



716 TORXPlus® Sockets, 3/8" Square Drive, Set Screw Replaceable Bit 1/4" Bits

Item			
No.	Size	mm	lbs.
71673	IP9	42	.09
71674	IP10	42	.09
71675	IP15	42	.09
71676	IP20	42	.09
71677	IP25	42	.09
71678	IP27	42	.09
71680	IP30	42	.09
71681	IP40	42	.09



Set Screw Replaceable Bit

763 Security TORX® Sockets
1/4" Square drive, 1/4" bits.

Item			
No.	Size	mm	lbs.
76329	T7s	38	.04
76330	T8s	38	.04
76331	T9s	38	.04
76332	T10s	38	.04
76333	T15s	38	.04
76334	T20s	38	.04
76335	T25s	38	.04
76336	T27s	38	.04
76337	T30s	38	.05
76338	T40s	38	.05



763 TORX® Sockets, 3/8" Square Drive, Set Screw Replaceable Bit 5/16" Bit. 2" OAL

Item			
No.	Size	mm	lbs.
76346	T40	51	.11
76348	T45	51	.11
76352	T50	51	.11
76354	T55	51	.13



Set Screw Replaceable Bit

701 Security TORX® Sockets
3/8" Square drive, 1/4" bits. 2" OAL


Item			
No.	Size	mm	lbs.
70107	T7s	42	.09
70108	T8s	42	.09
70109	T9s	42	.09
70110	T10s	42	.09
70113	T15s	42	.09
70115	T20s	42	.09
70117	T25s	42	.09
70119	T27s	42	.09
70121	T30s	42	.09
70123	T40s	42	.09

Wiha External Sockets



773 TORX® External Sockets




1/4" Square drive socket.

Item			
No.	Size	mm	lbs.
77308	E8	25	.04



773 TORX® External Sockets




3/8" Square drive socket.

Item			
No.	Size	mm	lbs.
77331	E8	28	.07
77333	E10	28	.07
77337	E14	28	.08



773 TORX® External Sockets





1/2" Square drive socket.

Item			
No.	Size	mm	lbs.
77341	E12	37	.12
77347	E18	37	.14
77349	E20	37	.15
77353	E24	40	.24

1/2" Square Drive Sockets







764 TORX® Sockets, 1/2" Square Drive

Item				
No.	Size	mm	lbs.	pkg.
76403	T30	59	.10	1
76404	T40	59	.10	1
76405	T45	59	.10	1
76406	T50	59	.10	1
76407	T55	59	.11	1
76408	T60	59	.18	1







764 Security TORX® Sockets

Item				
No.	Size	mm	lbs.	pkg.
76411	T40s	59	.11	1
76412	T45s	59	.11	1
76413	T50s	59	.11	1
76414	T55s	59	.12	1







764 Slotted Bit Sockets, 1/2" Square Drive

Item				
No.	mm	mm	lbs.	pkg.
76417	8	59	.12	1
76418	10	59	.12	1
76419	12	59	.12	1







764 Phillips Bit Sockets, 1/2" Square Drive

Item				
No.	Size	mm	lbs.	pkg.
76422	2	59	.15	1
76423	3	59	.15	1
76424	4	59	.15	1

Impact Bit Holding Sockets




720 Impact Bit Holding Socket With Retaining Ring

Item				
No.	Bit	mm	Drive	lbs.
72001	1/4	25	1/4"	.05
72002	1/4	30	3/8"	.10
72003	1/4	35	1/2"	.21





72090 3 Piece Bit Holding Socket Set

for use with 1/4" Insert bits

Drive: 1/4", 3/8", 1/2"  wt. .40







720 Impact Bit Holding Socket With Retaining Ring

Item				
No.	Bit	mm	Drive	lbs.
72004	5/16	25	1/4"	.04
72005	5/16	30	3/8"	.04
72006	5/16	35	1/2"	.04

Wiha Socket Adapters







721 Hex To Square 1/4" socket bit adapter.

Item				
No.	Size	mm	Drive	lbs.
72110	1/4"	25	1/4"	.03
72115	1/4"	30	3/8"	.05



724 Tool Shaft




1/4" drive socket power adapter.

Item				
No.	Drive	mm	Drive	lbs.
72401	1/4"	100	1/4"	.09
72405	1/4"	50	1/4"	.03
72410	1/4"	100	3/8"	.17
72415	1/4"	50	3/8"	.06

Wiha Hex Inch & Metric Sockets






713 Hex Inch Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	Inch	mm	lbs.
71371	1/16	38	.05
71370	5/64	38	.05
71372	3/32	38	.05
71374	7/64	38	.05
71376	1/8	38	.05
71378	9/64	38	.05
71380	5/32	38	.05
71382	3/16	38	.05
71384	7/32	38	.05
71386	1/4	38	.05






713 Hex Metric Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	mm	mm	lbs.
71300	2.0	42	.09
71316	2.5	42	.09
71341	3.0	42	.09
71331	4.0	42	.09
71323	5.0	42	.09
71325	6.0	42	.09
71320	8.0	42	.10
71322	10.0	42	.11






713 Hex Metric Sockets 3/8" Square drive socket. Replaceable bit. 5/16" bits CVM steel.

Item			
No.	mm	mm	lbs.
71332	12.0	75	.22






713 Hex Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM tool steel.

Item			
No.	Inch	mm	lbs.
71375	1/8	42	.09
71377	9/64	42	.09
71379	5/32	42	.09
71381	3/16	42	.09
71383	7/32	42	.09
71385	1/4	42	.09
71388	5/16	42	.10
71390	3/8	42	.10






761 Security Hex Inch Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	Inch	mm	lbs.
76164	5/64	42	.09
76165	3/32	42	.09
76166	7/64	42	.09
76167	1/8	42	.09
76168	9/64	42	.09
76169	5/32	42	.09
76170	3/16	42	.09
76171	7/32	42	.09
76172	1/4	42	.09






717 Ball End Hex Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	Inch	mm	lbs.
71761	3/32	38	.09
71762	7/64	38	.09
71763	1/8	38	.09
71764	9/64	38	.09
71765	5/32	38	.09
71766	3/16	38	.09
71767	7/32	38	.09
71768	1/4	38	.09






713 Hex Metric Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	mm	mm	lbs.
71301	1.5	38	.04
71302	2.0	38	.04
71305	2.5	38	.04
71313	3.0	38	.04
71314	4.0	38	.04
71317	5.0	38	.05
71319	6.0	38	.05
71327	8.0	38	.05
71340	10.0	38	.05






761 Security Hex Metric Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	mm	mm	lbs.
76132	2.0	42	.09
76133	2.5	42	.09
76134	3.0	42	.09
76135	4.0	42	.09
76136	5.0	42	.09
76137	6.0	42	.09
76138	8.0	42	.09



717 Ball End Hex Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	mm	mm	lbs.
71771	1.5	38	.09
71772	2.0	38	.09
71773	2.5	38	.09
71774	3.0	38	.09
71775	4.0	38	.09
71776	5.0	38	.09
71777	6.0	38	.09

Wiha Long Blade Sockets & Sets



771 Hex Inch Sockets

1/4" Drive 6" Long Bit Socket

Item	No.	Size	Inch	lbs.
	77128	3/32	6	.12
	77130	7/64	6	.12
	77132	1/8	6	.12
	77134	9/64	6	.12
	77136	5/32	6	.12
	77138	3/16	6	.12
	77139	7/32	6	.12
	77141	1/4	6	.12

77191 8pc Hex Inch Socket Blade Set

Inch: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" wt. .97



771 Hex Inch Sockets

3/8" Drive 6" Long Bit Socket

Item	No.	Size	Inch	lbs.
	77165	3/32	6	.18
	77167	7/64	6	.18
	77169	1/8	6	.18
	77171	9/64	6	.18
	77173	5/32	6	.18
	77175	3/16	6	.18
	77177	7/32	6	.18
	77179	1/4	6	.18



771 Hex Metric Sockets

1/4" Drive 6" Long Bit Socket

Item	No.	Size	Inch	lbs.
	77140	2.5	6	.13
	77142	3.0	6	.13
	77144	4.0	6	.13
	77146	5.0	6	.13
	77148	6.0	6	.13

77192 5pc Hex Metric Socket Blade Set

Metric: 2.5, 3.0, 4.0, 5.0, 6.0mm wt. .70



771 TORX® Sockets

1/4" Drive 6" Long Bit Socket

Item	No.	Size	Inch	lbs.
	77151	T8	6	.12
	77153	T9	6	.12
	77152	T10	6	.12
	77154	T15	6	.12
	77156	T20	6	.12
	77158	T25	6	.12
	77160	T27	6	.13
	77162	T30	6	.13
	77164	T40	6	.13

77193 7pc TORX® Socket Blade Set

TORX®: T10, T15, T20, T25, T27, T30, T40 wt. .87




771 TORX® Sockets

3/8" Drive 6" Long Bit Socket

Item	No.	Size	Inch	lbs.
	77101	T8	6	.12
	77103	T9	6	.12
	77105	T10	6	.12
	77107	T15	6	.12
	77109	T20	6	.12
	77111	T25	6	.12
	77113	T27	6	.12
	77115	T30	6	.12
	77117	T40	6	.12

77195 9pc TORX® Socket Blade Set

TORX®: T8, T9, T10, T15, T20, T25, T27, T30, T40 wt. 1.08



77198 22 Piece Hex & TORX® Long Blade Socket Set, 1/4" Drive

Inch Hex: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Metric Hex: 2.5, 3.0, 4.0, 5.0, 6.0mm

TORX®: T8, T9, T10, T15, T20, T25,

T27, T30, T40

wt. 2.82

Wiha Socket Sets On Molded Rails



76194 6pc TORX® Socket Set

1/4" Square Drive Replaceable Bit Sockets. Bits CVM tool steel.


Item No.	lbs.	Set Includes:
76194	.20	T10, T15, T20, T25, T27, T30



76395 8pc TORX® Socket Set

3/8" Square Drive Replaceable Bit Sockets. Bits CVM tool steel. OAL 1.5"

Item No.	lbs.	Set Includes:
76395	.75	T9, T10, T15, T20, T25, T27, T30, T40



76396 8pc TORX® Socket Set

3/8" Square Drive Replaceable Bit Sockets. 1/4" & 5/16" Bits CVM tool steel. OAL 1.65"

Item No.	lbs.	Set Includes:
76396	.87	1/4": T20, T25, T27, T30, T40 5/16": T45, T50, T55



76490 6pc TORX® Socket Set

1/2" Square Drive Replaceable Bit Sockets. Bits CVM tool steel.

Item No.	lbs.	Set Includes:
76490	1.06	T30, T40, T45, T50, T55, T60



76198 9 pc. TORX® Socket Set

1/4" & 3/8" Sq. Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel. OAL 1.65"

Item No.	lbs.	Set includes the following:
76198	.81	1/4": T10, T15, T20, T25, T27, T30, T40, 5/16": T45, T50

Precision Machined Metric Punches



Painted finished bodies

234 Heavy Duty Solid Metric Parallel Pin Punches

Pin Punches Hardened tool steel punches, precision machined to exact tolerances. Heavy duty hex shanks, hardened for optimum long life performance.

Item No.	Tip mm	Tip Inch	Shaft Dia. mm	Shaft Dia. Inch	lbs.	pkg.
23420	2	.08	10	.39	150	.19 1
23421	2.5	.10	10	.39	150	.13 1
23422	3	.12	10	.39	150	.18 1
23423	3.5	.14	10	.39	150	.18 1
23424	4	.16	10	.39	150	.17 1
23425	4.5	.18	10	.39	150	.17 1
23426	5	.20	10	.39	150	.18 1
23427	6	.24	10	.39	150	.15 1
23428	7	.28	10	.39	150	.18 1
23429	8	.32	10	.39	150	.18 1
23432	9	.35	12	.47	150	.24 1
23433	10	.39	12	.47	150	.25 1
23434	12	.47	14	.55	150	.40 1
23437	18	.71	20	.79	200	.95 1
23438	20	.79	22	.87	250	1.56 1



124 H.D. Solid Tapered Metric Punches

Item No.	Tip mm	Tip Inch	Shaft Dia. mm	Shaft Dia. Inch	lbs.	pkg.
12411	1	.04	10	.39	150	.17 1
12424	14	.55	16	.63	175	.60 1



23490 8pc Set Metric Parallel Pin Punches

Item No.	Set Includes:	lbs.	pkg.
23490	2, 2.5, 3, 3.5, 4, 4.5, 5, 6mm	1.3	1



23493 15pc Set Metric Tapered & Parallel Pin Punches

Item No.	Set Includes:	lbs.	pkg.
23493	1 & 14mm Tapered Parallel Pin: 2, 2.5, 3, 3.5, 4, 4.5, 5, 6, 7, 8, 9, 10, 12mm	4.01	1

Wiha Awls Screwdrivers



30002 Square Reaming Awl, With Plastic Handle

Blade CVM steel, hardened, nickel-plated. Round handle cellulose-acetate, impact resistant.

Item No.	Tip mm	Tip Inch	Shaft Dia. mm	Shaft Dia. Inch	lbs.	pkg.
30002	6.0	.236	100	3.9	175	6.9 .15 10



30102 Round Awl, With Plastic Handle

Blade CVM steel, hardened, nickel-plated. Plastic handle cellulose-acetate, impact resistant.

Item No.	Tip mm	Tip Inch	Shaft Dia. mm	Shaft Dia. Inch	lbs.	pkg.
30102	6.0	.236	100	4.0	185	7.3 .15 10

Wiha Universal Razor Edged Scraper



SoftFinish "Cushion" Grip

43090 Universal Razor Edged Scraper, With Wiha-SoftFinish® Handle

Removes sealing material, glue residue, layers of film and labels. Includes item #43092 - 10 replacement blades.

Item No.	Tip mm	Tip Inch	lbs.	pkg.
43090	170	6.7	.22	1

43040 Universal Razor Edged Scraper, With Wiha-SoftFinish® Handle

SoftFinish® cushion grip, multi-component handle. Holds blades securely. Handle only.

Item No.	Tip mm	Tip Inch	lbs.	pkg.
43040	140	5.5	.15	10

43092 Replacement Blades for Universal Razor Edged Scraper

Package of 10 blades.

Item No.	Tip mm	Tip Inch	lbs.	Standard
43092	.07			

43093 Replacement Blades for Universal Razor Edged Scraper

Package of 10 blades.

Item No.	Tip mm	Tip Inch	lbs.	Standard
43093	.07			

43094 Replacement Blades for Universal Razor Edged Scraper

Package of 10 blades.

Item No.	Tip mm	Tip Inch	lbs.	Standard
43094	.07			

43095 Replacement Blades for Universal Razor Edged Scraper

Package of 10 blades.

Item No.	Tip mm	Tip Inch	lbs.	Standard
43095	.07			

43096 Replacement Blades for Universal Razor Edged Scraper

Package of 10 blades.


Item No.	Tip mm	Tip Inch	lbs.	Standard
43096	.07			

43097 Replacement Blades for Universal Razor Edged Scraper

Combo Pack. Package of 10 blades - 2 of each blade.

Item No.	Tip mm	Tip Inch	lbs.	Standard
43097	.07			

Made in Switzerland




Thermal stability of the measuring surfaces:
Short-term up to 180°C,
continuous 100-120°C

Precision ratchet guarantees uniform clamping force of the measuring jaw


Non-corrosive, non-magnetic, hardly conductive & electrically insulated

Won't damage sensitive parts


Inside




Outside



Depth



Step




Notes:

Digital Caliper DialMax



41101 Digital Caliper DigiMax
Non-metallic high-tech material with 60% fiber glass content. 5 digit digital display with 7.5mm numeral height for easy reading. For outside, inside, depth and step measurements. Switches on automatically when used and switches off automatically after five minutes of non-use. Zero setting possible in every position for quick comparison measurements.


 Pkg. 1

Item					
No.	Reading	Inch	Reading	mm	lbs.
41101	0.0005"	6	0.01mm	150	.21

Dial Caliper DialMax




411 Dial Caliper DialMax - Metric & Inch
Non-metallic high-tech material with 60% fiber glass content. For outside, inside, depth and step measurements. Impact resistant dial can be recalibrated to zero.


 Pkg. 1

Item					
No.	Reading	mm	Inch	lbs.	
41102	0.1mm	150	6	Metric	.22
41104	.001"	150	6	Inch	.22

Vernier - CaliMax




41103 Vernier Caliper CaliMax
Non-metallic high-tech material with 60% fiber glass content. For outside, inside, depth and step measurements. Almost parallax-free reading of the measurement value. Neon green vernier scale with strong contrast for optimal reading. Vernier for millimeter & inch display.

 Pkg. 1

Item					
No.	Reading	mm	Inch	lbs.	
41103	.1mm + 1/64"	150	6	.20	

ESD Safe Dial Caliper DialMax



411 ESD Safe Dial Caliper DialMax - Metric & Inch
Non-metallic high-tech material with 60% fiber glass content. For outside, inside, depth and step measurements. Impact resistant dial can be recalibrated to zero.

Item					
No.	Reading	mm	Inch	lbs.	Pkg.
41105	.001"	150	6	Inch	.22 1
41106	0.1mm	150	6	Metric	.22 1


Wiha Molded Torpedo Level



61660 Molded Torpedo Level
Water resistant, won't rust or corrode. Light weight for easy handling. 3 leveling vials and a magnetic base.

Item				
No.	OAL	lbs.	pkg.	
61660	9.0"	.48	1	

Proturun Insulated Electrician's Shears




61630 Insulated Inch & Metric Folding Ruler
10,000Volt Tested/1000Volt Rated. Inch & Metric deep embossed scales. 10 folding sections. 30% fiberglass reinforced polyimide.

Item					
No.	Meter	Inch	Sections	Increments	lbs.
61630	2	78"	10	1/16 & 1mm	.31

Wiha Long Life Maxiflex Folding Rulers

From KWB division of Wiha in Switzerland



Patented play free joint with steel spring pin, wear resistant & maintenance free

90° positive stop joints

Reinforced with 30% fiberglass, rugged polyimide is scratch resistant


Deep embossed water proof scales


Tough and Flexible, impact resistant

Chemical and weather resistant for outdoor use


Super rigid laminated design




61609 Inside Reading Long Life MaxiFlex Folding Rulers Molded 30% fiber glass reinforced polyimide scratch, chemical & weather resistant both tough & flexible, impact resistant. Patented play free joint with steel spring is wear & maintenance free. Inch rules have 16" red stud wall marking.  Pkg. 1

Item					
No.	Ft.	Width	Sections	Increments	lbs.
61609	6'	5/8"	12	1/16"	.46




616 Composite Long Life MaxiFlex Folding Rulers Laminated layers with longitudinal fiberglass strands to ensure unmatched rigidity, water proof outdoor grade. Play-free, wear-free, dirt resistant joint with spring pin for constant tension. 90° & 180° joint click. High visibility white on black with permanent deep embossing with protective steel caps.  Pkg. 1

Item					
No.	Meter	Width	Sections	Increments	lbs.
61604	2	1/2"	10	1mm w/reverse scale	.28
61606	2	1/2"	10	1mm & 1/16"	.28





6"/152mm Depth Extension

61615 Outside Reading Metric Long Life MaxiFlex Folding Rulers Molded 30% fiber glass reinforced polyimide scratch, chemical & weather resistant both tough & flexible, impact resistant. Patented play free joint with steel spring is wear and maintenance free. 90° positive stop joints. Deep embossed black scale on both sides of rules. Metric rules have 10cm red marking.  Pkg. 1

Item						
No.	Meter	Depth	Width	Sections	Increments	lbs.
61615	2	152mm	15mm	10	1mm	.40





61601 MaxiFlex Folding Rulers  Pkg. 1

Item Compact Pocket Ruler 


No.	Inch/Meter	Width	Sections	Increments	lbs.
61601	39"/1	1/2"	10	1/16 & 1mm	.12




61602 Outside Reading Metric Long Life MaxiFlex Folding Rulers Molded 30% fiber glass reinforced polyimide scratch, chemical & weather resistant both tough & flexible, impact resistant. Patented play free joint with steel spring is wear and maintenance free. 90° positive stop joints. Deep embossed scale on both sides of rules. Metric rules have 10cm red marking.  Pkg. 1

Item					
No.	Meter	Width	Sections	Increments	lbs.
61602	2	15mm	10	1mm to CM	.40





61620 Outside Reading 6" Depth Extension Long Life MaxiFlex Folding Rulers Molded 30% fiber glass reinforced polyimide scratch, chemical & weather resistant both tough & flexible, impact resistant. Patented play free joint with steel spring is wear & maintenance free. Deep embossed scale on both sides of rules. Inch rules have 16" red stud wall marking.  Pkg. 1

Item						
No.	Ft.	Depth	Width	Sections	Increments	lbs.
61620	6'	6"	5/8"	12	1/16"	.40




Deep embossed scale on both sides of ruler

61662 Combination Metric & Inch Long Life MaxiFlex Folding Rulers Molded 30% fiber glass reinforced polyimide scratch, chemical and weather resistant both tough & flexible, impact resistant. Patented play free joint with steel spring is wear & maintenance free. Metric rules have 10cm red marking.  Pkg. 1

Item						
No.	Meter	Inch	Width	Sections	Increments	lbs.
61662	2	78"	15mm	10	1/16 & 1mm	.31


Heavy Duty Split Head Mallets



- Easy replacement with standard components
- Malleable cast iron heads
- Color coded faces
- D-21 to D-80 shore hardness
- Rugged hickory handles



832 Malleable Cast Iron Split Head Mallets With Hickory Handle

Safety ribbed housings for handle & faces. Sturdy Hickory Handles
Faces polyurethane, shatterproof, wear resistant, extremely durable. Faces replaceable.  Pkg. 1

Item	↓ ● ↑ ●	↔ ↔ ↕ ↕	Pkg. 1	
No.	mm Inch	Faces	mm Inch	lbs.
83230	30 1.2	Hard/Soft	260 10.2	10.6oz
83240	40 1.5	Hard/Soft	280 11.0	1.4
83260	60 2.4	Hard/Soft	340 13.3	3.7

832 Malleable Cast Iron Split Head Sledge Hammer With Hickory Handle


Item	↓ ● ↑ ●	↔ ↔ ↕ ↕	Pkg. 1	
No.	mm Inch	Faces	mm Inch	lbs.
83289	80 3.1	MedSoft/X-hard	800 31.5	7.6



Latex Rubber

Nylon

832 Color Coded Faces For Heavy Duty Split Head Mallets - 80mm Diameter (3.1")

Mallet Faces.  Pkg. 1

Item	↓ ● ↑ ●	Shore	Color	↕ ↕		
No.	mm	Type	Hardness	Material	Code	lbs.
83282	80	MedSoft	45-D	Latex Rubber	Black	.90
83285	80	X-Hard	80-D	Nylon	White	.88



TPE Latex Rubber Polyurethane Cell Acetate Nylon

30mm (1.2") Diameter Mallet Faces

832 Color Coded Faces For Heavy Duty Split Head Mallets

Item	↓ ● ↑ ●	Shore	Color	↕ ↕			
No.	mm	Inch	Type	Hardness	Material	Code	pkg.
83231	30	1.2	Soft	21-D	TPE	Blue	1
83232	30	1.2	MedSoft	45-D	Latex Rubber	Black	1
83233	30	1.2	MedHard	65-D	Polyurethane	Yellow	1
83234	30	1.2	Hard	72-D	Cell Acetate	Orange	1
83235	30	1.2	X-Hard	80-D	Nylon	White	1



TPE Latex Rubber Polyurethane Cell Acetate Nylon

40mm (1.5") Diameter Mallet Faces

832 Color Coded Faces For Heavy Duty Split Head Mallets

Item	↓ ● ↑ ●	Shore	Color	↕ ↕				
No.	mm	Inch	Type	Hardness	Material	Code	lbs.	pkg.
83241	40	1.5	Soft	21-D	TPE	Blue	.15	1
83242	40	1.5	MedSoft	45-D	Latex Rubber	Black	.15	1
83243	40	1.5	MedHard	65-D	Polyurethane	Yellow	.15	1
83244	40	1.5	Hard	72-D	Cell Acetate	Orange	.15	1
83245	40	1.5	X-Hard	80-D	Nylon	White	.15	1



TPE Latex Rubber Polyurethane Cell Acetate Nylon

50mm (2.0") Diameter Mallet Faces

832 Color Coded Faces For Heavy Duty Split Head Mallets

Item	↓ ● ↑ ●	Shore	Color	↕ ↕				
No.	mm	Inch	Type	Hardness	Material	Code	lbs.	pkg.
83251	50	2.0	Soft	21-D	TPE	Blue	.26	1
83252	50	2.0	MedSoft	45-D	Latex Rubber	Black	.26	1
83253	50	2.0	MedHard	65-D	Polyurethane	Yellow	.26	1
83254	50	2.0	Hard	72-D	Cell Acetate	Orange	.26	1
83255	50	2.0	X-Hard	80-D	Nylon	White	.26	1



TPE Latex Rubber Polyurethane Cell Acetate Nylon

60mm (2.4") Diameter Mallet Faces

832 Color Coded Faces For Heavy Duty Split Head Mallets

Item	↓ ● ↑ ●	Shore	Color	↕ ↕				
No.	mm	Inch	Type	Hardness	Material	Code	lbs.	pkg.
83261	60	2.4	Soft	21-D	TPE	Blue	.42	1
83262	60	2.4	MedSoft	45-D	Latex Rubber	Black	.42	1
83263	60	2.4	MedHard	65-D	Polyurethane	Yellow	.42	1
83264	60	2.4	Hard	72-D	Cell Acetate	Orange	.42	1
83265	60	2.4	X-Hard	80-D	Nylon	White	.42	1

Build A Mallet - Handle & Housing Assembly



832 Malleable Cast Iron Split Head Housing With Hickory Handle

- Safety ribbed housings for handle & faces
- Sturdy Hickory Handles

Item	↓ ●	↓ ●	↔	↔	↔	↔
No.	mm	Inch	mm	Inch	lbs.	pkg.
83221	30	1.2	260	10.2	.87	1
83222	40	1.5	280	11.0	1.5	1
83223	50	2.0	310	12.2	2.3	1
83224	60	2.4	340	13.3	3.2	1
83225	80	3.1	400	15.8	5.6	1
83226	80	3.1	800	31.5	7.2	1



83290 15pc Split Head Mallet Set - In canvas storage tool bag

Item No. 83290 Mallet Housing W/Hickory Handle

	↓ ●	↔
83221	30mm	260
83223	50mm	310

Hex Assembly Keys		↔ lbs.
● mm		8.7
35309	5.0	
35312	8.0	

Mallet Faces				Shore Hardness
83231	30mm	Blue	Soft	21-D
83232	30mm	Black	Med Soft	45-D
83233	30mm	Yellow	Med Hard	65-D
83234	30mm	Orange	Hard	72-D
83235	30mm	White	Ex Hard	80-D
83251	50mm	Blue	Soft	21-D
83252	50mm	Black	Med Soft	45-D
83253	50mm	Yellow	Med Hard	65-D
83254	50mm	Orange	Hard	72-D
83255	50mm	White	Ex Hard	80-D



83295 10pc Safety Heavy Duty Split Head Mallet Set

Item No. 83295 Mallet Housing & Handle		↔ lbs.
83222	40mm	5.10
Hex Assembly L-key		
35260	6.0mm	

Mallet Faces				Shore Hardness
83241	40mm	Blue	Soft	21-D
83346	40mm	Blue	Soft Sq.	21-D
83243	40mm	Yellow	Med Hard	65-D
83347	40mm	Yellow	M. Hard Sq.	65-D
83244	40mm	Orange	Hard	72-D
83245	40mm	White	Ex Hard	80-D
83242	40mm	Black	Med Soft	45-D
83242	40mm	Black	Med Soft	45-D



832 Replacement Heavy Duty Mallet Housing

For split head mallets made of malleable cast iron

Item	↓ ●	↓ ●	↔	↔
No.	mm	Inch	lbs.	pkg.
83238	30	1.2	.50	1
83248	40	1.6	1.0	1
83258	50	2.0	1.6	1
83268	60	2.4	2.7	1
83288	80	3.1	4.4	1



832 Hickory Replacement Handles -

For split head replaceable face mallets

Item	Fits	↔	↔	↔	↔
No.	Housing	mm	Inch	lbs.	pkg.
83273	83238	30mm	260	10.2	.18 1
83274	83248	40mm	280	11.0	.24 1
83275	83258	50mm	310	12.2	.39 1
83276	83268	60mm	340	13.3	.49 1
83277	83288	80mm	400	15.8	.68 1
83279	83288	80mm	800	31.5	1.3 1

Notes:

Blank lines for notes.

Dead Blow & Sledge Hammers



802 Dead Blow, Medium Hard Face Hammer, Recoilless, Polyurethane, Steel Tube Shaft. "GS" Sign, Cushion Grip.

Preserves sensitive surfaces & edges, increases striking power & avoid hand fatigue. **Application:** Machine tools & gear box construction, sheet metal & repair shops. Faces polyurethane, shatterproof, wear resistant, extremely durable Faces replaceable. Tubular handle, lacquered in blue, cushion grip.

Item	↓ ●	↑ ●	↔	↔	↔	↔	↔	↔	↔
No.	mm	Inch	mm	Inch	mm	Inch	oz.	pkg.	
80225	25	1.0	106	4.2	288	11.3	18	1	
80230	30	1.2	115	4.5	290	11.4	21	1	
80235	35	1.4	118	4.6	300	11.8	24	1	
80240	40	1.6	125	4.9	305	12.0	30	1	
80245	45	1.8	130	5.1	310	12.2	37	1	
80250	50	2.0	130	5.1	365	14.4	49	1	
80260	60	2.3	156	6.1	375	14.7	72	1	
80270	70	2.8	161	6.3	385	15.1	97	1	



Medium Hard Faces



800 Dead Blow, Recoilless, Polyurethane Face, Hickory Handle **Application:** Tools, engineering gear box construction, Sheet metal & repair shops, heavy industry. Steel head for incredible strength. Faces polyurethane, shatterproof, wear resistant, extremely durable. Faces replaceable. Hickory handle.

Item	↓ ●	↑ ●	↔	↔	↔	↔	↔	↔
No.	mm	Inch	mm	Inch	mm	Inch	oz.	pkg.
80025	25	1.0	106	4.2	320	12.5	11	1
80030	30	1.2	113	4.4	350	13.7	16	1
80035	35	1.4	115	4.5	355	13.9	20	1
80040	40	1.6	123	4.8	375	14.7	26	1
80045	45	1.8	130	5.1	380	14.9	35	1
80050	50	2.0	134	5.3	385	15.1	44	1
80060	60	2.3	158	6.2	420	16.5	70	1
80070	70	2.8	158	6.2	430	16.9	91	1



Medium Hard Faces

802 Dead Blow Sledge, Recoilless, Polyurethane Face, Hickory Handle

Application: Tools, engineering gear box construction, Sheet metal & repair shops, heavy industry. Polyurethane, shatterproof faces replaceable. Hickory handle.

Item	↓ ●	↑ ●	↔	↔	↔	↔	↔	↔
No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
80280	80	3.1	205	8.0	882	34.6	10.0	1
80299	100	3.9	210	8.2	1002	39.3	15.1	1



802 Replacement Hammer Faces - Medium

Item	↓ ●	↑ ●	↔	↔
No.	mm	Inch	lbs.	pkg.
80219	80	3.1	.06	1
80222	100	3.9	.10	1



For 800 & 802 Hammers

Medium Hard Faces



Medium Hard Faces

80290 3pc Dead Blow Hammer Set

Item No.	↓ ●	↔	↔	lbs.
80290	80230	30		6.35
	80240	40		
	80250	50		



For Dead Blow Hammers

800 Hickory Replacement Handles

Item	Fits	↔	↔	lbs.	pkg.
No.	Hammer				
80071	80025	25mm	.11	1	
80072	80030 & 80035	30/35mm	.19	1	
80074	80040 & 80045	40/45mm	.29	1	
80076	80050	50mm	.38	1	
80078	80060 & 80070	60/70mm	.44	1	
80081	80299	100mm	2.31	1	



Extra Hard Nylon


802 Replacement Hammer Faces

Item	↓ ●	↑ ●	↔	↔
No.	mm	Inch	lbs.	pkg.
80203	30	1.2	.04	1
80207	40	1.6	.04	1
80211	50	2.0	.05	1
80214	60	2.3	.07	1

Numerical Index by Item Number

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
12411	19	30390	4	33314	8	33728	10	33824	12	33893	13
12424	19	30391	5	33315	8	33729	10	33825	12	33895	13
23420	19	30393	4	33316	8	33730	10	33826	12	33896	13
23421	19	30394	5	33317	8	33731	10	33827	12	41101	20
23422	19	30406	6	33318	8	33732	10	33828	12	41102	20
23423	19	30407	6	33319	8	33733	10	33829	12	41103	20
23424	19	30408	6	33320	8	33734	10	33830	12	41104	20
23425	19	30409	6	33321	8	33735	10	33831	12	41105	20
23426	19	30410	6	33322	8	33736	10	33832	12	41106	20
23427	19	30411	6	33323	8	33737	10	33833	12	43040	19
23428	19	30412	6	33325	8	33738	10	33834	12	43090	19
23429	19	30413	6	33326	8	33739	10	33835	12	43092	19
23432	19	30414	6	33327	8	33740	10	33836	12	43093	19
23433	19	30415	6	33328	8	33741	10	33837	12	43094	19
23434	19	30416	6	33329	8	33742	10	33838	12	43095	19
23437	19	30417	6	33330	8	33743	10	33839	12	43096	19
23438	19	30418	6	33331	8	33744	10	33840	12	43097	19
23490	19	30419	6	33332	8	33745	10	33841	12	60140	8
23493	19	30420	6	33333	8	33746	10	33842	12	60260	10
30002	19	30422	6	33334	8	33747	10	33843	12	61601	21
30102	19	30424	6	33337	8	33748	10	33844	12	61602	21
30301	4	30425	6	33338	8	33749	10	33845	12	61604	21
30302	4	30426	6	33339	8	33750	10	33846	12	61606	21
30303	4	30427	6	33340	8	33751	10	33847	12	61609	21
30304	4	30428	6	33341	8	33752	10	33848	12	61615	21
30305	4	30429	6	33342	8	33753	10	33850	12	61620	21
30306	4	30430	6	33343	8	33754	10	33851	12	61630	20
30307	4	30433	6	33344	8	33755	10	33852	12	61660	20
30308	4	30434	6	33345	8	33756	10	33853	12	61662	21
30309	4	30435	6	33346	8	33757	10	33854	12	70107	15
30310	4	30436	6	33347	8	33758	10	33855	12	70108	15
30311	4	30437	6	33348	8	33759	10	33856	12	70109	15
30312	4	30438	6	33349	8	33760	10	33857	12	70110	15
30313	4	30440	6	33350	8	33761	10	33858	12	70113	15
30314	4	30441	6	33351	8	33762	10	33859	12	70115	15
30315	4	30442	6	33390	9	33763	10	33860	12	70117	15
30316	4	30444	6	33391	9	33764	10	33861	12	70119	15
30317	4	30445	6	33392	9	33765	10	33862	12	70121	15
30318	4	30446	6	33393	9	33790	11	33863	12	70123	15
30319	4	30447	6	33395	9	33791	11	33864	12	71300	17
30320	4	30448	6	33396	9	33792	11	33865	12	71301	17
30321	4	30449	6	33701	10	33793	11	33866	12	71302	17
30322	4	30450	6	33703	10	33795	11	33867	12	71305	17
30323	4	30451	6	33704	10	33796	11	33868	12	71313	17
30324	4	30452	6	33705	10	33801	12	33869	12	71314	17
30325	4	30487	7	33708	10	33803	12	33870	12	71316	17
30326	4	30488	7	33709	10	33804	12	33871	12	71317	17
30327	4	30489	7	33710	10	33805	12	33872	12	71319	17
30328	4	30490	6	33711	10	33807	12	33873	12	71320	17
30329	4	30491	6	33712	10	33808	12	33874	12	71322	17
30331	4	30493	6	33713	10	33809	12	33875	12	71323	17
30333	4	30494	6	33714	10	33810	12	33876	12	71325	17
30334	4	30495	7	33715	10	33811	12	33877	12	71327	17
30335	4	33301	8	33716	10	33812	12	33878	12	71331	17
30336	4	33303	8	33717	10	33813	12	33879	12	71332	17
30337	4	33304	8	33718	10	33814	12	33880	12	71340	17
30338	4	33305	8	33719	10	33815	12	33881	12	71341	17
30339	4	33306	8	33720	10	33816	12	33882	12	71370	17
30340	4	33307	8	33721	10	33817	12	33884	12	71371	17
30341	4	33308	8	33722	10	33818	12	33885	12	71372	17
30343	4	33309	8	33723	10	33819	12	33886	12	71374	17
30344	4	33310	8	33724	10	33820	12	33888	12	71375	17
30345	4	33311	8	33725	10	33821	12	33890	13	71376	17
30388	5	33312	8	33726	10	33822	12	33891	13	71377	17
30389	5	33313	8	33727	10	33823	12	33892	13	71378	17

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
71379	17	72405	16	76408	16	80030	24	83261	22		
71380	17	72410	16	76411	16	80035	24	83262	22		
71381	17	72415	16	76412	16	80040	24	83263	22		
71382	17	76106	15	76413	16	80045	24	83264	22		
71383	17	76107	15	76414	16	80050	24	83265	22		
71384	17	76109	15	76417	16	80060	24	83268	23		
71385	17	76111	15	76418	16	80070	24	83273	23		
71386	17	76113	15	76419	16	80071	24	83274	23		
71388	17	76117	15	76422	16	80072	24	83275	23		
71389	14	76119	15	76423	16	80074	24	83276	23		
71390	17	76121	15	76424	16	80076	24	83277	23		
71392	14	76123	15	76490	18	80078	24	83279	23		
71393	14	76129	15	77101	18	80081	24	83282	22		
71394	14	76131	15	77103	18	80200	24	83285	22		
71398	14	76132	17	77105	18	80202	24	83288	23		
71661	15	76133	17	77107	18	80203	24	83289	22		
71662	15	76134	17	77109	18	80204	24	83290	23		
71663	15	76135	17	77111	18	80206	24	83295	23		
71664	15	76136	17	77113	18	80207	24	91117	8		
71665	15	76137	17	77115	18	80208	24	91121	8		
71666	15	76138	17	77117	18	80210	24	91124	8		
71667	15	76164	17	77128	18	80211	24	91132	8		
71668	15	76165	17	77130	18	80213	24	91134	8		
71669	15	76166	17	77132	18	80214	24				
71670	15	76167	17	77134	18	80216	24				
71671	15	76168	17	77136	18	80219	24				
71673	15	76169	17	77138	18	80222	24				
71674	15	76170	17	77139	18	80225	24				
71675	15	76171	17	77140	18	80230	24				
71676	15	76172	17	77141	18	80235	24				
71677	15	76194	18	77142	18	80240	24				
71678	15	76198	18	77144	18	80245	24				
71680	15	76312	15	77146	18	80250	24				
71681	15	76314	15	77148	18	80260	24				
71698	14	76316	15	77151	18	80270	24				
71761	17	76318	15	77152	18	80280	24				
71762	17	76322	15	77153	18	80290	24				
71763	17	76324	15	77154	18	80299	24				
71764	17	76326	15	77156	18	83221	23				
71765	17	76328	15	77158	18	83222	23				
71766	17	76329	15	77160	18	83223	23				
71767	17	76330	15	77162	18	83224	23				
71768	17	76331	15	77164	18	83225	23				
71771	17	76332	15	77165	18	83226	23				
71772	17	76333	15	77167	18	83230	22				
71773	17	76334	15	77169	18	83231	22				
71774	17	76335	15	77171	18	83232	22				
71775	17	76336	15	77173	18	83233	22				
71776	17	76337	15	77175	18	83234	22				
71777	17	76338	15	77177	18	83235	22				
71797	14	76339	15	77179	18	83238	23				
71798	14	76340	15	77191	18	83240	22				
71989	14	76341	15	77192	18	83241	22				
71996	14	76346	15	77193	18	83242	22				
71999	14	76348	15	77195	18	83243	22				
72001	16	76352	15	77198	18	83244	22				
72002	16	76354	15	77308	16	83245	22				
72003	16	76395	18	77331	16	83248	23				
72004	16	76396	18	77333	16	83251	22				
72005	16	76397	14	77337	16	83252	22				
72006	16	76403	16	77341	16	83253	22				
72090	16	76404	16	77347	16	83254	22				
72110	16	76405	16	77349	16	83255	22				
72115	16	76406	16	77353	16	83258	23				
72401	16	76407	16	80025	24	83260	22				

 **Prop65 WARNING:** This product could expose you to chemicals including Vinyl Chloride, Ethylene Glycol, Ni or CrVI, which are known to the state of California to cause cancer or reproductive harm. For more information go to www.P65warnings.ca.gov/



**WIHA – WINNER OF THE
MX AWARD 2014.
GERMANY'S BEST SME.**



PROFESSIONAL AUTOMOTIVE TOOLS



(800) 494-6104
fax: (800) 494-7456
cservice@wihatools.com
www.wihatools.com

Catalog Item No. 99004
version - 7/1/20

Subject to change
without notice

©2020 Willi Hahn Corporation

®Torx is a registered trademark of
Acument Intellectual Properties LLC.



Wiha Quality Tools


1348 Dundas Circle
Monticello, MN 55362
tel: 763.295.6591
fax: 763.295.6598

Wiha Tools Canada Ltd.

www.wihatools.ca
Brampton, ONT L6T 4X4
tel: 866.494.0096 or 763.295.6591
fax: 763.295.6598




To:



99007.w0 - Merchandise Catalog



99977 Pliers/Crimpers Catalog



99001.w0 - TorqueControl Catalog



99919 Insulated Catalog



99945 ESD Catalog



99951 Bits Catalog



99002 Screwdrivers Catalog



99914 TORX Catalog



99934 Hex Tools Catalog