

## Specification Sheet

Part Number: TAG77T1-101



Paper utilizes a rubber-based adhesive for immediate tack to any surface. Good for temporary identification of bags and boxes and best for indoor use.

Thermal Transfer Labels, 3.0" x .937", 1 Across, Paper, White, 2000/roll

**Article Number** 596-00020

**Type** TAG77T1

**Color** White (WH)

**Quantity Per** roll

**Product Description** These labels serve as general purpose identification for use on clear plastic bags. The aggressive adhesive is designed to adhere to all types of polyethylene bags, ensuring the printed information remains on the bag long term. Best for indoor use, inventory and packaging, as well as office and shipping identification.

**Short Description** Thermal Transfer Labels, 3.0" x .937", 1 Across, Paper, White, 2000/roll

<b>Global Part Name</b>	TAG77T1-101-WH
<b>Width W (Imperial)</b>	3.0
<b>Width W (Metric)</b>	76.2
<b>Bundle Diameter Min (Imperial)</b>	.33
<b>Bundle Diameter Min (Metric)</b>	8.50
<b>Bundle Diameter Max (Imperial)</b>	0.72
<b>Bundle Diameter Max (Metric)</b>	18.20
<b>Thickness T (Metric)</b>	64.0
<b>Height H (Imperial)</b>	.937
<b>Height H (Metric)</b>	76.2
<b>Width of Liner (Metric)</b>	79.2
<b>Width of Liner (Imperial)</b>	3.12
<b>Material</b>	Type 101, paper, white (101)
<b>Material Shortcut</b>	101

<b>Adhesive</b>	Acrylic
<b>Halogen Free</b>	No
<b>Adhesive Operating Temperature</b>	-40°F to +194°F (-40°C to +90°C)
<b>Operating Temperature</b>	-65°F to +200°F (-54°C to +93°C)
<b>Reach Compliant (Article 33)</b>	Yes
<b>ROHS Compliant</b>	Yes
<b>Package Quantity (Imperial)</b>	2000
<b>Package Quantity (Metric)</b>	2000
<b>Customs Number</b>	4821902000
<b>Labels per Row</b>	1