

Specification Sheet

Part Number: MCRFW-FE

Raceway and fittings are manufactured from a UL 94V-0 rated material to insure compliance with codes

All fittings have been designed to maintain the required 1" minimum bend radius to meet TIA/EIA-568-B and 569-A standards

Raceway and fittings are U.L. Listed to 600 Volts to meets new UL5A and CSA 22.2 No. 62-93 standards

Patented hinged cover speeds installation time by allowing installer to partially mount cover prior to laying cables



InfoStream Multi-Channel Raceway Flat Elbow, PVC, Office White, 1/pkg

Article Number	250-00019
Type	MCR-FE
Color	Office White (OEWH)
Quantity Per	bag
Product Description	The Multi-Channel Flat Elbow joins raceway segments at 90 degrees on a flat surface.
Short Description	InfoStream Multi-Channel Raceway Flat Elbow, PVC, Office White, 1/pkg

Global Part Name MCR-FE-PVC-WH

Material Polyvinylchloride (PVC)

Material Shortcut PVC

Flammability UL 94 V-0

Halogen Free No

Operating Temperature +122°F (+50°C)

Reach Compliant (Article 33) No

ROHS Compliant Yes

UL Listed (US and Canada) Yes

UL Listed (US) Yes

Package Quantity (Imperial) 1

Package Quantity (Metric) 1

Customs Number 3925900000

