

## Specification Sheet

Part Number: 544-80202



Raised marking ensure text visibility even when covered in dust, debris, grease and oil.

Stainless steel grade SS316 is suited for use in harsh environments.

Marker plates are designed for use with stainless steel cable ties with a 0.81" (4.6mm) strap width.

M-Boss Marker, 3.54" Wide x 0.78" High, Stainless Steel, Silver, 500/Box

**Article Number** 544-80202

**Type** MBML20X90

**Color** Metal (ML)

**Quantity Per** box

**Product Description** M-BOSS Compact Markers are used in all areas where severe mechanical or chemical conditions occur, such as offshore industry, solar industry, marine engineering, petrochemical industry, mining, underground or on radio and cellular masts where mark permanence is critical.

**Short Description** M-Boss Marker, 3.54" Wide x 0.78" High, Stainless Steel, Silver, 500/Box

<b>Global Part Name</b>	MBML20X90-SS316-ML
<b>Technical Description</b>	M-Boss Marker, .78" Wide X 3.54" Long, Silver
<b>Length L (Imperial)</b>	3.54
<b>Length L (Metric)</b>	89.5
<b>Fixation Method</b>	Others
<b>Variant</b>	Other
<b>Width W (Imperial)</b>	3.54
<b>Width W (Metric)</b>	20
<b>Height H (Imperial)</b>	0.78
<b>Height H (Metric)</b>	19.81
<b>Diameter D (Imperial)</b>	0.236
<b>Diameter D (Metric)</b>	6
<b>Cable Tie Width Max (Imperial)</b>	0.18
<b>Cable Tie Width Max (Metric)</b>	4.6
<b>Bolt Size</b>	MBT Metal ties max width 4.6 mm

<b>Material</b>	Stainless Steel (SS316)
<b>Material Shortcut</b>	SS316
<b>Halogen Free</b>	Yes
<b>Operating Temperature</b>	-112°F to +1000°F (-80°C to +538°C)
<b>Reach Compliant (Article 33)</b>	Yes
<b>ROHS Compliant</b>	Yes
<b>Package Quantity (Imperial)</b>	500
<b>Package Quantity (Metric)</b>	500
<b>Customs Number</b>	7326908695