

Specification Sheet

Part Number: GT.75X180MV2



UL94V0-2 flame rate material allow use in air handling spaces
Features quick release for repetitive access to cable and wire
Can be opened and closed numerous times without failure
Adjustable so one size can accommodate multiple bundle sizes

Grip Tie Roll, UL94V0-2 Flame Rated, 180" Long, .75" Wide, PA6/PP, Maroon, 1/pkg

Article Number	854-44394
-----------------------	-----------

Type	GT.75X180
-------------	-----------

Color	Red Brown (RDBN)
--------------	------------------

Quantity Per	bag
---------------------	-----

Product Description	For custom-cut lengths, HellermannTyton offers the hook and loop strap in various colors in a 5 yard roll and our stand black up to a 25 yard roll. Ideal for job site applications, desired lengths can be cut on the spot. The Grip Tie is reusable, adjustable, releasable, and easy to install.
----------------------------	---

Short Description	Grip Tie Roll, UL94V0-2 Flame Rated, 180" Long, .75" Wide, PA6/PP, Maroon, 1/pkg
--------------------------	--

Global Part Name	GT.75X180
Minimum Tensile Strength (Imperial)	50.0
Minimum Tensile Strength (Metric)	222.41
Length L (Imperial)	15.0
Length L (Metric)	4.5
Width W (Imperial)	0.75
Width W (Metric)	19.05
Material	Polyamide 6 (PA6) Polypropylene (PP)
Material Shortcut	PP PA6
Package Quantity (Imperial)	1
Package Quantity (Metric)	1
Customs Number	3926909988

