Specification Sheet

Part Number: FSU16-E



Single-part insert creates smooth entry / exit point for wire and cables.

HelaGuard Metallic Conduit End Cap Insert, Flexible 0.38" (16mm) Dia, NPB Metal, 10/pkg

Article Number	166-90843
Type	FSU16-E
Color	Metal (ML)
Quantity Per	pack
Product Description	Nickel-plated brass end cap insert creates a smooth bore exit, protecting cables from damage. Twist-in ferrule serves as grounding core for spiral-constructed metallic conduit. Use with FSU, LFHU, FPU, SSU and FU-X series metallic conduit.
Short Description	HelaGuard Metallic Conduit End Cap Insert, Flexible 0.38" (16mm) Dia, NPB Metal, 10/pkg
Global Part Name	FSU16-E-NPB/PVC-ML

Length L (Imperial)	0.84
Length L (Metric)	21.3
Height H (Imperial)	0.79
Height H (Metric)	20.0
Nominal Diameter (Imperial)	0.38
Nominal Diameter (Metric)	16

Material	Polyvinylchloride (PVC) Nickel Plated Brass (NPB)
Material Shortcut	PVC NPB
Operating Temperature	-148°F to +572°F (-100°C to +300°C)

Package Quantity (Imperial)	10
Package Quantity (Metric)	10
Customs Number	7415290000

© 2022 HellermannTyton. All Rights Reserved.