

## Specification Sheet

Part Number: 556-26007



Halogen free for low-smoke and low-fire hazard applications.  
White front and yellow back for versatility.

Superior strength and tear resistance for long lasting identification.

Pre-cut slots to secure the TipTags using HellermannTyton cable ties.

TipTag, 3.54" x .50", PO/Polyester, White/Yellow, 500/roll

### Article Number

556-26007

### Type

TIPTAGVA10X90YEWB

### Color

White (WH) Yellow (YE)

### Quantity Per

pack

### Product Description

TIPTAGs are halogen free, tear resistant, and lightweight cross laminated polyolefin tags ideal for use where weight is a critical factor. Each side is a different color. One side is yellow and the other side is White so that a high contrast black on yellow or black on white mark can be printed.

### Short Description

TipTag, 3.54" x .50", PO/Polyester, White/Yellow, 500/roll

### Global Part Name

TIPTAGVA10X90YEWB-PO-WH/YE

<b>Fixation Method</b>	Others
<b>Variant</b>	Other
<b>Width W (Imperial)</b>	3.54
<b>Width W (Metric)</b>	90.0
<b>Height H (Imperial)</b>	0.5
<b>Height H (Metric)</b>	12.7
<b>Material</b>	Polyolefin (PO)
<b>Material Shortcut</b>	PO
<b>US MIL SPEC</b>	SAE-AS81531 MIL-STD-202G Method 215K
<b>Halogen Free</b>	Yes
<b>Operating Temperature</b>	-58°F to +221°F (-50°C to +105°C)
<b>Reach Compliant (Article 33)</b>	Yes
<b>ROHS Compliant</b>	Yes
<b>Certification/Specification</b>	BS-4G-198-3, Type 11a SAE - AS81531 MIL-STD-202G Method 215K

**Package Quantity (Imperial)** 500

**Package Quantity (Metric)** 500

**Customs Number** 3921905050