

## Specification Sheet

Part Number: 596-00624



Label stock for use with thermal transfer printers.  
Strong acrylic adhesive for industrial applications.

Abrasion and chemical resistant top coat for long lasting results.

For use with HellermannTyton thermal transfer printers or most standard brands.

Terminal Block Labels, .275" wide, PE, White, 100 ft/roll

**Article Number** 596-00624

**Type** TBL275

**Color** White (WH)

**Quantity Per** roll

**Product Description** To suit different industrial applications, HellermannTyton offers a wide variety of thermal transfer label stocks including polyester, metalized polyester, clear polyester, cloth, polyimide and Durattach high density polyolefin. Thermal transfer labels include a strong acrylic adhesive and abrasion and chemical resistant top coatings for long lasting results. Easily print custom labels and variable information with HellermannTyton TagPrint® Pro labeling software and a thermal transfer printer.

**Short Description** Terminal Block Labels, .275" wide, PE, White, 100 ft/roll

<b>Global Part Name</b>	TBL275-PET-WH
<b>Technical Description</b>	Terminal Block Label, .275" wide, PE, White
<b>Length L (Imperial)</b>	100.0
<b>Length L (Metric)</b>	30.48
<b>Width W (Imperial)</b>	0.275
<b>Width W (Metric)</b>	6.98
<b>Thickness T (Metric)</b>	64.0
<b>Material</b>	Polyester (PET)
<b>Material Shortcut</b>	PET
<b>Adhesive</b>	Rubber
<b>Halogen Free</b>	No
<b>Adhesive Operating Temperature</b>	-40°F to +300°F (-40°C to +149°C)
<b>Operating Temperature</b>	-40°F to +300°F (-40°C to +149°C)
<b>Reach Compliant (Article 33)</b>	Yes

**ROHS Compliant** Yes

**UL Recognized (US)** Yes

**Package Quantity (Imperial)** 100

**Package Quantity (Metric)** 30.48

**Customs Number** 3919102055

**Labels per Column** 1

**Labels per Row** 1