

## Specification Sheet

Part Number: MCRFW-BS8



Raceway and fittings are manufactured from a UL94 V0 rated material to insure compliance with codes.

All fittings have been designed to maintain the required 1" minimum bend radius to meet TIA/EIA-568-B and 569-A standard.

Raceway and fittings are UL Listed to 600 Volts to meet new UL5A and CSA 22.2 No. 62-93 standards.

InfoStream Multi-Channel Raceway Base With Side Divider, 8 ft Long, PVC, Office White, 48 ft/pkg

<b>Article Number</b>	250-00006
<b>Type</b>	MCR-BS8
<b>Color</b>	Office White (OEWH)
<b>Quantity Per</b>	box
<b>Product Description</b>	Base splice joins two sections of raceway base.
<b>Short Description</b>	InfoStream Multi-Channel Raceway Base With Side Divider, 8 ft Long, PVC, Office White, 48 ft/pkg
<b>Global Part Name</b>	MCR-BS8-PVC-WH

<b>Length L (Imperial)</b>	8.0
<b>Length L (Metric)</b>	2.44
<b>Width W (Imperial)</b>	4.5
<b>Width W (Metric)</b>	114.3
<b>Height H (Imperial)</b>	2.05
<b>Height H (Metric)</b>	52.07
<b>Material</b>	Polyvinylchloride (PVC)
<b>Material Shortcut</b>	PVC
<b>Flammability</b>	UL 94 V-0
<b>Halogen Free</b>	No
<b>Operating Temperature</b>	+122°F (+50°C)
<b>Reach Compliant (Article 33)</b>	No
<b>ROHS Compliant</b>	Yes
<b>UL Listed (US and Canada)</b>	Yes
<b>UL Listed (US)</b>	Yes

<b>Package Quantity (Imperial)</b>	48
<b>Package Quantity (Metric)</b>	14.63
<b>Customs Number</b>	3925900000

© 2022 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)