




- NOTES:
- MATERIAL:
HSG: NYLON, GLASS-FILLED, UL94V-0, COLOR: BLACK
CAP: NYLON, GLASS-FILLED, UL94V-0, COLOR: BLACK
PIN: 0.64MM SQ, COPPER ALLOY
 - PLATING TYPE:
(1) GOLD FLASH OVER
1.25µm MIN. NICKEL OVERALL.
(2) GOLD FLASH ON CONTACT AND
2.50µm MIN. TIN ON SOLDER TAIL OVER
1.25µm MIN. NICKEL OVERALL.
(4) 0.38µm MIN. GOLD PLATE ON CONTACT AND
2.00µm MIN. TIN ON SOLDER TAIL OVER
1.25µm MIN. NICKEL OVERALL.
(5) 0.75µm MIN. GOLD PLATE ON CONTACT AND
2.00µm MIN. TIN ON SOLDER TAIL OVER
1.25µm MIN. NICKEL OVERALL.
(6) 2.50µm MIN. TIN OVERALL
1.25µm MIN. NICKEL OVERALL
 - PRODUCT SPECIFICATION: PS-87920-019
 - PACKAGING TYPE: SEE TABLE
 - PACKAGING SPEC:
TUBE WITH CAP VERSION: PK-89990-558
TUBE W/O CAP VERSION: PK-89990-545
TRAY W/O CAP: PK-89990-489
EMBOSS TAPE WITH CAP: PK-89990-486 AND PK-87898-400
 - WAFER TO BE FLAT WITHIN 0.003 mm/mm
 - BEND DEPRESSION IS ACCEPTED SO LONG AS IT DOES NOT AFFECT THE OVERALL COPLANARITY OF TAIL
 - COPLANARITY IS TO BE MEASURED BY RESTING THE SOLDER TAIL ON A FLAT SURFACE
 - IRREGULAR CIRCUIT CUTOFF WITHIN BREAKAWAY SECTION IS PERMISSIBLE. CUTTING OR CHIPPING OF THE MAIN BODY IS NOT ACCEPTABLE
 - CAP LOCATION IS CENTERED ALONG THE MATING ENDS AS SHOWN. TOP SURFACE OF CAP TO BE FLAT FOR THE PURPOSE OF PICK & PLACE BY VACUUM SUCTION NOZZLE
 - RECOMMENDED PCB THICKNESS IS 1.60mm±0.10
 - THE ABOVE CKT 6 IS FOR ILLUSTRATION PURPOSE ONLY
 - TUBE LENGTH AS PER STANDARD 560mm

DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:53:29
-----------------	----	--------------	------------	----------

FORMAT: Met-lega-master-ib-prod-A3
REVISION: E
DATE: 2020/01/14

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC: BRIGHT TIN PHASE OUT		molex			
DIMENSION UNITS		SCALE		CUSTOM HEADER 2.54MM PITCH SINGLE ROW SINGLE WAFER SMT HEADER			
mm		NTS		PRODUCT CUSTOMER DRAWING			
GENERAL TOLERANCES (UNLESS SPECIFIED)							
		MM	INCH				
4 PLACES	±		±				
3 PLACES	±		±				
2 PLACES	±	0.2	±				
1 PLACE	±		±				
0 PLACES	±		±				
ANGULAR TOL		±	3.0 °				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER
				A3-SIZE	87898	SEE TABLE	GENERAL MARKET
						DOCUMENT NUMBER	DOC TYPE
						SD-87898-001	PSD
						DOC PART	REVISION
						000	B24
						SHEET NUMBER	
						1 OF 21	

10	9	8	7	6	5	4	3	2	1						
PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					B24	REFER TO LAST SHEET FOR 2CKT SIZE
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	G	F	M		
87898-0301	-----	-----	-----	-----	-----	3	-----	1	7.62	5.08	10.81	9.65	5.84		
87898-0302	-----		-----	-----	-----	3	-----	2	7.62	5.08	10.81	9.65	5.84		
87898-0304	-----	-----	-----	-----	87898-0314	3	-----	4	7.62	5.08	10.81	9.65	5.84		
87898-0305	-----	-----	-----	-----	87898-0315	3	-----	5	7.62	5.08	10.81	9.65	5.84		
87898-0306	-----	-----	-----	-----	87898-0316	3	-----	6	7.62	5.08	10.81	9.65	5.84		
87898-0307	-----	-----	-----	-----	87898-0320	3	-----	6	7.62	5.08	10.81	9.65	5.84		
-----	-----	-----	-----	-----	87898-0317	3	-----	6	7.62	5.08	10.81	9.65	5.84		
-----	-----	-----	-----	-----	87898-0321	3	-----	6	7.62	5.08	10.81	9.65	5.84		
-----	-----	-----	-----	-----	87898-0318	3	-----	5	7.62	5.08	10.81	9.65	5.84		
-----	-----	-----	-----	-----	87898-0310	3	-----	6	7.62	5.08	14.91	13.91	10.10		
-----	-----	-----	-----	-----	87898-0309	3	-----	6	7.62	5.08	14.81	13.81	10.00		
-----	-----	87898-0370	-----	-----	-----	3	-----	6	7.62	5.08	----	13.91	10.10		

10		9		8		7		6		5		4		3		2		1	
PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	MODIFIED MATING CKT	MODIFIED MATING LENGTH	DIMENSION					F			
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP						A	B	G	F	M				
F	-----	-----	87898-0421	87898-0431	-----	87898-0451	4	-----	1	-----	-----	10.16	7.62	10.81	9.65	5.84	B24	E	
-----	-----	-----	87898-0422	87898-0432	-----	87898-0452	4	-----	2	-----	-----	10.16	7.62	10.81	9.65	5.84			
-----	-----	-----	87898-0424	87898-0434	-----	87898-0454	4	-----	4	-----	-----	10.16	7.62	10.81	9.65	5.84			
-----	-----	-----	87898-0425	87898-0435	-----	87898-0455	4	-----	5	-----	-----	10.16	7.62	10.81	9.65	5.84			
-----	-----	-----	87898-0426	87898-0436	-----	87898-0456	4	-----	6	-----	-----	10.16	7.62	10.81	9.65	5.84			
-----	-----	-----	87898-0428	87898-0437	-----	87898-0460	4	-----	6	-----	-----	10.16	7.62	10.81	9.65	5.84			
-----	-----	-----	-----	-----	-----	87898-0457	4	-----	6	-----	-----	10.16	7.62	10.81	9.65	5.84			
-----	-----	-----	-----	-----	-----	87898-0458	4	-----	5	-----	-----	10.16	7.62	10.81	9.65	5.84			
-----	-----	-----	-----	-----	-----	87898 - 0480	4	CKT# 4	5	-----	-----	10.16	7.62	14.70	13.65	9.84			
-----	-----	-----	-----	-----	-----	87898 - 0481	4	-----	5	CKT # 1, 2 & 3	1.00	10.16	7.62	17.70	16.65	12.84			
E	87898 - 0482	-----	-----	-----	-----	-----	4	-----	---	CKT # 1, 2 & 3	1.00	10.16	7.62	---	16.65	12.84	B24	D	
-----	-----	-----	-----	-----	-----	87898 - 0483	4	-----	---	CKT # 1, 2 & 3	1.00	10.16	7.62	14.70	13.65	9.84			
-----	-----	87898-0427	-----	-----	-----	-----	4	-----	---	-----	-----	10.16	7.62	---	11.87	8.06			
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----			
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----			
-----	-----	87898-0521	87898-0531	-----	87898-0551	5	----	1	-----	-----	-----	12.70	10.16	10.81	9.65	5.84			
-----	-----	87898-0522	87898-0532	-----	87898-0552	5	-----	2	-----	-----	-----	12.70	10.16	10.81	9.65	5.84			
-----	-----	87898-0524	87898-0534	-----	87898-0554	5	-----	4	-----	-----	-----	12.70	10.16	10.81	9.65	5.84			
-----	-----	87898-0525	87898-0535	-----	87898-0555	5	-----	5	-----	-----	-----	12.70	10.16	10.81	9.65	5.84			
-----	-----	87898-0526	87898-0536	87898-0583	87898-0556	5	-----	6	-----	-----	-----	12.70	10.16	10.81	9.65	5.84			
D	-----	87898-0528	87898-0538	87898-0584	87898-0558	5	-----	6	-----	-----	-----	12.70	10.16	10.81	9.65	5.84	B24	C	
87898-0581	-----	-----	-----	-----	-----	5	-----	4	-----	-----	-----	12.70	10.16	---	24.18	20.25			
-----	-----	-----	-----	-----	87898-0576	5	-----	5	-----	-----	-----	12.70	10.16	14.35	13.31	9.50			
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----			
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----			
-----	-----	87898-0621	87898-0631	-----	87898-0651	6	-----	1	-----	-----	-----	15.24	12.70	10.81	9.65	5.84			
-----	-----	87898-0622	87898-0632	-----	87898-0652	6	-----	2	-----	-----	-----	15.24	12.70	10.81	9.65	5.84			
-----	-----	87898-0624	87898-0634	-----	87898-0654	6	-----	4	-----	-----	-----	15.24	12.70	10.81	9.65	5.84			
-----	-----	87898-0625	87898-0635	-----	87898-0655	6	-----	5	-----	-----	-----	15.24	12.70	10.81	9.65	5.84			
-----	-----	87898-0626	87898-0636	-----	87898-0656	6	-----	6	-----	-----	-----	15.24	12.70	10.81	9.65	5.84			
C	-----	87898-0628	87898-0638	-----	87898-0658	6	-----	6	-----	-----	-----	15.24	12.70	10.81	9.65	5.84	B24	B	
87898-0607	-----	-----	-----	-----	87898-0657	6	-----	6	-----	-----	-----	15.24	12.70	16.47	15.31	11.50			
-----	-----	-----	-----	-----	87898-0605	6	-----	5	-----	-----	-----	15.24	12.70	12.98	11.94	8.13			
-----	-----	87898-0604	-----	-----	-----	6	----	5	-----	-----	-----	15.24	12.70	---	13.31	9.50			

10		9		8		7		6		5		4		3		2		1	
PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					B24 B24 B24					
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	G	F	M						
-----	-----	87898-0721	87898-0731	-----	87898-0751	7	-----	1	17.78	15.24	10.81	9.65	5.84						
-----	-----	87898-0722	87898-0732	-----	87898-0752	7	-----	2	17.78	15.24	10.81	9.65	5.84						
-----	-----	87898-0724	87898-0734	-----	87898-0754	7	-----	4	17.78	15.24	10.81	9.65	5.84						
-----	-----	87898-0725	87898-0735	-----	87898-0755	7	-----	5	17.78	15.24	10.81	9.65	5.84						
-----	-----	87898-0726	87898-0736	-----	87898-0756	7	-----	6	17.78	15.24	10.81	9.65	5.84						
-----	-----	87898-0727	87898-0737	-----	87898-0758	7	-----	6	17.78	15.24	10.81	9.65	5.84						
-----	-----	-----	-----	B22 87898-0757	-----	7	-----	6	17.78	15.24	---	9.65	5.84						
-----	-----	-----	-----	87898-0759	-----	7	-----	6	17.78	15.24	---	9.65	5.84						
-----	-----	87898-0720	-----	-----	-----	7	-----	5	17.78	15.24	---	9.81	6.00						
-----	-----	87898-0767	-----	-----	-----	7	-----	5	17.78	15.24	---	13.81	10.00						
-----	-----	87898-0821	87898-0831	-----	87898-0851	8	-----	1	20.32	17.78	10.81	9.65	5.84						
-----	-----	87898-0822	87898-0832	-----	87898-0852	8	-----	2	20.32	17.78	10.81	9.65	5.84						
-----	-----	87898-0824	87898-0834	-----	87898-0854	8	-----	4	20.32	17.78	10.81	9.65	5.84						
-----	-----	87898-0825	87898-0835	-----	87898-0855	8	-----	5	20.32	17.78	10.81	9.65	5.84						
-----	-----	87898-0826	87898-0836	-----	87898-0856	8	-----	6	20.32	17.78	10.81	9.65	5.84						
-----	-----	87898-0827	87898-0837	-----	87898-0857	8	-----	6	20.32	17.78	10.81	9.65	5.84						
87898-0881	-----	-----	-----	-----	-----	8	-----	4	20.32	17.78	---	21.84	17.91						
-----	-----	87898-0921	87898-0931	-----	87898-0951	9	-----	1	22.86	20.32	10.81	9.65	5.84						
-----	-----	87898-0922	87898-0932	-----	87898-0952	9	-----	2	22.86	20.32	10.81	9.65	5.84						
-----	-----	87898-0924	87898-0934	-----	87898-0954	9	-----	4	22.86	20.32	10.81	9.65	5.84						
-----	-----	87898-0925	87898-0935	-----	87898-0955	9	-----	5	22.86	20.32	10.81	9.65	5.84						
-----	-----	87898-0926	87898-0936	-----	87898-0956	9	-----	6	22.86	20.32	10.81	9.65	5.84						

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

mm

SCALE

NTS

GENERAL TOLERANCES
(UNLESS SPECIFIED)

	MM	INCH
4 PLACES	±	±
3 PLACES	±	±
2 PLACES	± 0.2	±
1 PLACE	±	±
0 PLACES	±	±
ANGULAR TOL ± 3.0 °		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		

CURRENT REV DESC: BRIGHT TIN PHASE OUT

EC NO: 679909

DRWN: AKUMAR19

CHK'D: MRAMAKRISHNA

APPR: MRAMAKRISHNA

2021/06/29

2021/10/11

2021/10/11

INITIAL REVISION:

DRWN: GGUNAGI

APPR: ISHWARG

2016/11/09

2016/12/06

THIRD ANGLE PROJECTION

DRAWING

A3-SIZE

SERIES

87898

DOCUMENT NUMBER

SD-87898-001

DOC TYPE

PSD

DOC PART

000

REVISION

B24

PRODUCT CUSTOMER DRAWING

MATERIAL NUMBER

SEE TABLE

CUSTOMER

GENERAL MARKET

SHEET NUMBER

4 OF 21

DOCUMENT STATUS

P1

RELEASE DATE

2021/10/11 11:53:29

9		8		7		6		5		4		3		2		1	
---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--

FORMAT: Met-lega-master-0b-prod-A3

REVISION: E

DATE: 2020/11/4

	10	9	8	7	6	5	4	3	2	1							
F	PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION							
	TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	G	F	M			
	-----	-----	87898-1021	87898-1031	-----	87898-1051	10	-----	1	25.40	22.86	10.81	9.65	5.84			
	-----	-----	87898-1022	87898-1032	-----	87898-1052	10	-----	2	25.40	22.86	10.81	9.65	5.84			
	-----	-----	87898-1024	87898-1034	-----	87898-1054	10	-----	4	25.40	22.86	10.81	9.65	5.84			
	-----	-----	87898-1025	87898-1035	-----	87898-1055	10	-----	5	25.40	22.86	10.81	9.65	5.84			
	-----	-----	87898-1026	87898-1036	-----	87898-1056	10	-----	6	25.40	22.86	10.81	9.65	5.84			
	-----	-----	87898-1027	87898-1037	-----	87898-1057	10	-----	6	25.40	22.86	10.81	9.65	5.84			
	-----	-----	87898-1003	-----	-----	-----	10	-----	5	25.40	22.86	---	9.81	6.00			
E	-----	-----	87898-1121	87898-1131	-----	87898-1151	11	-----	1	27.94	25.40	10.81	9.65	5.84			
	-----	-----	87898-1122	87898-1132	-----	87898-1152	11	-----	2	27.94	25.40	10.81	9.65	5.84			
	-----	-----	87898-1124	87898-1134	-----	87898-1154	11	-----	4	27.94	25.40	10.81	9.65	5.84			
	-----	-----	87898-1125	87898-1135	-----	87898-1155	11	-----	5	27.94	25.40	10.81	9.65	5.84			
	-----	-----	87898-1126	87898-1136	-----	87898-1156	11	-----	6	27.94	25.40	10.81	9.65	5.84			
D	-----	-----	87898-1221	87898-1231	-----	87898-1251	12	-----	1	30.48	27.94	10.81	9.65	5.84			
	-----	-----	87898-1222	87898-1232	-----	87898-1252	12	-----	2	30.48	27.94	10.81	9.65	5.84			
	-----	-----	87898-1224	87898-1234	-----	87898-1254	12	-----	4	30.48	27.94	10.81	9.65	5.84			
	-----	-----	87898-1225	87898-1235	-----	87898-1255	12	-----	5	30.48	27.94	10.81	9.65	5.84			
	-----	-----	87898-1226	87898-1236	-----	87898-1256	12	-----	6	30.48	27.94	10.81	9.65	5.84			
C																	
B																	
A																	
DOCUMENT STATUS		P1	RELEASE DATE	2021/10/11 11:53:29													
	9		8		7		6		5		4		3		2		1

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

mm

SCALE

NTS

GENERAL TOLERANCES
(UNLESS SPECIFIED)

	MM	INCH
4 PLACES	±	±
3 PLACES	±	±
2 PLACES	± 0.2	±
1 PLACE	±	±
0 PLACES	±	±
ANGULAR TOL	± 3.0 °	

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

THIRD ANGLE PROJECTION

DRAWING

A3-SIZE

SERIES

87898

MATERIAL NUMBER

SEE TABLE

CUSTOMER

GENERAL MARKET

SHEET NUMBER

5 OF 21

CURRENT REV DESC: BRIGHT TIN PHASE OUT

molex

CUSTOM HEADER
2.54MM PITCH SINGLE ROW SINGLE WAFER SMT
HEADER

PRODUCT CUSTOMER DRAWING

EC NO: 679909
DRWN: AKUMAR19
CHK'D: MRAMAKRISHNA
APPR: MRAMAKRISHNA

2021/06/29
2021/10/11
2021/10/11

INITIAL REVISION:
DRWN: GGUNAGI
APPR: ISHWARG

2016/11/09
2016/12/06

DOCUMENT NUMBER

SD-87898-001

DOC TYPE

PSD

DOC PART

000

REVISION

B24

[illegible]

[illegible]

	10	9	8	7	6	5	4	3	2	1																																																																																							
F	PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																																																																																							
	TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	G	F	M																																																																																			
	-----	-----	87898-1921	87898-1931	-----	87898-1951				19	-----	1	48.26	45.72	10.81	9.65	5.84																																																																																
	-----	-----	87898-1922	87898-1932	-----	87898-1952				19	-----	2	48.26	45.72	10.81	9.65	5.84																																																																																
	-----	-----	87898-1924	87898-1934	-----	87898-1954				19	-----	4	48.26	45.72	10.81	9.65	5.84																																																																																
	-----	-----	87898-1925	87898-1935	-----	87898-1955				19	-----	5	48.26	45.72	10.81	9.65	5.84																																																																																
	-----	-----	87898-1926	87898-1936	-----	87898-1956	19	-----	6	48.26	45.72	10.81	9.65	5.84																																																																																			
E	-----	-----	87898-2021	87898-2031	-----	87898-2051	20	-----	1	50.80	48.26	10.81	9.65	5.84																																																																																			
	-----	-----	87898-2022	87898-2032	-----	87898-2052	20	-----	2	50.80	48.26	10.81	9.65	5.84																																																																																			
	-----	-----	87898-2024	87898-2034	-----	87898-2054	20	-----	4	50.80	48.26	10.81	9.65	5.84																																																																																			
	-----	-----	87898-2025	87898-2035	-----	87898-2055	20	-----	5	50.80	48.26	10.81	9.65	5.84																																																																																			
	-----	-----	87898-2026	87898-2036	-----	87898-2056	20	-----	6	50.80	48.26	10.81	9.65	5.84																																																																																			
	-----	-----	87898-2027	87898-2037	-----	87898-2057	20	-----	6	50.80	48.26	10.81	9.65	5.84																																																																																			
D	-----	-----	87898-2121	87898-2131	-----	87898-2151	21	-----	1	53.34	50.80	10.81	9.65	5.84																																																																																			
	-----	-----	87898-2122	87898-2132	-----	87898-2152	21	-----	2	53.34	50.80	10.81	9.65	5.84																																																																																			
	-----	-----	87898-2124	87898-2134	-----	87898-2154	21	-----	4	53.34	50.80	10.81	9.65	5.84																																																																																			
	-----	-----	87898-2125	87898-2135	-----	87898-2155	21	-----	5	53.34	50.80	10.81	9.65	5.84																																																																																			
	-----	-----	87898-2126	87898-2136	-----	87898-2156	21	-----	6	53.34	50.80	10.81	9.65	5.84																																																																																			
C																																																																																																	
B																																																																																																	
A																																																																																																	
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION <table><tr><td>DIMENSION UNITS</td><td>SCALE</td><td colspan="4" rowspan="2">CURRENT REV DESC: BRIGHT TIN PHASE OUT</td><td colspan="4" rowspan="2"> molex </td></tr><tr><td>mm</td><td>NTS</td></tr><tr><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="4" rowspan="5">EC NO: 679909 DRWN: AKUMAR19 2021/06/29 CHK'D: MRAMAKRISHNA 2021/10/11 APPR: MRAMAKRISHNA 2021/10/11</td><td colspan="4" rowspan="5">CUSTOM HEADER 2.54MM PITCH SINGLE ROW SINGLE WAFER SMT HEADER</td></tr><tr><td></td><td>MM</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>±</td><td>±</td></tr><tr><td>3 PLACES</td><td>±</td><td>±</td></tr><tr><td>2 PLACES</td><td>±</td><td>0.2</td><td>±</td></tr><tr><td>1 PLACE</td><td>±</td><td>±</td><td colspan="4" rowspan="2">INITIAL REVISION:</td><td colspan="4" rowspan="2">DOCUMENT NUMBER</td></tr><tr><td>0 PLACES</td><td>±</td><td>±</td></tr><tr><td colspan="2">ANGULAR TOL ± 3.0 °</td><td colspan="4">DRWN: GGUNAGI 2016/11/09 APPR: ISHWARG 2016/12/06</td><td colspan="4">SD-87898-001</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">THIRD ANGLE PROJECTION</td><td>DRAWING</td><td>SERIES</td><td colspan="2">MATERIAL NUMBER</td><td colspan="2">CUSTOMER</td><td colspan="2">SHEET NUMBER</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td>A3-SIZE</td><td>87898</td><td colspan="2">SEE TABLE</td><td colspan="2">GENERAL MARKET</td><td colspan="2">8 OF 21</td></tr></table>															DIMENSION UNITS	SCALE	CURRENT REV DESC: BRIGHT TIN PHASE OUT				molex				mm	NTS	GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 679909 DRWN: AKUMAR19 2021/06/29 CHK'D: MRAMAKRISHNA 2021/10/11 APPR: MRAMAKRISHNA 2021/10/11				CUSTOM HEADER 2.54MM PITCH SINGLE ROW SINGLE WAFER SMT HEADER					MM	INCH	4 PLACES	±	±	3 PLACES	±	±	2 PLACES	±	0.2	±	1 PLACE	±	±	INITIAL REVISION:				DOCUMENT NUMBER				0 PLACES	±	±	ANGULAR TOL ± 3.0 °		DRWN: GGUNAGI 2016/11/09 APPR: ISHWARG 2016/12/06				SD-87898-001				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER						A3-SIZE	87898	SEE TABLE		GENERAL MARKET		8 OF 21	
DIMENSION UNITS	SCALE	CURRENT REV DESC: BRIGHT TIN PHASE OUT				molex																																																																																											
mm	NTS																																																																																																
GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 679909 DRWN: AKUMAR19 2021/06/29 CHK'D: MRAMAKRISHNA 2021/10/11 APPR: MRAMAKRISHNA 2021/10/11				CUSTOM HEADER 2.54MM PITCH SINGLE ROW SINGLE WAFER SMT HEADER																																																																																											
	MM									INCH																																																																																							
4 PLACES	±									±																																																																																							
3 PLACES	±									±																																																																																							
2 PLACES	±									0.2	±																																																																																						
1 PLACE	±	±	INITIAL REVISION:				DOCUMENT NUMBER																																																																																										
0 PLACES	±	±																																																																																															
ANGULAR TOL ± 3.0 °		DRWN: GGUNAGI 2016/11/09 APPR: ISHWARG 2016/12/06				SD-87898-001																																																																																											
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER																																																																																							
				A3-SIZE	87898	SEE TABLE		GENERAL MARKET		8 OF 21																																																																																							
	9	8	7	6	5	4	3	2	1																																																																																								
FORMAT: Met-lega-master-ib-prod-A3 REVISION: E DATE: 2020/01/14																																																																																																	

[illegible]

10		9		8		7		6		5		4		3		2		1																						
PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																															
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	G	F	M																											
F						25	----	1	63.50	60.96	10.81	9.65	5.84																											
						25	----	2	63.50	60.96	10.81	9.65	5.84																											
						25	----	4	63.50	60.96	10.81	9.65	5.84																											
						25	----	5	63.50	60.96	10.81	9.65	5.84																											
						25	----	6	63.50	60.96	10.81	9.65	5.84																											
E						26	----	1	66.04	63.50	10.81	9.65	5.84																											
						26	----	2	66.04	63.50	10.81	9.65	5.84																											
						26	----	4	66.04	63.50	10.81	9.65	5.84																											
						26	----	5	66.04	63.50	10.81	9.65	5.84																											
						26	----	6	66.04	63.50	10.81	9.65	5.84																											
						26	----	6	66.04	63.50	10.81	9.65	5.84																											
D						27	----	1	68.58	66.04	10.81	9.65	5.84																											
						27	----	2	68.58	66.04	10.81	9.65	5.84																											
						27	----	4	68.58	66.04	10.81	9.65	5.84																											
						27	----	5	68.58	66.04	10.81	9.65	5.84																											
						27	----	6	68.58	66.04	10.81	9.65	5.84																											
C																																								
B																																								
A																																								
DOCUMENT STATUS						P1	RELEASE DATE	2021/10/11	11:53:29																															
9		8		7		6		5		4		3		2		1																								
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION DIMENSION UNITS mm SCALE NTS GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>MM</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>±</td><td>±</td></tr><tr><td>3 PLACES</td><td>±</td><td>±</td></tr><tr><td>2 PLACES</td><td>± 0.2</td><td>±</td></tr><tr><td>1 PLACE</td><td>±</td><td>±</td></tr><tr><td>0 PLACES</td><td>±</td><td>±</td></tr><tr><td>ANGULAR TOL</td><td>± 3.0 °</td><td></td></tr></table> DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS THIRD ANGLE PROJECTION DRAWING A3-SIZE SERIES 87898 MATERIAL NUMBER SEE TABLE CUSTOMER GENERAL MARKET SHEET NUMBER 10 OF 21 EC NO: 679909 DRWN: AKUMAR19 CHK'D: MRAMAKRISHNA APPR: MRAMAKRISHNA 2021/06/29 2021/10/11 2021/10/11 2021/10/11 INITIAL REVISION: DRWN: GGUNAGI APPR: ISHWARG 2016/11/09 2016/12/06 DOCUMENT NUMBER SD-87898-001 DOC TYPE PSD DOC PART 000 REVISION B24 CUSTOM HEADER 2.54MM PITCH SINGLE ROW SINGLE WAFER SMT HEADER PRODUCT CUSTOMER DRAWING molex																					MM	INCH	4 PLACES	±	±	3 PLACES	±	±	2 PLACES	± 0.2	±	1 PLACE	±	±	0 PLACES	±	±	ANGULAR TOL	± 3.0 °	
	MM	INCH																																						
4 PLACES	±	±																																						
3 PLACES	±	±																																						
2 PLACES	± 0.2	±																																						
1 PLACE	±	±																																						
0 PLACES	±	±																																						
ANGULAR TOL	± 3.0 °																																							




[illegible]

[illegible]




[illegible]

[illegible]


CAP ORIENTATION (CAP P/N: 87938-0001)




CAP ORIENTATION (CAP P/N: 87898-1000)



PART ORIENTATION IN TUBE



PART WITHOUT CAP PART WITH CAP

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT				molex	
mm		NTS							
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909 DRWN: AKUMAR192021/06/29 CHK'D: MRAMAKRISHNA2021/10/11 APPR: MRAMAKRISHNA2021/10/11 INITIAL REVISION: DRWN: GGUNAGI2016/11/09 APPR: ISHWARG2016/12/06					
		MM	INCH						
4 PLACES	±		±						
3 PLACES	±		±						
2 PLACES	±	0.2							
1 PLACE	±		±						
0 PLACES	±		±						
ANGULAR TOL ± 3.0 °				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	
				SD-87898-001		PSD	000	B24	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER
				A3-SIZE	87898	SEE TABLE	GENERAL MARKET	16 OF 21	

