

# Han 48HPR cover angled housing 6XM32



_		
	Part number	19 40 048 9822
	Specification	Han 48HPR cover angled housing 6XM32
	HARTING eCatalogue	https://b2b.harting.com/19400489822

Image is for illustration purposes only. Please refer to product description.

#### Identification

Category	Hoods/Housings
Series of hoods/housings	Han <sup>®</sup> HPR
Type of hood/housing	Mounting cover
Description of hood/housing	Distance bolt M6

#### Version

Size	48 B
Cable entry	6x M32
Locking type	Screw locking
Field of application	Hoods/housings for harsh outdoor environments
	4 distance pieces
ack contents	4x M6 screw
	4 washers

## **Technical characteristics**

Tightening torque (screw locking)	4 Nm
Limiting temperature	-40 +125 °C
	IP65
Degree of protection acc. to IEC 60529	IP68
	IP69 / IPX9K acc. to ISO 20653

## Material properties

Material (hood/housing)	Aluminium die-cast Corrosion resistant
Surface (hood/housing)	Powder-coated

Page 1 / 2 | Creation date 2021-10-01 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Electric Stiftung & Co. KG | Wilhelm-Harting-Straße 1 | 32339 Espelkamp | Germany Phone +49 5772 47-97100 | electric@HARTING.com | www.HARTING.com



#### Material properties

Colour (hood/housing)	RAL 9005 (jet black)
Material (seal)	NBR
Material (locking)	Stainless steel
RoHS	compliant
ELV status	compliant
China RoHS	e
REACH Annex XVII substances	No
REACH ANNEX XIV substances	No
REACH SVHC substances	No
California Proposition 65 substances	Yes
California Proposition 65 substances	Nickel Naphthalene

## Specifications and approvals

Approvals	DNV GL
<b>0</b>	
Commercial data	
Packaging size	1
Net weight	601.8 g
Country of origin	Germany
European customs tariff number	85389099
eCl@ss	27440208 Cap for industrial connectors