


Ŧ	۵ D	п –	m	0







## CHARACTERISTICS

-Salt Spray

BASIC SERIES:

SHELL SIZE : 13

PLATING : M = Nickel

Н

SHELL TYPE : Square Flange Receptacle

CONTACT TYPE : Standard Crimp Contact

4

ω

 $\sim$ 

-Standard : Based on MIL-DTL-38999 Series III

-Shell Material : Composite : Nickel -Shell Plating -Insulator : Thermoplastic -Contacts : Copper Alloy : Silicon Elastomer -Seals & Grommet -Contact Plating : Gold over copper A -Durability : 500 Mating cycles -Delivered with Souriau contacts and Accesso -Temperature Range : -65°C to +200°C

: 2000 hours

8D

	1							p
ıı Q	m	D		0	σ	⊳		
N Thread	S R1 R2 V			LAYOUT S	HOWN AS EXAMPLE			4
~	· .							
Key	ing Shown as example	-						
s III r er Alloy 0.8μm minimum es essories	Connector dimension       Dim     Nominal       P     3.25±0.2       PP     4.93±0.2       R1     23.01       R2     20.62       S     28.6±0.3       V'     19.5+1.4/-0       W'     2.1/3.65       Z'     32 Max       VV THREAD     M18x1-6g			due to a use of the the Specifications issued (professional re	iable for any non-conformit Products which does not con by either of the Parties or b commendation, technical no <u>Country</u> Jurisd FR D013M03HA	mply with by a third party		2
		A	15-10-2016	First Release				
		ISS Desig	DATE ned By:	Latest modification - by Date:		CUSTOMER DRAWING	MOD N°	
			TITLE Composite Receptacle 8D series					
0 - 13 M 03 H	IA		TALE NA		neral linear blerances: ±	NPRDS / PROJECT <b>859</b>		1
		ORIENTATION : A TYPE : PIN (1500 Matings)		SOURIAU WWW.SOURIA		communicated without permi		
	CONTACT LAY	001.13-03	RMAT		URIAU DRG N° 0013M03HA-C		SHEET 1/2	
G F	E	D		C	B	A		
	V	/						

	<b>工</b>	۵	וד	m	D	0	
		Contact Layout				SQUARE FLANGE RECEPTACLE (1 REAR MOUNTING	Panel Cuto
4		03 () ) 3#16				REAR MOUNTING	
	Ctc A B C	13-03       X     Y       2.39     1.47       0     -2.79       -2.39     1.47					ØA Dim
ယ							ØA ØAA R1 ØT
$\frown$	F						
	9					the Specifications	of the Products w
N							Count FR
						PI	N: 8D0131
					A 15-1	0-2016 First Release	
					ISS E Designed By:	ATE Latest modificatio Date:	n - by
					ТІТІ	E	Composit
<u> </u>					SCALE NA		General linear Tolerances: ±
					SOUR	IAU WWW.	SOURIAU.(
					FORMAT A3		SOURIAU 8D013M
	Н	G	F	E	D	С	

