








1 TABLE1


番号 NO.	部品 PART	材質 MATERIAL
①	ハウジング HOUSING	ポリアミド(PA), UL94V-0, GLASS-FILLED, 色: ナチュラル(ベージュ) POLYAMIDE(PA), UL94V-0, GLASS-FILLED, COLOR: NATURAL (BEIGE)
②	ターミナル TERMINAL	りん青銅 PHOSPHOER BRONZE
		無光沢錫めっき 1.0 MICROMETER MINIMUM MATTE TIN PLATING 1.0 MICROMETER MINIMUM
		ニッケルめっき 1.0 MICROMETER MINIMUM NICKEL PLATING 1.0 MICROMETER MINIMUM
③	ネイル NAIL	りん青銅 PHOSPHOER BRONZE
		無光沢錫めっき 1.0 MICROMETER MINIMUM MATTE TIN PLATING 1.0 MICROMETER MINIMUM
		ニッケルめっき 1.0 MICROMETER MINIMUM NICKEL PLATING 1.0 MICROMETER MINIMUM




NOTES

- 1 材料およびめっき仕様：TABLE 1 参照
MATERIAL AND PLATING：REFER TO TABLE 1
- 2 適用製品及び各種仕様書はSHEET 5を参照のこと
REFER TO SHEET 5 ABOUT APPLICABLE PRODUCTS AND VARIOUS SPECIFICATIONS
- 3 梱包形態：SHEET 3 参照
PACKAGING INFOMATION：SEE SHEET 3
- 4 テールおよびネイルのズレは基準面 V に対しA方向に0.05 MAX、B方向に0.1 MAX

MISALIGNMENT OF TAILS AND NAILS FROM V,
DIRECTION A: 0.05 MAX, DIRECTION B: 0.1 MAX
- 5 端子テール部およびネイルの平坦度は0.1以下
COPLANARITY OF TAIL AND NAIL TO BE 0.1 MAX
- 6 本製品は錫めっき品です。金めっき品は532610000-SD 000をご参照ください
THIS PRODUCT IS TIN PLATING TYPE.
PLEASE REFER TO 532610000-SD FOR GOLD PLATING TYPE.
- 7 ロックの数は、2,3極は1ロック、
4極以上は2ロック。
LOCKING WINDOW: ONE PLACE FOR 2 AND 3 CIRCUIT,
AND TWO PLACES FOR MORE THAN 4 CIRCUIT.



7 2, 3極形状 (1ロック)
FIGURE OF 2, 3 CIRCUIT (1 LOCK)




7 4極以上ロック形状 (2ロック)
FIGURE OF MORE THAN 4 CIRCUIT (2 LOCKS)



21.8	23	26	20	26.4	532611771	17
19.3	20.5	23.5	17.5	23.9	532611571	15
18.05	19.25	22.25	16.25	22.65	532611471	14
16.8	18	21	15	21.4	532611371	13
15.55	16.75	19.75	13.75	20.15	532611271	12
14.3	15.5	18.5	12.5	18.9	532611171	11
13.05	14.25	17.25	11.25	17.65	532611071	10
11.8	13	16	10	16.4	532610971	9
10.55	11.75	14.75	8.75	15.15	532610871	8
9.3	10.5	13.5	7.5	13.9	532610771	7
8.05	9.25	12.25	6.25	12.65	532610671	6
6.8	8	11	5	11.4	532610571	5
5.55	6.75	9.75	3.75	10.15	532610471	4
4.3	5.5	8.5	2.5	8.9	532610371	3
3.05	4.25	7.25	1.25	7.65	532610271	2
E	D	C	B	A	<div>△ 11</div> 発注番号 ORDER NO.	極数 CIRCUIT SIZE
					梱包形態：エンボス梱包 PACKAGING：EMBOSSED TAPE AND REEL	

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE	CURRENT REV DESC:		molex				
mm	NTS			PICOBLADE 1.25 SMT RIGHT ANGLE TIN PLATING TYPE				
GENERAL TOLERANCES (UNLESS SPECIFIED)								
ANGULAR TOL	± 3.0°							
4 PLACES	± 0.2							
3 PLACES	± 0.2							
2 PLACES	± 0.2			PRODUCT CUSTOMER DRAWING				
1 PLACE	± 0.2			DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
0 PLACES	± 0.2			532610001-SD		PSD	000	A
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER		SHEET NUMBER	
		A2-SIZE	53261	SEE CHART OF SHEET3	GENERAL		1 OF 5	



532611071
韓国生産分に適用
APPLIES TO PRODUCT
PRODUCED BY MXK



32mm幅キャリアテープ
32mm WIDTH CARRIER TAPE

37.4	33.4	28.4	12.45	14.2	32		18.25	10
M	L	K	J	H	キャリアテープ幅 G CARRIER TAPE WIDTH G		F	極数 CIRCUIT SIZE

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC:			<div>molex</div>				
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 688261						PICOBLADE 1.25	
ANGULAR TOL ± 3.0 °				DRWN: QHE31 2021/12/15			SMT RIGHT ANGLE TIN PLATING TYPE				
4 PLACES ± 0.2				CHK'D: SAKIYAMA 2021/12/21							
3 PLACES ± 0.2				APPR: KOMURAKAMI 2021/12/24							
2 PLACES ± 0.2				INITIAL REVISION:			PRODUCT CUSTOMER DRAWING				
1 PLACE ± 0.2				DRWN: QHE31 2021/12/15			DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
0 PLACES ± 0.2				APPR: KOMURAKAMI 2021/12/24			532610001-SD		PSD	000	A
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER	
						A2-SIZE	53261	SEE CHART OF SHEET3		GENERAL	
										SHEET NUMBER	
										4 OF 5	

DOCUMENT STATUS	P1	RELEASE DATE	2021/12/24	09:26:44
-----------------	----	--------------	------------	----------

F

F

E

E

D

D

C

C

B

B

A


A

2


適合製品および各種仕様書

APPLICABLE PRODUCTS AND SPECIFICATIONS

梱包仕様書 PACKING SPECIFICATION	PART NUMBER			SPECIFICATION NUMBER	
	53261****			SPK-53261-002	
適合嵌合相手 MATE WITH	HOUSING	CRIMP TREMINAL			
	51021****	WIRE SIZE (AWG)	PLATING	PART NUMBER	
		#26-28	TIN	500798*00	
		#28-32		500588*00	
製品仕様書 PRODUCT SPECIFICATION	PS-51021-024				
アプリケーション仕様書 (取扱説明書) APPLICATION SPECIFICATION	510210001-AS PS 000				

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC: EC NO: 688261 DRWN: QHE312021/12/15 CHK'D: SAKIYAMA2021/12/21 APPR: KOMURAKAMI2021/12/24 INITIAL REVISION: DRWN: QHE312021/12/15 APPR: KOMURAKAMI2021/12/24				<div>molex</div> PICOBLADE 1.25 SMT RIGHT ANGLE TIN PLATING TYPE							
GENERAL TOLERANCES (UNLESS SPECIFIED)															
ANGULAR TOL ± 3.0 °															
4 PLACES		± 0.2													
3 PLACES		± 0.2													
2 PLACES		± 0.2		PRODUCT CUSTOMER DRAWING											
1 PLACE		± 0.2													
0 PLACES		± 0.2		DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION					
				532610001-SD		PSD		000		A					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A3-SIZE		53261				GENERAL		5 OF 5	

DOCUMENT STATUS	P1	RELEASE DATE	2021/12/24	09:26:44
-----------------	----	--------------	------------	----------



53261-****	WAFER ASSY	MODEL NO./MATERIAL NO.
50079-****	TERMINAL	
51021-****	HOUSING	

RELEASED EC NO: J2006-2426 DRWN:YAOYAGI 2006/02/02 CHKD:YMAEDA 2006/02/03 APPR:NUKITA 2006/02/07 REV 0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		10 UNDER	± ---	Y.AOYAGI	2006/01/30	TITLE 1.25 W-TO-B CONN. 51021,53261 MATING CROSS SECTION				
		10 OVER 30 UNDER	± ---	Y.MAEDA	2006/01/30					
		30 OVER	± ---	N.UKITA	2006/01/30	MOLEX INCORPORATED				
		ANGULAR ±--- °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.		
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-51021-002		1 OF 1		
	REV	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								