

ENGINEERING NO. - NUMERICAL CODE (Available parts see PART LIST table. Others on request).

OPTIONS

8 0 X 0 0 0 X X X X X X X X X

80=M12x1
Single ended

Contacts:
3=3 Contacts
4=4 Contacts
5=5 Contacts
8=8 Contacts

Heads style:
000=Plug Female Straight

Cable type: See Table

Units:
M=Meter


Length
Examples:
005=0.5 unit
010=1 unit
100=10 units

Overmold color:
Blank (Standard)=Black
A=Grey / G=Black / Y=Yellow

Coupling Nut:
Blank (Standard) & 3=Knurled Brass Ni Plated
1=Hexagonal Stainless steel
5=Knurled Derlin
7=Knurled Brass Ni Plated, Teflon Coated
9=Knurled / Hexagonal Brass Ni Plated

H= 2 pcs. of I/D Carrier PVC Transparent

COUPLING NUTS




CABLE INFORMATION (for more information see Cable Data Sheet).

CABLE TYPE	NO. OF WIRES	CROSS SECTION	CABLE JACKET	UL	CSA	STATIC: TEMP. / BENDING RADIUS	DYNAMIC: TEMP. / BENDING RADIUS	DRAG CHAIN	SHIELD
E02	3 / 4 / 5 / 8	0.25mm ²	PVC BLACK	UL 2464/1729	C22.2 I/II A/B 80°C/300V	-30°C to +80°C, 10xO.D.	-10°C to +80°C, 15xO.D.	-	-
E03	3 / 4 / 5	0.34mm ²	PVC BLACK	UL 2464/1729	C22.2 I/II A/B 80°C/300V	-30°C to +80°C, 10xO.D.	-10°C to +80°C, 15xO.D.	-	-
H08	3 / 4 / 5 / 8	0.25mm ²	PUR BLACK LS0H	UL 21198/10493	C22.2 I/II A/B 80°C/300V	-40°C to +80°C, 5xO.D.	-25°C to +80°C, 10xO.D.	2 000 000 cycles at 20°C, Temp. range +5°C to +60°C	-
H09	3 / 4 / 5	0.34mm ²	PUR BLACK LS0H	UL 21198/10493	C22.2 I/II A/B 80°C/300V	-40°C to +80°C, 5xO.D.	-25°C to +80°C, 10xO.D.	2 000 000 cycles at 20°C, Temp. range +5°C to +60°C	-
P02	3 / 4 / 5 / 8	0.25mm ²	PUR / PVC BLACK	-	-	-30°C to +80°C, 7xO.D.	-5°C to +80°C, 15xO.D.	-	-
P03	3 / 4 / 5	0.34mm ²	PUR / PVC BLACK	-	-	-30°C to +80°C, 7xO.D.	-5°C to +80°C, 15xO.D.	-	-

CABLE LENGTH TOLERANCES

OVER	UP TO AND INCLUDING	TOLERANCES
0	305mm	+19mm
305mm	915mm	+45mm
915mm	1830mm	+56mm
1830mm	3660mm	+89mm
3660mm	7320mm	+165mm
7320mm	14640mm	+317mm
14640mm	30500mm	+610mm
30500mm	>	+2% of finished length



SCALE 1:1

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC: NEW PN ADDED		molex			
	DIMENSION UNITS	SCALE			CSE M12 XP AC FE STR XM SE UNSH			
DIVISIONAL SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)							
	ANGULAR TOL	± 1.0 °						
	4 PLACES	±						
	3 PLACES	±						
	2 PLACES	± 0.05						
	1 PLACE	± 0.3						
	0 PLACES	± 0.5						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER
				A3-SIZE	120065	SEE SHEET 3-4	GENERAL MARKET	2 OF 4

10				9				8				7				6				5				4				3				2				1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
PART LIST																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
No. Part No. Engineering No. Cable Length				No. Part No. Engineering No. Cable Length				No. Part No. Engineering No. Cable Length				No. Part No. Engineering No. Cable Length				No. Part No. Engineering No. Cable Length				No. Part No. Engineering No. Cable Length				No. Part No. Engineering No. Cable Length				No. Part No. Engineering No. Cable Length																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1 1200060001 803000E03M020 2m				36 1200060458 804000P03M0501 5m				71 1200063673 803000P03M1001 10m				106 1200658008 804000H09M050H 5m				2 1200060002 803000E03M050 5m				37 1200060461 804000P03M200 20m				72 1200063779 805000E03M300 30m				107 1200658009 804000H09M100H 10m				3 1200060003 803000E03M100 10m				38 1200060634 805000E03M020 2m				73 1200063940 804000P03M0051 0.5m				108 1200658020 805000P03M040 4m				4 1200060004 803000P03M020 2m				39 1200060638 805000E03M100 10m				74 1200064033 804000P03M120 12m				109 1200658021 808000P02M150 15m				5 1200060005 803000P03M050 5m				40 1200060646 805000P03M003 0.3m				75 1200064093 803000P03M032 3.2m				110 1200658022 808000P02M030 3m				6 1200060006 803000P03M100 10m				41 1200060647 805000P03M020 2m				76 1200064292 805000P03M200 20m				111 1200658064 804000P03M010 1m				7 1200060014 804000E03M020 2m				42 1200060649 805000P03M100 10m				79 1200064422 804000E03M120 12m				112 1200658081 805000E03M200 20m				8 1200060015 804000E03M050 5m				43 1200061337 804000E03M0205 2m				80 1200064434 804000H09M050G 5m				113 1200658165 805000E03M030 3m				9 1200060016 804000E03M100 10m				44 1200061431 805000P03M150 15m				81 1200065004 805000P03M0201 2m				114 1200658172 805000H09M020 2m				10 1200060018 804000P03M020 2m				45 1200061528 804000E03M250 25m				82 1200065006 804000H09M250G 25m				115 1200658173 805000H09M050 5m				11 1200060019 804000P03M050 5m				46 1200061765 803000P03M002 0.2m				83 1200065012 803000P03M030G 3m				116 1200658174 805000H09M100 10m				12 1200060027 803000E03M006 0.6m				47 1200061785 804000P03M006 0.6m				84 1200650951 808000P02M020 2m				117 1200658175 803000H09M020 2m				13 1200060032 804000E03M005 0.5m				48 1200061913 804000E03M300 30m				85 1200650952 808000P02M040 4m				118 1200658176 803000H09M050 5m				14 1200060034 804000P03M025 2.5m				49 1200061958 803000E03M021 2.1m				86 1200650953 808000P02M050 5m				119 1200658177 803000H09M100 10m				15 1200060107 803000E03M003 0.3m				50 1200062071 803000E03M060 6m				87 1200650954 808000P02M060 6m				120 1200658178 804000H09M020 2m				16 1200060113 803000E03M030 3m				51 1200062098 803000P03M006 0.6m				88 1200650955 808000P02M080 8m				121 1200658179 804000H09M050 5m				17 1200060116 803000E03M0505 5m				52 1200062130 804000E03M050H 5m				89 1200650956 808000P02M0801 8m				122 1200658190 804000H09M100 10m				18 1200060117 803000E03M1005 10m				53 1200062167 804000P03M100H 10m				90 1200650957 808000P02M100 10m				124 1200658197 805000P03M010 1m				19 1200060119 803000E03M150 15m				54 1200062264 804000E03M1505 15m				91 1200651769 803000P03M050G 5m				125 1200658208 805000E03M0061 ✱ 0.6m				20 1200060121 803000E03M200 20m				55 1200062347 804000P03M050H 5m				92 1200651780 804000P03M050G 5m				126 1200658210 805000E03M0501 ✱ 5m				21 1200060124 803000E03M2505 25m				56 1200062521 805000P03M030 3m				93 1200651782 804000P03M100 10m				127 1200658219 803000E03M0201 ✱ 2m				22 1200060152 803000P03M010 1m				57 1200062772 803000P03M250 25m				94 1200651792 805000P03M050 5m				128 1200658224 808000E02M050 5m				23 1200060153 803000P03M030 3m				58 1200062811 803000P03M100H 10m				95 1200651794 808000P02M010 1m				129 1200658228 804000E03M3001 ✱ 30m				24 1200060157 803000P03M150 15m				59 1200062853 804000P03M150 15m				96 1200651795 808000P02M070 7m				130 1200658244 808000H08M050 5m				25 1200060158 803000P03M200 20m				60 1200062866 804000E03M020H 2m				97 1200651817 808000P02M200 20m				131 1200658264 808000H08M100 10m				26 1200060426 804000E03M010 1m				61 1200062992 804000E03M200H 20m				98 1200651818 808000P02M250 25m				133 1200658277 808000E02M020 2m				27 1200060427 804000E03M0201 ✱✱ 2m				62 1200063121 804000P03M0053 0.5m				99 1200651820 808000P02M300 30m				134 1200658278 808000E02M100 10m				28 1200060428 804000E03M030 3m				63 1200063224 804000E03M003 0.3m				100 1200651978 805000E03M050 5m				135 1200658288 804000E03M050G 5m				29 1200060429 804000E03M0501 ✱ 5m				65 1200063314 805000E03M010 1m				101 1200652143 804000P03M040 4m				136 1200658309 808000E02M0501 5m				30 1200060430 804000E03M0505 5m				66 1200063402 804000P03M003 0.3m				102 1200652144 804000P03M060 6m				137 1200658321 804000P03M005 0.5m				31 1200060431 804000E03M150 15m				67 1200063407 804000E03M1001 ✱ 10m				103 1200652154 805000P03M060 6m				138 1200658331 805000E03M050H 5m				32 1200060432 804000E03M200 20m				68 1200063415 803000P03M0707 7m				104 1200655073 808000P02M003 0.3m				139 1200658350 803000E03M1001 ✱ 10m				33 1200060432 804000E03M200 20m				69 1200063443 804000E03M030H 3m				105 1200655081 805000E03M150 15m				34 1200060456 804000P03M0201 2m				70 1200063647 804000E03M2001 20m				35 1200060457 804000P03M030 3m				1			
NOTES:																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
✱ - Part No. with Yellow PVC overmolding																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
✱✱ - Part No. with Black PVC overmolding																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											

