
ITEM NO.	PART NUMBER	DESCRIPTION	QTY.	COMPONENT NOTES			
1	TLY-1P	NEMA 1-15P, polarized	1	white overmold			
2	TLY-53	C7, polarized	1	white overmold			
3	30-00247	Wire, 2C, 18 AWG, UL SPT-2, 300V, 105C, 7.05 mm, VW-1, PVC, white	1				
4	Label	Adhesive flat, 15x100mm	1	white with black font			



Notes:

Electrical requirements: 10 A at 125 Vac

Wiring Diagram										
TLY-1P	wire	TLY-53								
hot	round	round								
neutral	grooved	square								

Revision:	Date:	Description:	Prepared:	Notes:						
Α	2/5/2013	Initial release	DN Digitally signed by DN Date: 2017.01.26 14:26:08 -08'00'	RoHS compliant		TFNSILITY				
			Verified: PS Digitally signed by PS Date: 2017.01.26 16:13:16 Digitally signed by PS Date: 2017.01.26 Date	Function test: no open, no short circui intermittent	it, no			.323.3228 800 877.670.77 .323.4202 web tensility.com		
			Dimensions are in	in		fax 1.541.323.4202 web tensility.com				
			millimeters. Tolerances:	Description:			Size: Part number:			
			X: ± 0.5 mm	Ac cord, 1000 mm, U.S, NEMA 1-15P plug, TLY-1P to C7, TLY-53, 18 AWG, SPT-2 wire, 30-00247, white		Α	11-00	00033		
			X.X: ± 0.3 mm X.XX: ± 0.05 mm			Scale: 1:2			Sheet 1 of 1	
•		5	4	3	2				1	