

# Up-Angle Cat6 Gigabit Molded UTP Ethernet Cable (RJ45 Right-Angle Up M to RJ45 M), Blue, 5 ft. (1.52 m)

MODEL NUMBER: N204-005-BL-UP







#### **Highlights**

- Space saving design
- Up Angle connector to Straight
- Cat6 Gigabit rated

#### **System Requirements**

 Use with Cat6, Cat5e, Cat5, or VoIP Networks

#### **Package Includes**

5-ft. (1.52 m) Blue Cat6 Up Angle to Straight RJ45 - RJ45 Patch cable

### Features

- 5-ft. (1.52 m) Blue Cat6, Up Angle to Straight RJ45 RJ45 Patch cable
- PVC 4 Pair Stranded Conductors, 24AWG
- Fully Molded Ends
- ETL Verified to TIA/EIA -568-B
- 550Mhz Gigabit Speed Rated

## **Specifications**

OVERVIEW		
UPC Code	037332167576	
Technology	Cat6	
PHYSICAL		
Cable Jacket Color	Blue	
Cable Jacket Material	PVC	
Cable Jacket Rating	СМ	
Cable Shielding	UTP	
Cable Outer Diameter (OD)	6.0mm	
Number of Conductors	4 Pair	
Conductor Material	Stranded Copper	





24 AWG 5 1.52 60 152.4 22.86 x 17.78 x 1.27 9.00 x 7.00 x 0.50 0.07 0.16 14 to 122 F (-10 to 50 C)
1.52 60 152.4 22.86 x 17.78 x 1.27 9.00 x 7.00 x 0.50 0.07 0.16  14 to 122 F (-10 to 50 C)
152.4  22.86 x 17.78 x 1.27  9.00 x 7.00 x 0.50  0.07  0.16  14 to 122 F (-10 to 50 C)
152.4  22.86 x 17.78 x 1.27  9.00 x 7.00 x 0.50  0.07  0.16  14 to 122 F (-10 to 50 C)
22.86 x 17.78 x 1.27 9.00 x 7.00 x 0.50 0.07 0.16 14 to 122 F (-10 to 50 C)
9.00 x 7.00 x 0.50  0.07  0.16  14 to 122 F (-10 to 50 C)
0.07 0.16 14 to 122 F (-10 to 50 C)
0.16  14 to 122 F (-10 to 50 C)
14 to 122 F (-10 to 50 C)
5 to 140 F (-15 to 60 C)
0% to 90% RH, Non-Condensing
0% to 90% RH, Non-Condensing
250 MHz
500 MHz
1 Gbps (Gigabit)
802.3an
RJ45 (MALE)
RJ45 (MALE) - UP ANGLE
No .
Gold
Molded
EIA/TIA 568B
No
No
No
RoHS; REACH



**Tripp Lite**1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234

WARRANTY	
Product Warranty Period (Worldwide)	Lifetime limited warranty

© 2022 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <a href="https://www.tripplite.com/products/product-certification-agencies">https://www.tripplite.com/products/product-certification-agencies</a>