

Specification Sheet

Part Number: 556-26006



Halogen free for low-smoke and low-fire hazard applications.
White front and yellow back for versatility.

Superior strength and tear resistance for long lasting identification.

Pre-cut slots to secure the TipTags using HellermannTyton cable ties.

TipTag, 2.59" x .50", PO/Polyester, White/Yellow, 500/roll

Article Number

556-26006

Type

TIPTAGVA10X65YEWB

Color

Yellow (YE) White (WH)

Quantity Per

pack

Product Description

TIPTAGs are halogen free, tear resistant, and lightweight cross laminated polyolefin tags ideal for use where weight is a critical factor. Each side is a different color. One side is yellow and the other side is White so that a high contrast black on yellow or black on white mark can be printed.

Short Description

TipTag, 2.59" x .50", PO/Polyester, White/Yellow, 500/roll

Global Part Name

TIPTAGVA10X65YEWB-PO-WH/YE

Fixation Method	Others
Variant	Other
Width W (Imperial)	2.59
Width W (Metric)	65.0
Height H (Imperial)	0.5
Height H (Metric)	12.7
Material	Polyolefin (PO)
Material Shortcut	PO
US MIL SPEC	SAE-AS81531 MIL-STD-202G Method 215K
Halogen Free	Yes
Operating Temperature	-58°F to +221°F (-50°C to +105°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Certification/Specification	MIL-STD-202G Method 215K BS-4G-198-3, Type 11a SAE - AS81531

Package Quantity (Imperial) 500

Package Quantity (Metric) 500

Customs Number 3921905050