

## WLK Series Liquid Cooling System

**Note: This product is not recommended for new designs.**

**Please use the recommended replacement:**

MFG Part Number: 385911-015

Description: NRC2400-A1-20-ST1

The WLK21 is a compressor-based recirculating chiller that offers dependable, compact performance by controlling the temperature of water or water with glycol (antifreeze) in a liquid circuit. The coolant is recirculated using a pump with high MTBF. Heat from the coolant is absorbed by a durable, compressor-based system and dissipated to the ambient environment. The unit is regulated with an easy-to-use digital temperature controller with push button interface. The unit is housed inside a rugged sheet metal casing. Standard cooling capacities range are available up to 3 KW. However, custom solutions have been designed to remove up to 200 KW of heat.

## Features

- Cooling to below ambient
- High heat pumping capacity
- Variable temperature control
- High temperature stability
- CFC free refrigerants
- Long life operation

## Applications

- Cooling Particle Accelerators: Linear Accelerators and Cyclotrons
- Semiconductor Fabrication Equipment Cooling
- X-ray Cooling in Industrial Scanners



## TECHNICAL SPECIFICATIONS

### Performance

<b>Nominal Cooling Capacity</b>	2,000 Watts
<b>Nominal Operating Flowrate (60 Hz)</b>	6.0 L/min @ 6.0 Bar
<b>Nominal Operating Flowrate (50 Hz)</b>	6.0 L/min @ 6.0 Bar

### Operation

<b>Operating Temperature</b>	5°C to 30°C
<b>Storage temperature range (w/o coolant)</b>	-25°C to 70°C
<b>Humidity range</b>	20% to 80%
<b>Storage Humidity range</b>	5% to 95%, non-condensing
<b>Input Voltage</b>	230 VAC
<b>Frequency</b>	50/60 Hz

### Physical

<b>Height</b>	920 mm
<b>Length</b>	590 mm
<b>Width</b>	610 mm
<b>Weight</b>	115 kg

Any information furnished by Laird and its agents, whether in specifications, data sheets, product catalogues or otherwise, is believed to be (but is not warranted as being) accurate and reliable, is provided for information only and does not form part of any contract with Laird. All specifications are subject to change without notice. Laird assumes no responsibility and disclaims all liability for losses or damages resulting from use of or reliance on this information. All Laird products are sold subject to the Laird Terms and Conditions of sale (including Laird's limited warranty) in effect from time to time, a copy of which will be furnished upon request.

© Copyright 2019-2022 Laird Thermal Systems, Inc. All rights reserved. Laird™, the Laird Ring Logo, and Laird Thermal Systems™ are trademarks or registered trademarks of Laird Limited or its subsidiaries.

Date: 02/15/2022