## **HellermannTyton**

## **Specification Sheet**

Part Number: RJ45FC6-BLK

Category 6 jack has been uniquely designed adopting HellermannTyton's globally tried and tested 10-Pin technology which guarantees superior performance and connectivity Standard keystone style interface provides flexibility in connecting components

Unique strain relief design secures cable terminations

Configured to both TIA 568A and 568B wiring schemes for installation versatility

Suitable for air handling spaces, ideal for installation of WAPs and IP devices

Category 6 Modular Keystone Jack, Plenum Rated, Black, 1/bag

Article Number

852-25064

Туре

RJ45FC6-BLK

Color

Black (BK)

**Quantity Per** 

bag



| Product Description   | HellermannTyton's GigaBand flush Category 6 modular jack is<br>designed to "future-proof" installations. Its patented design uses<br>innovative crosstalk-cancellation technology. The performance of the<br>GigaBand system provides significant margin over TIA Category 6<br>(ANSI/TIA-568-C.1) and ISO Class E (ISO/IEC-11801, 2nd edition)<br>requirements. The GigaBand system will easily support applications<br>such as Gigabit Ethernet. ETL tested and approved for Category 6<br>component compliance. |
|-----------------------|--|
| Short Description     | Category 6 Modular Keystone Jack, Plenum Rated, Black, 1/bag   |
| Global Part Name      | RJ45FC6-BLK  |
| Technical Description | The performance of the Cat6 system provides significant margin over TIA Cat6 and ISO/IEC 11801 requirements.   |

| Port Count          | 1    |
|---------------------|------|
| Width W (Imperial)  | 0.75 |
| Width W (Metric)    | 19.0 |
| Height H (Imperial) | 0.91 |
| Height H (Metric)   | 23.0 |
| Depth D (Imperial)  | 1.65 |
| Depth D (Metric)    | 42.0 |

| <b>UL Listed</b> | (US) |
|------------------|------|
|------------------|------|

Yes

Package Quantity (Imperial) 1

Package Quantity (Metric) 1

Customs Number 8536695050

Weight (Metric) 0.010

© 2022 HellermannTyton. All Rights Reserved. Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions