

## Specification Sheet

Part Number: MCRI-C10

Raceway and fittings are manufactured from a UL94 V0 rated material to insure compliance with codes.

All fittings have been designed to maintain the required 1" minimum bend radius to meet TIA/EIA-568-B and 569-A standard.

Raceway and fittings are UL Listed to 600 volts to meet new UL5A and CSA 22.2 No. 62-93 standards.

Patented hinged cover speeds installation time by allowing installer to partially mount cover prior to laying cables.



InfoStream Multi-Channel Raceway Cover, 10 ft Long, PVC, Ivory, 60ft/pkg

**Article Number** 250-00036

**Type** MCR-C10

**Color** Ivory (IV)

**Quantity Per** box

**Product Description** The InfoStream® multi-channel surface raceway system is designed to organize, protect and route multiple types of cable and wire along interior walls. Dividers snap inside raceway to create up to four channels to separate and route communication and power cables. Manufactured from lightweight PVC material, InfoStream multi-channel raceway components are UL5A listed and CSA 22.2 rated for up to 600 volts.

<b>Short Description</b>	InfoStream Multi-Channel Raceway Cover, 10 ft Long, PVC, Ivory, 60ft/pkg
<b>Global Part Name</b>	MCR-C10-PVC-BGE
<b>Length L (Imperial)</b>	10.0
<b>Length L (Metric)</b>	3.048
<b>Width W (Imperial)</b>	4.5
<b>Width W (Metric)</b>	114.3
<b>Height H (Imperial)</b>	2.05
<b>Height H (Metric)</b>	52.07
<b>Material</b>	Polyvinylchloride (PVC)
<b>Material Shortcut</b>	PVC
<b>Flammability</b>	UL 94 V-0
<b>Halogen Free</b>	No
<b>Operating Temperature</b>	+122°F (+50°C)
<b>Reach Compliant (Article 33)</b>	No

**ROHS Compliant** Yes

**UL Listed (US and Canada)** Yes

**UL Listed (US)** Yes

**Package Quantity (Imperial)** 60

**Package Quantity (Metric)** 18.30

**Customs Number** 3925900000