

E

ENG. NO: A-42375-0142/0176					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-ATB208		
PIN LENGTH: L			.530 / 13.46		
MATING LENGTH: M			320 / 8.13		
GOLD POINT: G			.140 / 3.56		
PC TAIL LENGTH: P			.120 / 3.05		
TIN: T			.135 / 3.43		
CKTS:			2-36		
KINKS:			NO		
VOIDED CKTS:			NONE		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2	22-28-4024	A-42375-0142	20	22-28-4204	A-42375-0160
3	22-28-4035	A-42375-0143	21	22-28-4214	A-42375-0161
4	22-28-4044	A-42375-0144	22	22-28-4224	A-42375-0162
5	22-28-4054	A-42375-0145	23	22-28-4234	A-42375-0163
6	22-28-4064	A-42375-0146	24	22-28-4244	A-42375-0164
7	22-28-4074	A-42375-0147	25	22-28-4254	A-42375-0165
8	22-28-4084	A-42375-0148	26	22-28-4264	A-42375-0166
9	22-28-4094	A-42375-0149	27	22-28-4274	A-42375-0167
10	22-28-4104	A-42375-0150	28	22-28-4284	A-42375-0168
11	22-28-4114	A-42375-0151	29	22-28-4294	A-42375-0169
12	22-28-4124	A-42375-0152	30	22-28-4304	A-42375-0170
13	22-28-4134	A-42375-0153	31	22-28-4314	A-42375-0171
14	22-28-4144	A-42375-0154	32	22-28-4324	A-42375-0172
15	22-28-4154	A-42375-0155	33	22-28-4334	A-42375-0173
16	22-28-4164	A-42375-0156	34	22-28-4344	A-42375-0174
17	22-28-4174	A-42375-0157	35	22-28-4354	A-42375-0175
18	22-28-4184	A-42375-0158	36	22-28-4364	A-42375-0176
19	22-28-4194	A-42375-0159			

D

C

B

A

DOCUMENT STATUS	P1	RELEASE DATE	2021/12/20	12:18:33
-----------------	----	--------------	------------	----------

ENG. NO: A-42375-0177/0211					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-ATB208		
PIN LENGTH: L			.530 / 13.46		
MATING LENGTH: M			320 / 8.13		
GOLD POINT: G			.140 / 3.56		
PC TAIL LENGTH: P			.120 / 3.05		
TIN: T			.135 / 3.43		
CKTS:			2-36		
KINKS:			NO		
VOIDED CKTS:			NONE		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2	22-28-4027	A-42375-0177	20	22-28-4207	A-42375-0195
3	22-28-4037	A-42375-0178	21	22-28-4217	A-42375-0196
4	22-28-4047	A-42375-0179	22	22-28-4227	A-42375-0197
5	22-28-4057	A-42375-0180	23	22-28-4237	A-42375-0198
6	22-28-4067	A-42375-0181	24	22-28-4247	A-42375-0199
7	22-28-4077	A-42375-0182	25	22-28-4257	A-42375-0200
8	22-28-4087	A-42375-0183	26	22-28-4267	A-42375-0201
9	22-28-4097	A-42375-0184	27	22-28-4277	A-42375-0202
10	22-28-4107	A-42375-0185	28	22-28-4287	A-42375-0203
11	22-28-4117	A-42375-0186	29	22-28-4297	A-42375-0204
12	22-28-4127	A-42375-0187	30	22-28-4307	A-42375-0205
13	22-28-4137	A-42375-0188	31	22-28-4317	A-42375-0206
14	22-28-4147	A-42375-0189	32	22-28-4327	A-42375-0207
15	22-28-4157	A-42375-0190	33	22-28-4337	A-42375-0208
16	22-28-4167	A-42375-0191	34	22-28-4347	A-42375-0209
17	22-28-4177	A-42375-0192	35	22-28-4357	A-42375-0210
18	22-28-4187	A-42375-0193	36	22-28-4367	A-42375-0211
19	22-28-4197	A-42375-0194			

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS		SCALE		CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071				molex						
A = 0	MM/IN	1:1												
E = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)													
F = 0														
	MM	INCH	EC NO: 689596 DRWN: SHRUTJ 2021/09/14 CHK'D: SHRUTJ 2021/12/20 APPR: ISHWARG 2021/12/20					KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY						
S = 0	4 PLACES ±	±												
T = 0	3 PLACES ±	± 0.01												
V = 0	2 PLACES ±	0.25 ±	INITIAL REVISION: DRWN: SCHAFFER 2003/02/11 APPR: MARGULIS 2004/02/27				PRODUCT CUSTOMER DRAWING							
C = 0	1 PLACE ±	0.38 ±												
X = 0	0 PLACES ±	±					DOCUMENT NUMBER SD-42375-001				DOC TYPE PSD	DOC PART 001	REVISION V	
Z = 0	ANGULAR TOL ± 0.5°													
W = 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			THIRD ANGLE PROJECTION 		DRAWING B-SIZE	SERIES 42375	MATERIAL NUMBER SEE CHART		CUSTOMER GENERAL MARKET		SHEET NUMBER 4 OF 35		

A

E	ENG. NO: A-42375-0212/0246						ENG. NO: A-42375-0247/0281						E																																																																																																																																																																																																																																			
	<table><tr><td colspan="3">HEADER NUMBER:</td><td colspan="3">42312-0036</td></tr><tr><td colspan="3">PIN NUMBER:</td><td colspan="3">42663-AMA154</td></tr><tr><td colspan="3">PIN LENGTH: L</td><td colspan="3">.505 / 12.83</td></tr><tr><td colspan="3">MATING LENGTH: M</td><td colspan="3">.295 / 7.49</td></tr><tr><td colspan="3">GOLD POINT: G</td><td colspan="3">N/A</td></tr><tr><td colspan="3">PC TAIL LENGTH: P</td><td colspan="3">.120 / 3.05</td></tr><tr><td colspan="3">TIN: T</td><td colspan="3">OVERALL</td></tr><tr><td colspan="3">CKTS:</td><td colspan="3">2-36</td></tr><tr><td colspan="3">KINKS:</td><td colspan="3">NO</td></tr><tr><td colspan="3">VOIDED CKTS:</td><td colspan="3">NONE</td></tr><tr><td colspan="3">PACKAGING:</td><td colspan="3">BULK PK-40873-0041</td></tr></table>						HEADER NUMBER:			42312-0036				PIN NUMBER:			42663-AMA154			PIN LENGTH: L			.505 / 12.83			MATING LENGTH: M			.295 / 7.49			GOLD POINT: G			N/A			PC TAIL LENGTH: P			.120 / 3.05			TIN: T			OVERALL			CKTS:			2-36			KINKS:			NO			VOIDED CKTS:			NONE			PACKAGING:			BULK PK-40873-0041			<table><tr><td colspan="3">HEADER NUMBER:</td><td colspan="3">42312-0036</td></tr><tr><td colspan="3">PIN NUMBER:</td><td colspan="3">42663-ATB208</td></tr><tr><td colspan="3">PIN LENGTH: L</td><td colspan="3">.505 / 12.83</td></tr><tr><td colspan="3">MATING LENGTH: M</td><td colspan="3">.295 / 7.49</td></tr><tr><td colspan="3">GOLD POINT: G</td><td colspan="3">.140 / 3.56</td></tr><tr><td colspan="3">PC TAIL LENGTH: P</td><td colspan="3">.120 / 3.05</td></tr><tr><td colspan="3">TIN: T</td><td colspan="3">.135 / 3.43</td></tr><tr><td colspan="3">CKTS:</td><td colspan="3">2-36</td></tr><tr><td colspan="3">KINKS:</td><td colspan="3">NO</td></tr><tr><td colspan="3">VOIDED CKTS:</td><td colspan="3">NONE</td></tr><tr><td colspan="3">PACKAGING:</td><td colspan="3">BULK PK-40873-0041</td></tr></table>						HEADER NUMBER:			42312-0036			PIN NUMBER:			42663-ATB208			PIN LENGTH: L			.505 / 12.83			MATING LENGTH: M			.295 / 7.49			GOLD POINT: G			.140 / 3.56			PC TAIL LENGTH: P			.120 / 3.05			TIN: T			.135 / 3.43			CKTS:			2-36			KINKS:			NO			VOIDED CKTS:			NONE			PACKAGING:			BULK PK-40873-0041			D																																																																																														
HEADER NUMBER:			42312-0036																																																																																																																																																																																																																																													
PIN NUMBER:			42663-AMA154																																																																																																																																																																																																																																													
PIN LENGTH: L			.505 / 12.83																																																																																																																																																																																																																																													
MATING LENGTH: M			.295 / 7.49																																																																																																																																																																																																																																													
GOLD POINT: G			N/A																																																																																																																																																																																																																																													
PC TAIL LENGTH: P			.120 / 3.05																																																																																																																																																																																																																																													
TIN: T			OVERALL																																																																																																																																																																																																																																													
CKTS:			2-36																																																																																																																																																																																																																																													
KINKS:			NO																																																																																																																																																																																																																																													
VOIDED CKTS:			NONE																																																																																																																																																																																																																																													
PACKAGING:			BULK PK-40873-0041																																																																																																																																																																																																																																													
HEADER NUMBER:			42312-0036																																																																																																																																																																																																																																													
PIN NUMBER:			42663-ATB208																																																																																																																																																																																																																																													
PIN LENGTH: L			.505 / 12.83																																																																																																																																																																																																																																													
MATING LENGTH: M			.295 / 7.49																																																																																																																																																																																																																																													
GOLD POINT: G			.140 / 3.56																																																																																																																																																																																																																																													
PC TAIL LENGTH: P			.120 / 3.05																																																																																																																																																																																																																																													
TIN: T			.135 / 3.43																																																																																																																																																																																																																																													
CKTS:			2-36																																																																																																																																																																																																																																													
KINKS:			NO																																																																																																																																																																																																																																													
VOIDED CKTS:			NONE																																																																																																																																																																																																																																													
PACKAGING:			BULK PK-40873-0041																																																																																																																																																																																																																																													
<table><tr><td>CKTS</td><td>MATERIAL NUMBER</td><td>ENG NUMBER</td><td>CKTS</td><td>MATERIAL NUMBER</td><td>ENG NUMBER</td></tr><tr><td>2</td><td>22-28-4022</td><td>A-42375-0212</td><td>20</td><td>22-28-4202</td><td>A-42375-0230</td></tr><tr><td>3</td><td>22-28-4032</td><td>A-42375-0213</td><td>21</td><td>22-28-4212</td><td>A-42375-0231</td></tr><tr><td>4</td><td>22-28-4042</td><td>A-42375-0214</td><td>22</td><td>22-28-4222</td><td>A-42375-0232</td></tr><tr><td>5</td><td>22-28-4052</td><td>A-42375-0215</td><td>23</td><td>22-28-4232</td><td>A-42375-0233</td></tr><tr><td>6</td><td>22-28-4062</td><td>A-42375-0216</td><td>24</td><td>22-28-4242</td><td>A-42375-0234</td></tr><tr><td>7</td><td>22-28-4072</td><td>A-42375-0217</td><td>25</td><td>22-28-4252</td><td>A-42375-0235</td></tr><tr><td>8</td><td>22-28-4082</td><td>A-42375-0218</td><td>26</td><td>22-28-4262</td><td>A-42375-0236</td></tr><tr><td>9</td><td>22-28-4092</td><td>A-42375-0219</td><td>27</td><td>22-28-4272</td><td>A-42375-0237</td></tr><tr><td>10</td><td>22-28-4102</td><td>A-42375-0220</td><td>28</td><td>22-28-4282</td><td>A-42375-0238</td></tr><tr><td>11</td><td>22-28-4112</td><td>A-42375-0221</td><td>29</td><td>22-28-4292</td><td>A-42375-0239</td></tr><tr><td>12</td><td>22-28-4122</td><td>A-42375-0222</td><td>30</td><td>22-28-4302</td><td>A-42375-0240</td></tr><tr><td>13</td><td>22-28-4132</td><td>A-42375-0223</td><td>31</td><td>22-28-4312</td><td>A-42375-0241</td></tr><tr><td>14</td><td>22-28-4142</td><td>A-42375-0224</td><td>32</td><td>22-28-4322</td><td>A-42375-0242</td></tr><tr><td>15</td><td>22-28-4152</td><td>A-42375-0225</td><td>33</td><td>22-28-4332</td><td>A-42375-0243</td></tr><tr><td>16</td><td>22-28-4162</td><td>A-42375-0226</td><td>34</td><td>22-28-4342</td><td>A-42375-0244</td></tr><tr><td>17</td><td>22-28-4172</td><td>A-42375-0227</td><td>35</td><td>22-28-4352</td><td>A-42375-0245</td></tr><tr><td>18</td><td>22-28-4182</td><td>A-42375-0228</td><td>36</td><td>22-28-4362</td><td>A-42375-0246</td></tr><tr><td>19</td><td>22-28-4192</td><td>A-42375-0229</td><td></td><td></td><td></td></tr></table>						CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	2	22-28-4022	A-42375-0212	20	22-28-4202	A-42375-0230	3	22-28-4032	A-42375-0213	21	22-28-4212	A-42375-0231	4	22-28-4042	A-42375-0214	22	22-28-4222	A-42375-0232	5	22-28-4052	A-42375-0215	23	22-28-4232	A-42375-0233	6	22-28-4062	A-42375-0216	24	22-28-4242	A-42375-0234	7	22-28-4072	A-42375-0217	25	22-28-4252	A-42375-0235	8	22-28-4082	A-42375-0218	26	22-28-4262	A-42375-0236	9	22-28-4092	A-42375-0219	27	22-28-4272	A-42375-0237	10	22-28-4102	A-42375-0220	28	22-28-4282	A-42375-0238	11	22-28-4112	A-42375-0221	29	22-28-4292	A-42375-0239	12	22-28-4122	A-42375-0222	30	22-28-4302	A-42375-0240	13	22-28-4132	A-42375-0223	31	22-28-4312	A-42375-0241	14	22-28-4142	A-42375-0224	32	22-28-4322	A-42375-0242	15	22-28-4152	A-42375-0225	33	22-28-4332	A-42375-0243	16	22-28-4162	A-42375-0226	34	22-28-4342	A-42375-0244	17	22-28-4172	A-42375-0227	35	22-28-4352	A-42375-0245	18	22-28-4182	A-42375-0228	36	22-28-4362	A-42375-0246	19	22-28-4192	A-42375-0229				<table><tr><td>CKTS</td><td>MATERIAL NUMBER</td><td>ENG NUMBER</td><td>CKTS</td><td>MATERIAL NUMBER</td><td>ENG NUMBER</td></tr><tr><td>2</td><td>22-28-4025</td><td>A-42375-0247</td><td>20</td><td>22-28-4205</td><td>A-42375-0265</td></tr><tr><td>3</td><td>22-28-4035</td><td>A-42375-0248</td><td>21</td><td>22-28-4215</td><td>A-42375-0266</td></tr><tr><td>4</td><td>22-28-4045</td><td>A-42375-0249</td><td>22</td><td>22-28-4225</td><td>A-42375-0267</td></tr><tr><td>5</td><td>22-28-4055</td><td>A-42375-0250</td><td>23</td><td>22-28-4235</td><td>A-42375-0268</td></tr><tr><td>6</td><td>22-28-4065</td><td>A-42375-0251</td><td>24</td><td>22-28-4245</td><td>A-42375-0269</td></tr><tr><td>7</td><td>22-28-4075</td><td>A-42375-0252</td><td>25</td><td>22-28-4255</td><td>A-42375-0270</td></tr><tr><td>8</td><td>22-28-4085</td><td>A-42375-0253</td><td>26</td><td>22-28-4265</td><td>A-42375-0271</td></tr><tr><td>9</td><td>22-28-4095</td><td>A-42375-0254</td><td>27</td><td>22-28-4275</td><td>A-42375-0272</td></tr><tr><td>10</td><td>22-28-4105</td><td>A-42375-0255</td><td>28</td><td>22-28-4285</td><td>A-42375-0273</td></tr><tr><td>11</td><td>22-28-4115</td><td>A-42375-0256</td><td>29</td><td>22-28-4295</td><td>A-42375-0274</td></tr><tr><td>12</td><td>22-28-4125</td><td>A-42375-0257</td><td>30</td><td>22-28-4305</td><td>A-42375-0275</td></tr><tr><td>13</td><td>22-28-4135</td><td>A-42375-0258</td><td>31</td><td>22-28-4315</td><td>A-42375-0276</td></tr><tr><td>14</td><td>22-28-4145</td><td>A-42375-0259</td><td>32</td><td>22-28-4325</td><td>A-42375-0277</td></tr><tr><td>15</td><td>22-28-4155</td><td>A-42375-0260</td><td>33</td><td>22-28-4335</td><td>A-42375-0278</td></tr><tr><td>16</td><td>22-28-4165</td><td>A-42375-0261</td><td>34</td><td>22-28-4345</td><td>A-42375-0279</td></tr><tr><td>17</td><td>22-28-4175</td><td>A-42375-0262</td><td>35</td><td>22-28-4355</td><td>A-42375-0280</td></tr><tr><td>18</td><td>22-28-4185</td><td>A-42375-0263</td><td>36</td><td>22-28-4365</td><td>A-42375-0281</td></tr><tr><td>19</td><td>22-28-4195</td><td>A-42375-0264</td><td></td><td></td><td></td></tr></table>						CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	2	22-28-4025	A-42375-0247	20	22-28-4205	A-42375-0265	3	22-28-4035	A-42375-0248	21	22-28-4215	A-42375-0266	4	22-28-4045	A-42375-0249	22	22-28-4225	A-42375-0267	5	22-28-4055	A-42375-0250	23	22-28-4235	A-42375-0268	6	22-28-4065	A-42375-0251	24	22-28-4245	A-42375-0269	7	22-28-4075	A-42375-0252	25	22-28-4255	A-42375-0270	8	22-28-4085	A-42375-0253	26	22-28-4265	A-42375-0271	9	22-28-4095	A-42375-0254	27	22-28-4275	A-42375-0272	10	22-28-4105	A-42375-0255	28	22-28-4285	A-42375-0273	11	22-28-4115	A-42375-0256	29	22-28-4295	A-42375-0274	12	22-28-4125	A-42375-0257	30	22-28-4305	A-42375-0275	13	22-28-4135	A-42375-0258	31	22-28-4315	A-42375-0276	14	22-28-4145	A-42375-0259	32	22-28-4325	A-42375-0277	15	22-28-4155	A-42375-0260	33	22-28-4335	A-42375-0278	16	22-28-4165	A-42375-0261	34	22-28-4345	A-42375-0279	17	22-28-4175	A-42375-0262	35	22-28-4355	A-42375-0280	18	22-28-4185	A-42375-0263	36	22-28-4365	A-42375-0281	19	22-28-4195	A-42375-0264				D
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER																																																																																																																																																																																																																																											
2	22-28-4022	A-42375-0212	20	22-28-4202	A-42375-0230																																																																																																																																																																																																																																											
3	22-28-4032	A-42375-0213	21	22-28-4212	A-42375-0231																																																																																																																																																																																																																																											
4	22-28-4042	A-42375-0214	22	22-28-4222	A-42375-0232																																																																																																																																																																																																																																											
5	22-28-4052	A-42375-0215	23	22-28-4232	A-42375-0233																																																																																																																																																																																																																																											
6	22-28-4062	A-42375-0216	24	22-28-4242	A-42375-0234																																																																																																																																																																																																																																											
7	22-28-4072	A-42375-0217	25	22-28-4252	A-42375-0235																																																																																																																																																																																																																																											
8	22-28-4082	A-42375-0218	26	22-28-4262	A-42375-0236																																																																																																																																																																																																																																											
9	22-28-4092	A-42375-0219	27	22-28-4272	A-42375-0237																																																																																																																																																																																																																																											
10	22-28-4102	A-42375-0220	28	22-28-4282	A-42375-0238																																																																																																																																																																																																																																											
11	22-28-4112	A-42375-0221	29	22-28-4292	A-42375-0239																																																																																																																																																																																																																																											
12	22-28-4122	A-42375-0222	30	22-28-4302	A-42375-0240																																																																																																																																																																																																																																											
13	22-28-4132	A-42375-0223	31	22-28-4312	A-42375-0241																																																																																																																																																																																																																																											
14	22-28-4142	A-42375-0224	32	22-28-4322	A-42375-0242																																																																																																																																																																																																																																											
15	22-28-4152	A-42375-0225	33	22-28-4332	A-42375-0243																																																																																																																																																																																																																																											
16	22-28-4162	A-42375-0226	34	22-28-4342	A-42375-0244																																																																																																																																																																																																																																											
17	22-28-4172	A-42375-0227	35	22-28-4352	A-42375-0245																																																																																																																																																																																																																																											
18	22-28-4182	A-42375-0228	36	22-28-4362	A-42375-0246																																																																																																																																																																																																																																											
19	22-28-4192	A-42375-0229																																																																																																																																																																																																																																														
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER																																																																																																																																																																																																																																											
2	22-28-4025	A-42375-0247	20	22-28-4205	A-42375-0265																																																																																																																																																																																																																																											
3	22-28-4035	A-42375-0248	21	22-28-4215	A-42375-0266																																																																																																																																																																																																																																											
4	22-28-4045	A-42375-0249	22	22-28-4225	A-42375-0267																																																																																																																																																																																																																																											
5	22-28-4055	A-42375-0250	23	22-28-4235	A-42375-0268																																																																																																																																																																																																																																											
6	22-28-4065	A-42375-0251	24	22-28-4245	A-42375-0269																																																																																																																																																																																																																																											
7	22-28-4075	A-42375-0252	25	22-28-4255	A-42375-0270																																																																																																																																																																																																																																											
8	22-28-4085	A-42375-0253	26	22-28-4265	A-42375-0271																																																																																																																																																																																																																																											
9	22-28-4095	A-42375-0254	27	22-28-4275	A-42375-0272																																																																																																																																																																																																																																											
10	22-28-4105	A-42375-0255	28	22-28-4285	A-42375-0273																																																																																																																																																																																																																																											
11	22-28-4115	A-42375-0256	29	22-28-4295	A-42375-0274																																																																																																																																																																																																																																											
12	22-28-4125	A-42375-0257	30	22-28-4305	A-42375-0275																																																																																																																																																																																																																																											
13	22-28-4135	A-42375-0258	31	22-28-4315	A-42375-0276																																																																																																																																																																																																																																											
14	22-28-4145	A-42375-0259	32	22-28-4325	A-42375-0277																																																																																																																																																																																																																																											
15	22-28-4155	A-42375-0260	33	22-28-4335	A-42375-0278																																																																																																																																																																																																																																											
16	22-28-4165	A-42375-0261	34	22-28-4345	A-42375-0279																																																																																																																																																																																																																																											
17	22-28-4175	A-42375-0262	35	22-28-4355	A-42375-0280																																																																																																																																																																																																																																											
18	22-28-4185	A-42375-0263	36	22-28-4365	A-42375-0281																																																																																																																																																																																																																																											
19	22-28-4195	A-42375-0264																																																																																																																																																																																																																																														
C													C																																																																																																																																																																																																																																			
B													B																																																																																																																																																																																																																																			
A													A																																																																																																																																																																																																																																			
<table><tr><td>DOCUMENT STATUS</td><td>P1</td><td>RELEASE DATE</td><td>2021/12/20</td><td>12:18:33</td></tr></table>						DOCUMENT STATUS	P1	RELEASE DATE	2021/12/20	12:18:33	<table><tr><td colspan="2">SYMBOLS</td><td colspan="2">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td><td colspan="2" rowspan="10"> mo lex KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY PRODUCT CUSTOMER DRAWING <table><tr><td colspan="2">DOCUMENT NUMBER</td><td>DOC TYPE</td><td>DOC PART</td><td>REVISION</td></tr><tr><td colspan="2">SD-42375-001</td><td>PSD</td><td>001</td><td>V</td></tr><tr><td colspan="2">MATERIAL NUMBER</td><td colspan="2">CUSTOMER</td><td>SHEET NUMBER</td></tr><tr><td colspan="2">SEE CHART</td><td colspan="2">GENERAL MARKET</td><td>5 OF 35</td></tr></table></td></tr><tr><td colspan="2">DIMENSION UNITS</td><td colspan="2">SCALE</td><td colspan="2" rowspan="5">CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071</td></tr><tr><td colspan="2">MM/IN</td><td colspan="2">1:1</td></tr><tr><td colspan="4">GENERAL TOLERANCES (UNLESS SPECIFIED)</td></tr><tr><td></td><td>MM</td><td colspan="2">INCH</td></tr><tr><td></td><td>4 PLACES</td><td>±</td><td></td><td>±</td></tr><tr><td></td><td>3 PLACES</td><td>±</td><td></td><td>± 0.01</td></tr><tr><td></td><td>2 PLACES</td><td>±</td><td>0.25</td><td>±</td></tr><tr><td></td><td>1 PLACE</td><td>±</td><td>0.38</td><td>±</td></tr><tr><td></td><td>0 PLACES</td><td>±</td><td></td><td>±</td></tr><tr><td></td><td colspan="3">ANGULAR TOL</td><td>± 0.5 °</td></tr><tr><td></td><td colspan="3">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td>THIRD ANGLE PROJECTION</td><td>DRAWING</td><td>SERIES</td></tr><tr><td></td><td colspan="3"></td><td>B-SIZE</td><td>42375</td><td></td></tr></table>						SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		mo lex KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY PRODUCT CUSTOMER DRAWING <table><tr><td colspan="2">DOCUMENT NUMBER</td><td>DOC TYPE</td><td>DOC PART</td><td>REVISION</td></tr><tr><td colspan="2">SD-42375-001</td><td>PSD</td><td>001</td><td>V</td></tr><tr><td colspan="2">MATERIAL NUMBER</td><td colspan="2">CUSTOMER</td><td>SHEET NUMBER</td></tr><tr><td colspan="2">SEE CHART</td><td colspan="2">GENERAL MARKET</td><td>5 OF 35</td></tr></table>		DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	SD-42375-001		PSD	001	V	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	SEE CHART		GENERAL MARKET		5 OF 35	DIMENSION UNITS		SCALE		CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071		MM/IN		1:1		GENERAL TOLERANCES (UNLESS SPECIFIED)					MM	INCH			4 PLACES	±		±		3 PLACES	±		± 0.01		2 PLACES	±	0.25	±		1 PLACE	±	0.38	±		0 PLACES	±		±		ANGULAR TOL			± 0.5 °		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			THIRD ANGLE PROJECTION	DRAWING	SERIES					B-SIZE	42375																																																																																																																																									
DOCUMENT STATUS	P1	RELEASE DATE	2021/12/20	12:18:33																																																																																																																																																																																																																																												
SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		mo lex KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY PRODUCT CUSTOMER DRAWING <table><tr><td colspan="2">DOCUMENT NUMBER</td><td>DOC TYPE</td><td>DOC PART</td><td>REVISION</td></tr><tr><td colspan="2">SD-42375-001</td><td>PSD</td><td>001</td><td>V</td></tr><tr><td colspan="2">MATERIAL NUMBER</td><td colspan="2">CUSTOMER</td><td>SHEET NUMBER</td></tr><tr><td colspan="2">SEE CHART</td><td colspan="2">GENERAL MARKET</td><td>5 OF 35</td></tr></table>		DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	SD-42375-001		PSD	001	V	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER			SEE CHART		GENERAL MARKET		5 OF 35																																																																																																																																																																																																																					
DOCUMENT NUMBER		DOC TYPE	DOC PART			REVISION																																																																																																																																																																																																																																										
SD-42375-001		PSD	001			V																																																																																																																																																																																																																																										
MATERIAL NUMBER		CUSTOMER				SHEET NUMBER																																																																																																																																																																																																																																										
SEE CHART		GENERAL MARKET				5 OF 35																																																																																																																																																																																																																																										
DIMENSION UNITS		SCALE				CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071																																																																																																																																																																																																																																										
MM/IN		1:1																																																																																																																																																																																																																																														
GENERAL TOLERANCES (UNLESS SPECIFIED)																																																																																																																																																																																																																																																
	MM	INCH																																																																																																																																																																																																																																														
	4 PLACES	±						±																																																																																																																																																																																																																																								
	3 PLACES	±		± 0.01																																																																																																																																																																																																																																												
	2 PLACES	±	0.25	±																																																																																																																																																																																																																																												
	1 PLACE	±	0.38	±																																																																																																																																																																																																																																												
	0 PLACES	±		±																																																																																																																																																																																																																																												
	ANGULAR TOL			± 0.5 °																																																																																																																																																																																																																																												
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			THIRD ANGLE PROJECTION	DRAWING	SERIES																																																																																																																																																																																																																																										
				B-SIZE	42375																																																																																																																																																																																																																																											
9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																								

E

ENG. NO: A-42375-0282/0316					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-AMB228		
PIN LENGTH: L			.505 / 12.83		
MATING LENGTH: M			.295 / 7.49		
GOLD POINT: G			.140 / 3.56		
PC TAIL LENGTH: P			.120 / 3.05		
TIN: T			.135 / 3.43		
CKTS:			2-36		
KINKS:			NO		
VOIDED CKTS:			NONE		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2	22-28-4028	A-42375-0282	20	22-28-4208	A-42375-0300
3	22-28-4038	A-42375-0283	21	22-28-4218	A-42375-0301
4	22-28-4048	A-42375-0284	22	22-28-4228	A-42375-0302
5	22-28-4058	A-42375-0285	23	22-28-4238	A-42375-0303
6	22-28-4068	A-42375-0286	24	22-28-4248	A-42375-0304
7	22-28-4078	A-42375-0287	25	22-28-4258	A-42375-0305
8	22-28-4088	A-42375-0288	26	22-28-4268	A-42375-0306
9	22-28-4098	A-42375-0289	27	22-28-4278	A-42375-0307
10	22-28-4108	A-42375-0290	28	22-28-4288	A-42375-0308
11	22-28-4118	A-42375-0291	29	22-28-4298	A-42375-0309
12	22-28-4128	A-42375-0292	30	22-28-4308	A-42375-0310
13	22-28-4138	A-42375-0293	31	22-28-4318	A-42375-0311
14	22-28-4148	A-42375-0294	32	22-28-4328	A-42375-0312
15	22-28-4158	A-42375-0295	33	22-28-4338	A-42375-0313
16	22-28-4168	A-42375-0296	34	22-28-4348	A-42375-0314
17	22-28-4178	A-42375-0297	35	22-28-4358	A-42375-0315
18	22-28-4188	A-42375-0298	36	22-28-4368	A-42375-0316
19	22-28-4198	A-42375-0299			

D

C

B

A

DOCUMENT STATUS	P1	RELEASE DATE	2021/12/20	12:18:33
-----------------	----	--------------	------------	----------

ENG. NO: A-42375-0317/0351					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-ADA154		
PIN LENGTH: L			.465 / 11.81		
MATING LENGTH: M			.240 / 6.09		
GOLD POINT: G			N/A		
PC TAIL LENGTH: P			.135 / 3.43		
TIN: T			OVERALL		
CKTS:			2-36		
KINKS:			SMES-42003		
VOIDED CKTS:			NONE		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2	22-28-5020	A-42375-0317	20	22-28-5200	A-42375-0335
3	22-28-5030	A-42375-0318	21	22-28-5201	A-42375-0336
4	22-28-5040	A-42375-0319	22	22-28-5202	A-42375-0337
5	22-28-5050	A-42375-0320	23	22-28-5203	A-42375-0338
6	22-28-5060	A-42375-0321	24	22-28-5204	A-42375-0339
7	22-28-5070	A-42375-0322	25	22-28-5205	A-42375-0340
8	22-28-5080	A-42375-0323	26	22-28-5206	A-42375-0341
9	22-28-5090	A-42375-0324	27	22-28-5207	A-42375-0342
10	22-28-5100	A-42375-0325	28	22-28-5208	A-42375-0343
11	22-28-5110	A-42375-0326	29	22-28-5209	A-42375-0344
12	22-28-5120	A-42375-0327	30	22-28-5300	A-42375-0345
13	22-28-5130	A-42375-0328	31	22-28-5310	A-42375-0346
14	22-28-5140	A-42375-0329	32	22-28-5320	A-42375-0347
15	22-28-5150	A-42375-0330	33	22-28-5330	A-42375-0348
16	22-28-5160	A-42375-0331	34	22-28-5340	A-42375-0349
17	22-28-5170	A-42375-0332	35	22-28-5350	A-42375-0350
18	22-28-5180	A-42375-0333	36	22-28-5360	A-42375-0351
19	22-28-5190	A-42375-0334			

E

D

C

B

A

SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
DIMENSION UNITS		SCALE		CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071				molex						
MM/IN		1:1												
GENERAL TOLERANCES (UNLESS SPECIFIED)														
		MM	INCH											
A = 0		4 PLACES	±		±	EC NO: 689596				KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY				
E = 0		3 PLACES	±		± 0.01	DRWN: SHRUTJ 2021/09/14								
F = 0		2 PLACES	± 0.25	±		CHK'D: SHRUTJ 2021/12/20								
S = 0		1 PLACE	± 0.38	±		APPR: ISHWARG 2021/12/20				PRODUCT CUSTOMER DRAWING				
T = 0		0 PLACES	±	±		INITIAL REVISION:								DOCUMENT NUMBER
U = 0		ANGULAR TOL		± 0.5°		DRWN: SCHAFFER 2003/02/11				SD-42375-001		PSD	001	V
V = 0						APPR: MARGULIS 2004/02/27								
X = 0		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER
Y = 0								B-SIZE	42375	SEE CHART		GENERAL MARKET		6 OF 35

E

ENG. NO: A-42375-0492/0526					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-AYB228		
PIN LENGTH: L			.545 / 13.84		
MATING LENGTH: M			.320 / 8.13		
GOLD POINT: G			140 / 3.56		
PC TAIL LENGTH: P			.135 / 3.43		
TIN: T			.135 / 3.43		
CKTS:			2-36		
KINKS:			SMES-42003		
VOIDED CKTS:			NONE		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2	22-28-5027	A-42375-0492	20	22-28-5207	A-42375-0510
3	22-28-5037	A-42375-0493	21	22-28-5217	A-42375-0511
4	22-28-5047	A-42375-0494	22	22-28-5227	A-42375-0512
5	22-28-5057	A-42375-0495	23	22-28-5237	A-42375-0513
6	22-28-5067	A-42375-0496	24	22-28-5247	A-42375-0514
7	22-28-5077	A-42375-0497	25	22-28-5257	A-42375-0515
8	22-28-5087	A-42375-0498	26	22-28-5267	A-42375-0516
9	22-28-5097	A-42375-0499	27	22-28-5277	A-42375-0517
10	22-28-5107	A-42375-0500	28	22-28-5287	A-42375-0518
11	22-28-5117	A-42375-0501	29	22-28-5297	A-42375-0519
12	22-28-5127	A-42375-0502	30	22-28-5307	A-42375-0520
13	22-28-5137	A-42375-0503	31	22-28-5317	A-42375-0521
14	22-28-5147	A-42375-0504	32	22-28-5327	A-42375-0522
15	22-28-5157	A-42375-0505	33	22-28-5337	A-42375-0523
16	22-28-5167	A-42375-0506	34	22-28-5347	A-42375-0524
17	22-28-5177	A-42375-0507	35	22-28-5357	A-42375-0525
18	22-28-5187	A-42375-0508	36	22-28-5367	A-42375-0526
19	22-28-5197	A-42375-0509			

D

C

B

A

DOCUMENT STATUS	P1	RELEASE DATE	2021/12/20	12:18:33
-----------------	----	--------------	------------	----------

ENG. NO: A-42375-0527/0561					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-ARA154		
PIN LENGTH: L			.520 / 13.21		
MATING LENGTH: M			.295 / 7.49		
GOLD POINT: G			N/A		
PC TAIL LENGTH: P			.135 / 3.43		
TIN: T			OVERALL		
CKTS:			2-36		
KINKS:			SMES-42003		
VOIDED CKTS:			NONE		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2	22-28-5022	A-42375-0527	20	22-28-5202	A-42375-0545
3	22-28-5032	A-42375-0528	21	22-28-5212	A-42375-0546
4	22-28-5042	A-42375-0529	22	22-28-5222	A-42375-0547
5	22-28-5052	A-42375-0530	23	22-28-5232	A-42375-0548
6	22-28-5062	A-42375-0531	24	22-28-5242	A-42375-0549
7	22-28-5072	A-42375-0532	25	22-28-5252	A-42375-0550
8	22-28-5082	A-42375-0533	26	22-28-5262	A-42375-0551
9	22-28-5092	A-42375-0534	27	22-28-5272	A-42375-0552
10	22-28-5102	A-42375-0435	28	22-28-5282	A-42375-0553
11	22-28-5112	A-42375-0536	29	22-28-5292	A-42375-0554
12	22-28-5122	A-42375-0537	30	22-28-5302	A-42375-0555
13	22-28-5132	A-42375-0538	31	22-28-5312	A-42375-0556
14	22-28-5142	A-42375-0539	32	22-28-5322	A-42375-0557
15	22-28-5152	A-42375-0540	33	22-28-5332	A-42375-0558
16	22-28-5162	A-42375-0541	34	22-28-5342	A-42375-0559
17	22-28-5172	A-42375-0542	35	22-28-5352	A-42375-0560
18	22-28-5182	A-42375-0543	36	22-28-5362	A-42375-0561
19	22-28-5192	A-42375-0544			


E

D

C

B

A

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
DIMENSION UNITS		SCALE		CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071			molex						
MM/IN		1:1											
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 689596			KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY						
4 PLACES ±		±		DRWN: SHRUTJ 2021/09/14			PRODUCT CUSTOMER DRAWING						
3 PLACES ±		± 0.01		CHK'D: SHRUTJ 2021/12/20									
2 PLACES ±		0.25 ±		APPR: ISHWARG 2021/12/20			DOCUMENT NUMBER SD-42375-001						
1 PLACE ±		0.38 ±		INITIAL REVISION:							DOC TYPE PSD		DOC PART 001
0 PLACES ±				DRWN: SCHAFAER 2003/02/11			REVISION V						
ANGULAR TOL ± 0.5 °				APPR: MARGULIS 2004/02/27									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
				B-SIZE		42375		SEE CHART		GENERAL MARKET		9 OF 35	

[illegible]

9	8	7	6	5	4	3	2	1																																																																																																																																																																																											
E	<table><tr><th colspan="6">ENG. NO: A-42375-0667/0699</th></tr><tr><td colspan="3">HEADER NUMBER:</td><td colspan="3">42312-0036</td></tr><tr><td colspan="3">PIN NUMBER:</td><td colspan="3">42663-ABB208</td></tr><tr><td colspan="3">PIN LENGTH: L</td><td colspan="3">.455 / 11.56</td></tr><tr><td colspan="3">MATING LENGTH: M</td><td colspan="3">.240 / 6.09</td></tr><tr><td colspan="3">GOLD POINT: G</td><td colspan="3">.100 / 2.54</td></tr><tr><td colspan="3">PC TAIL LENGTH: P</td><td colspan="3">.125 / 3.18</td></tr><tr><td colspan="3">TIN: T</td><td colspan="3">.100 / 2.54</td></tr><tr><td colspan="3">CKTS:</td><td colspan="3">4-36</td></tr><tr><td colspan="3">KINKS:</td><td colspan="3">NO</td></tr><tr><td colspan="3">VOIDED CKTS:</td><td colspan="3">4</td></tr><tr><td colspan="3">PACKAGING:</td><td colspan="3">BULK PK-40873-0041</td></tr><tr><td>CKTS</td><td>MATERIAL NUMBER</td><td>ENG NUMBER</td><td>CKTS</td><td>MATERIAL NUMBER</td><td>ENG NUMBER</td></tr><tr><td>2</td><td></td><td></td><td>20</td><td>42375-0683</td><td>A-42375-0683</td></tr><tr><td>3</td><td></td><td></td><td>21</td><td>42375-0684</td><td>A-42375-0684</td></tr><tr><td>4</td><td>42375-0667</td><td>A-42375-0667</td><td>22</td><td>42375-0685</td><td>A-42375-0685</td></tr><tr><td>5</td><td>42375-0668</td><td>A-42375-0668</td><td>23</td><td>42375-0686</td><td>A-42375-0686</td></tr><tr><td>6</td><td>22-30-3060</td><td>A-42375-0669</td><td>24</td><td>42375-0687</td><td>A-42375-0687</td></tr><tr><td>7</td><td>42375-0670</td><td>A-42375-0670</td><td>25</td><td>42375-0688</td><td>A-42375-0688</td></tr><tr><td>8</td><td>42375-0671</td><td>A-42375-0671</td><td>26</td><td>42375-0689</td><td>A-42375-0689</td></tr><tr><td>9</td><td>42375-0672</td><td>A-42375-0672</td><td>27</td><td>42375-0690</td><td>A-42375-0690</td></tr><tr><td>10</td><td>42375-0673</td><td>A-42375-0673</td><td>28</td><td>42375-0691</td><td>A-42375-0691</td></tr><tr><td>11</td><td>42375-0674</td><td>A-42375-0674</td><td>29</td><td>42375-0692</td><td>A-42375-0692</td></tr><tr><td>12</td><td>22-30-3120</td><td>A-42375-0675</td><td>30</td><td>42375-0693</td><td>A-42375-0693</td></tr><tr><td>13</td><td>42375-0676</td><td>A-42375-0676</td><td>31</td><td>42375-0694</td><td>A-42375-0694</td></tr><tr><td>14</td><td>42375-0677</td><td>A-42375-0677</td><td>32</td><td>42375-0695</td><td>A-42375-0695</td></tr><tr><td>15</td><td>42375-0678</td><td>A-42375-0678</td><td>33</td><td>42375-0696</td><td>A-42375-0696</td></tr><tr><td>16</td><td>42375-0679</td><td>A-42375-0679</td><td>34</td><td>42375-0697</td><td>A-42375-0697</td></tr><tr><td>17</td><td>42375-0680</td><td>A-42375-0680</td><td>35</td><td>42375-0698</td><td>A-42375-0698</td></tr><tr><td>18</td><td>42375-0681</td><td>A-42375-0681</td><td>36</td><td>42375-0699</td><td>A-42375-0699</td></tr><tr><td>19</td><td>42375-0682</td><td>A-42375-0682</td><td></td><td></td><td></td></tr></table>								ENG. NO: A-42375-0667/0699						HEADER NUMBER:			42312-0036			PIN NUMBER:			42663-ABB208			PIN LENGTH: L			.455 / 11.56			MATING LENGTH: M			.240 / 6.09			GOLD POINT: G			.100 / 2.54			PC TAIL LENGTH: P			.125 / 3.18			TIN: T			.100 / 2.54			CKTS:			4-36			KINKS:			NO			VOIDED CKTS:			4			PACKAGING:			BULK PK-40873-0041			CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	2			20	42375-0683	A-42375-0683	3			21	42375-0684	A-42375-0684	4	42375-0667	A-42375-0667	22	42375-0685	A-42375-0685	5	42375-0668	A-42375-0668	23	42375-0686	A-42375-0686	6	22-30-3060	A-42375-0669	24	42375-0687	A-42375-0687	7	42375-0670	A-42375-0670	25	42375-0688	A-42375-0688	8	42375-0671	A-42375-0671	26	42375-0689	A-42375-0689	9	42375-0672	A-42375-0672	27	42375-0690	A-42375-0690	10	42375-0673	A-42375-0673	28	42375-0691	A-42375-0691	11	42375-0674	A-42375-0674	29	42375-0692	A-42375-0692	12	22-30-3120	A-42375-0675	30	42375-0693	A-42375-0693	13	42375-0676	A-42375-0676	31	42375-0694	A-42375-0694	14	42375-0677	A-42375-0677	32	42375-0695	A-42375-0695	15	42375-0678	A-42375-0678	33	42375-0696	A-42375-0696	16	42375-0679	A-42375-0679	34	42375-0697	A-42375-0697	17	42375-0680	A-42375-0680	35	42375-0698	A-42375-0698	18	42375-0681	A-42375-0681	36	42375-0699	A-42375-0699	19	42375-0682	A-42375-0682				E
ENG. NO: A-42375-0667/0699																																																																																																																																																																																																			
HEADER NUMBER:			42312-0036																																																																																																																																																																																																
PIN NUMBER:			42663-ABB208																																																																																																																																																																																																
PIN LENGTH: L			.455 / 11.56																																																																																																																																																																																																
MATING LENGTH: M			.240 / 6.09																																																																																																																																																																																																
GOLD POINT: G			.100 / 2.54																																																																																																																																																																																																
PC TAIL LENGTH: P			.125 / 3.18																																																																																																																																																																																																
TIN: T			.100 / 2.54																																																																																																																																																																																																
CKTS:			4-36																																																																																																																																																																																																
KINKS:			NO																																																																																																																																																																																																
VOIDED CKTS:			4																																																																																																																																																																																																
PACKAGING:			BULK PK-40873-0041																																																																																																																																																																																																
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER																																																																																																																																																																																														
2			20	42375-0683	A-42375-0683																																																																																																																																																																																														
3			21	42375-0684	A-42375-0684																																																																																																																																																																																														
4	42375-0667	A-42375-0667	22	42375-0685	A-42375-0685																																																																																																																																																																																														
5	42375-0668	A-42375-0668	23	42375-0686	A-42375-0686																																																																																																																																																																																														
6	22-30-3060	A-42375-0669	24	42375-0687	A-42375-0687																																																																																																																																																																																														
7	42375-0670	A-42375-0670	25	42375-0688	A-42375-0688																																																																																																																																																																																														
8	42375-0671	A-42375-0671	26	42375-0689	A-42375-0689																																																																																																																																																																																														
9	42375-0672	A-42375-0672	27	42375-0690	A-42375-0690																																																																																																																																																																																														
10	42375-0673	A-42375-0673	28	42375-0691	A-42375-0691																																																																																																																																																																																														
11	42375-0674	A-42375-0674	29	42375-0692	A-42375-0692																																																																																																																																																																																														
12	22-30-3120	A-42375-0675	30	42375-0693	A-42375-0693																																																																																																																																																																																														
13	42375-0676	A-42375-0676	31	42375-0694	A-42375-0694																																																																																																																																																																																														
14	42375-0677	A-42375-0677	32	42375-0695	A-42375-0695																																																																																																																																																																																														
15	42375-0678	A-42375-0678	33	42375-0696	A-42375-0696																																																																																																																																																																																														
16	42375-0679	A-42375-0679	34	42375-0697	A-42375-0697																																																																																																																																																																																														
17	42375-0680	A-42375-0680	35	42375-0698	A-42375-0698																																																																																																																																																																																														
18	42375-0681	A-42375-0681	36	42375-0699	A-42375-0699																																																																																																																																																																																														
19	42375-0682	A-42375-0682																																																																																																																																																																																																	
D									D																																																																																																																																																																																										
C									C																																																																																																																																																																																										
B									B																																																																																																																																																																																										
A	<table><tr><td colspan="2">SYMBOLS</td><td colspan="4">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr><tr><td rowspan="2"></td><td rowspan="2">= 0</td><td>DIMENSION UNITS</td><td colspan="2">SCALE</td><td rowspan="2">CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071</td></tr><tr><td>MM/IN</td><td colspan="2">1:1</td></tr><tr><td></td><td>= 0</td><td colspan="3">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td rowspan="4">EC NO: 689596 DRWN: SHRUTJ 2021/09/14 CHK'D: SHRUTJ 2021/12/20 APPR: ISHWARG 2021/12/20</td></tr><tr><td></td><td>= 0</td><td>4 PLACES</td><td>±</td><td></td></tr><tr><td></td><td>= 0</td><td>3 PLACES</td><td>±</td><td>0.01</td></tr><tr><td></td><td>= 0</td><td>2 PLACES</td><td>±</td><td>0.25</td></tr><tr><td></td><td>= 0</td><td>1 PLACE</td><td>±</td><td>0.38</td><td rowspan="2">INITIAL REVISION: DRWN: SCHAFER 2003/02/11 APPR: MARGULIS 2004/02/27</td></tr><tr><td></td><td>= 0</td><td>0 PLACES</td><td>±</td><td></td></tr><tr><td></td><td>= 0</td><td colspan="3">ANGULAR TOL ± 0.5 °</td><td rowspan="2">THIRD ANGLE PROJECTION </td></tr><tr><td></td><td>= 0</td><td colspan="4">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td></tr><tr><td></td><td>= 0</td><td colspan="2">B-SIZE</td><td>SERIES</td><td rowspan="2">MATERIAL NUMBER CUSTOMER SHEET NUMBER</td></tr><tr><td></td><td></td><td colspan="2"></td><td>42375</td></tr></table>								SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					= 0	DIMENSION UNITS	SCALE		CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071	MM/IN	1:1			= 0	GENERAL TOLERANCES (UNLESS SPECIFIED)			EC NO: 689596 DRWN: SHRUTJ 2021/09/14 CHK'D: SHRUTJ 2021/12/20 APPR: ISHWARG 2021/12/20		= 0	4 PLACES	±			= 0	3 PLACES	±	0.01		= 0	2 PLACES	±	0.25		= 0	1 PLACE	±	0.38	INITIAL REVISION: DRWN: SCHAFER 2003/02/11 APPR: MARGULIS 2004/02/27		= 0	0 PLACES	±			= 0	ANGULAR TOL ± 0.5 °			THIRD ANGLE PROJECTION 		= 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					= 0	B-SIZE		SERIES	MATERIAL NUMBER CUSTOMER SHEET NUMBER					42375	A																																																																																																																				
SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																	
	= 0	DIMENSION UNITS	SCALE		CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071																																																																																																																																																																																														
		MM/IN	1:1																																																																																																																																																																																																
	= 0	GENERAL TOLERANCES (UNLESS SPECIFIED)			EC NO: 689596 DRWN: SHRUTJ 2021/09/14 CHK'D: SHRUTJ 2021/12/20 APPR: ISHWARG 2021/12/20																																																																																																																																																																																														
	= 0	4 PLACES	±																																																																																																																																																																																																
	= 0	3 PLACES	±	0.01																																																																																																																																																																																															
	= 0	2 PLACES	±	0.25																																																																																																																																																																																															
	= 0	1 PLACE	±	0.38	INITIAL REVISION: DRWN: SCHAFER 2003/02/11 APPR: MARGULIS 2004/02/27																																																																																																																																																																																														
	= 0	0 PLACES	±																																																																																																																																																																																																
	= 0	ANGULAR TOL ± 0.5 °			THIRD ANGLE PROJECTION 																																																																																																																																																																																														
	= 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																																																																																																																																																																																																	
	= 0	B-SIZE		SERIES	MATERIAL NUMBER CUSTOMER SHEET NUMBER																																																																																																																																																																																														
				42375																																																																																																																																																																																															
DOCUMENT STATUS		P1	RELEASE DATE	2021/12/20	12:18:33																																																																																																																																																																																														
9	8	7	6	5	4	3	2	1																																																																																																																																																																																											

9

8

7

6

5

4

3

2

1

E

ENG. NO: A-42375-3569/3603					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-ABB208		
PIN LENGTH: L			.530 / 13.46		
MATING LENGTH: M			.240 / 6.09		
GOLD POINT: G			.100 / 2.54		
PC TAIL LENGTH: P			.125 / 3.18		
TIN: T			.100 / 2.54		
CKTS:			4-36		
KINKS:			NO		
VOIDED CKTS:			5		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2			20	423753587	42375-3587
3			21	423753588	42375-3588
4			22	423753589	42375-3589
5	423753572	42375-3572	23	423753590	42375-3590
6	423753573	42375-3573	24	423753591	42375-3591
7	423753574	42375-3574	25	423753592	42375-3592
8	423753575	42375-3575	26	423753593	42375-3593
9	423753576	42375-3576	27	423753594	42375-3594
10	423753577	42375-3577	28	423753595	42375-3595
11	423753578	42375-3578	29	423753596	42375-3596
12	423753579	42375-3579	30	423753597	42375-3597
13	423753580	42375-3580	31	423753598	42375-3598
14	423753581	42375-3581	32	423753599	42375-3599
15	423753582	42375-3582	33	423753600	42375-3600
16	423753583	42375-3583	34	423753601	42375-3601
17	423753584	42375-3584	35	423753602	42375-3602
18	423753585	42375-3585	36	423753603	42375-3603
19	423753586	42375-3586			

D

C

B

A

DOCUMENT STATUS	P1	RELEASE DATE	2021/12/20	12:18:33
-----------------	----	--------------	------------	----------

9

8

7

6

5

4

3

2

1

ENG. NO: A-42375-2974/3008					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-FKB228		
PIN LENGTH: L			1.020 / 25.91		
MATING LENGTH: M			.805 / 20.45		
GOLD POINT: G			.200 / 5.08		
PC TAIL LENGTH: P			.125 / 3.18		
TIN: T			.200 / 5.08		
CKTS:			2-36		
KINKS:			NO		
VOIDED CKTS:			NONE		
PACKAGING:			BULK PK-40873-0043		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ITEM NUMBER
2			20		
3			21		
4			22		
5	423752977	42375-2977	23		
6			24		
7			25		
8			26		
9			27		
10			28		
11			29		
12			30		
13			31		
14			32		
15			33		
16			34		
17			35		
18			36		
19					

E

D

C

B

A

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071				molex								
MM/IN		1:1														
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 689596 DRWN: SHRUTJ 2021/09/14 CHK'D: SHRUTJ 2021/12/20 APPR: ISHWARG 2021/12/20				KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY								
4 PLACES ±		MM		INCH		INITIAL REVISION: DRWN: SCHAFAER 2003/02/11 APPR: MARGULIS 2004/02/27				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION		
3 PLACES ±		± 0.01								SD-42375-001		PSD	001	V		
2 PLACES ± 0.25 ±						DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER
1 PLACE ± 0.38 ±																
0 PLACES ±																
ANGULAR TOL ± 0.5 °																
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																
													</			

FORMAT: Eng-lega-master-tb-prod-B
REVISION: D
DATE: 2018/01/18

8

7

6

5

4

3

2

1

ENG. NO: A-42375-4095/4129			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-DEB228	
PIN LENGTH: L		.785 / 19.94	
MATING LENGTH: M		.470 / 11.94	
GOLD POINT: G		.250 / 6.35	
PC TAIL LENGTH: P		.225 / 5.72	
TIN: T		.200 / 5.08	
CKTS:		2-36	
KINKS:		NO	
VOIDED CKTS:		NONE	
PACKAGING:		BULK	PK-40873-0041
CKTS	ITEM NUMBER	CKTS	ITEM NUMBER
2		20	
3		21	
4		22	
5		23	
6		24	
7		25	
8		26	
9		27	
10	42375-4103	28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18	42375-4111	36	
19			

ENG. NO: A-42375-4130/4161			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-ATA154	
PIN LENGTH: L		530/13.46	
MATING LENGTH: M		.320/8.13	
GOLD POINT: G		N/A	
PC TAIL LENGTH: P		.120/3.05	
TIN: T		OVERALL	
CKTS:		5-36	
KINKS:		SMES-42003	
VOIDED CKTS:		2, 3, 4	
PACKAGING:		BULK	PK-40873-0041
CKTS	ITEM NUMBER	CKTS	ITEM NUMBER
		20	
		21	
		22	
5	42375-4130	23	
6		24	
7		25	
8		26	
9		27	
10		28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18		36	
19			

ENG. NO: 42375-4162/4196			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-BSC228	
PIN LENGTH: L		.630/16.00	
MATING LENGTH: M		.400/10.16	
GOLD POINT: G		.345/8.76	
PC TAIL LENGTH: P		140/3.56	
TIN: T		.100/2.54	
CKTS:		2-36	
KINKS:		NO	
VOIDED CKTS:		NONE	
PACKAGING:		BULK	PK-40873-0041
CKTS	MATERIAL NUMBER	CKTS	MATERIAL NUMBER
2		20	
3		21	
4	42375-4164	22	
5	42375-4165	23	
6		24	
7		25	
8		26	
9		27	
10	42375-4170	28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18		36	
19			

DOCUMENT STATUS	P1	RELEASE DATE	2021/12/20	12:18:33
-----------------	----	--------------	------------	----------

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
▽ = 0 ▽											

9	8	7	6	5	4	3	2	1
---	---	---	---	---	---	---	---	---

ENG. NO: A-42375-1622			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-AYB208	
PIN LENGTH: L		.545 / 13.84	
MATING LENGTH: M		.320 / 8.13	
GOLD POINT: G		.140 / 3.56	
PC TAIL LENGTH: P		.135 / 3.43	
TIN: T		.135 / 3.43	
CKTS:		2-36	
KINKS:		SMES-42003	
VOIDED CKTS:		3	
PACKAGING:		BULK	PK-40873-0041
CKTS	MATERIAL NUMBER	CKTS	MATERIAL NUMBER
2		20	
3		21	
4		22	
5		23	
6		24	
7		25	
8		26	
9	42375-1622	27	
10		28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18		36	
19			

ENG. NO: A-42375-4199			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-ARB228	
PIN LENGTH: L		.520 / 13.21	
MATING LENGTH: M		.230 / 5.84	
GOLD POINT: G		.140 / 3.56	
PC TAIL LENGTH: P		.200 / 5.08	
TIN: T		.135 / 3.43	
CKTS:		2-36	
KINKS:		NO	
VOIDED CKTS:		NONE	
PACKAGING:		BULK	PK-40873-0041
CKTS	MATERIAL NUMBER	CKTS	MATERIAL NUMBER
2	42375-4199	20	
3		21	
4		22	
5		23	
6		24	
7		25	
8		26	
9		27	
10		28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18		36	
19			

ENG. NO: A-42375-4200			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-ADB208	
PIN LENGTH: L		.465 / 11.81	
MATING LENGTH: M		.240 / 6.09	
GOLD POINT: G		.100 / 2.54	
PC TAIL LENGTH: P		.135 / 3.43	
TIN: T		.100 / 2.54	
CKTS:		2-36	
KINKS:		SMES-42003	
VOIDED CKTS:		3, 4	
PACKAGING:		BULK	PK-40873-0041
CKTS	MATERIAL NUMBER	CKTS	MATERIAL NUMBER
2		20	
3		21	
4		22	
5	42375-4200	23	
6		24	
7		25	
8		26	
9		27	
10		28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18		36	
19			

DOCUMENT STATUS	P1	RELEASE DATE	2021/12/20	12:18:33
-----------------	----	--------------	------------	----------

SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
MM/IN 1:1 GENERAL TOLERANCES (UNLESS SPECIFIED) MM INCH		CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071 EC NO: 689596 DRWN: SHRUTJ 2021/09/14 CHK'D: SHRUTJ 2021/12/20 APPR: ISHWARG 2021/12/20		molex KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY							
4 PLACES ± ± 3 PLACES ± ± 0.01 2 PLACES ± 0.25 ± 1 PLACE ± 0.38 ±		INITIAL REVISION: DRWN: SCHAFFER 2003/02/11 APPR: MARGULIS 2004/02/27		PRODUCT CUSTOMER DRAWING DOCUMENT NUMBER DOC TYPE DOC PART REVISION							
0 PLACES ± ± ANGULAR TOL ± 0.5 °		THIRD ANGLE PROJECTION DRAWING SERIES		SD-42375-001 SEE CHART				CUSTOMER GENERAL MARKET		SHEET NUMBER 33 OF 35	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				B-SIZE 42375							

9	8	7	6	5	4	3	2	1
---	---	---	---	---	---	---	---	---

