

## **Specification Sheet**

Part Number: 181-00262

A temporary film is applied to the covers to protect against scratches and is writable for identification during installation.

Cover is flush with the side of the duct for increased wire capacity and allows for tight, side-by-side duct placement.

Covers are provided with a nonslip lining that ensures the covers remain in place during vibration, yet easily snap on and off.



Wiring Duct Cover for 2-1/2" Duct, 6 ft Long, PVC, White, 120 ft/carton

Article Number 181-00262

Type TC2.5

Color White (WH)

Quantity Per carton

**Product Description**HellermannTyton's Pro-Duct wiring duct covers are sold separately

and interchangeable among the 3 styles of duct (solid, slotted and high density). Manufactured from high impact, rigid PVC, Pro-Duct covers come in standard colors of white, gray and black. Wiring duct

covers are available in 6 foot lengths.

**Short Description** Wiring Duct Cover for 2-1/2" Duct, 6 ft Long, PVC, White, 120

ft/carton

Global Part Name TC2.5-PVC-WH

**Technical Description** Wiring Duct Cover for 2 1/2" Duct, White

Length L (Imperial) 6.0

Length L (Metric) 1.83

Width W (Imperial) 2.5

Width W (Metric) 63.5

Height H (Imperial) 0.308

Height H (Metric) 7.82

Material Polyvinylchloride (PVC)

Material Shortcut PVC

Flammability Self-extinguishing

Halogen Free No

Operating Temperature +122°F (+50°C)

Reach Compliant (Article 33) No

ROHS Compliant
Yes

Certification/Specification
UL EN 50085-2-3\_1A CSA EN 50085-1:2005 + A1:2013

UL Recognized (US)
Yes

Package Quantity (Imperial)
120

Package Quantity (Metric)
36.58

3925900000

© 2021 HellermannTyton. All Rights Reserved.

**Customs Number** 

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions