

Specification Sheet

Part Number: MCRW-SD8

Raceway and fittings are manufactured from a UL94 V0 rated material to insure compliance with codes.

All fittings have been designed to maintain the required 1" minimum bend radius to meet TIA/EIA-568-B and 569-A standard.

Raceway and fittings are UL Listed to 600 Volts to meet new UL5A and CSA 22.2 No. 62-93 standards.

Integrated design of the raceway divider ensures proper separation of power and data cabling per UL/CSA standards.



InfoStream Multi-Channel Raceway Side Divider, 8' Long, PVC, White, 96 ft/pkg

Article Number	250-00056
Type	MCR-SD8
Color	White (WH)
Quantity Per	carton
Product Description	Dividers snap onto raceway base rails for proper power and data separation per UL/CSA.
Short Description	InfoStream Multi-Channel Raceway Side Divider, 8' Long, PVC, White, 96 ft/pkg

Global Part Name MCR-SD8-PVC-WH

Length L (Imperial) 8.0

Length L (Metric) 2.43

Height H (Imperial) 1.69

Height H (Metric) 42.92

Material Polyvinylchloride (PVC)

Material Shortcut PVC

Flammability UL 94 V-0

Halogen Free No

Operating Temperature +122°F (+50°C)

Reach Compliant (Article 33) No

ROHS Compliant Yes

Package Quantity (Imperial) 96.0

Package Quantity (Metric) 29.26

Customs Number 3925900000

© 2022 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)