

Specification Sheet

Part Number: 596-00739

Made with UV stable inks and materials for durability and weather resistance.
The labels are supplied with aggressive adhesive to ensure long life.
Solar Installation labels meet NEC & IFC standards for printed text, character height, color and outdoor UV stability to pass inspections.

CAUTION: DO NOT INSTALL
ADDITIONAL LOADS IN THIS PANEL

Solar Label, CAUTION DO NOT INSTALL ADDITIONAL LOADS..., 5.0" x 1.25", VL, Red, 50/roll

Article Number	596-00739
Type	DNALP
Color	Red (RD)
Quantity Per	roll
Product Description	Many times common solar label designs are specified even though they might not be required by code. HellermannTyton offers a selection of some of the most commonly requested labels for use on solar installations.
Short Description	Solar Label, CAUTION DO NOT INSTALL ADDITIONAL LOADS..., 5.0" x 1.25", VL, Red, 50/roll
Global Part Name	DNALP-V-RD

Technical Description

Pre-Printed Solar Label, 5" X 1.25", Caution: Do Not Install Additional Loads In This Panel, Vinyl, Red, 50/RL

Width W (Imperial)

5.0

Width W (Metric)

127.0

Height H (Imperial)

1.25

Height H (Metric)

31.70

Material

Vinyl (V)

Material Shortcut

V

Adhesive

Acrylic

Halogen Free

No

Adhesive Operating Temperature

-40°F to +174°F (-40°C to +79°C)

Operating Temperature

-40°F to +174°F (-40°C to +79°C)

Reach Compliant (Article 33)

Yes

ROHS Compliant

Yes

Warranty (US)

Yes

UL Recognized (US)	Yes
---------------------------	-----

Package Quantity (Imperial)	50
------------------------------------	----

Package Quantity (Metric)	50
----------------------------------	----

Customs Number	3919102055
-----------------------	------------

Labels per Column	1
--------------------------	---

Labels per Row	1
-----------------------	---