HellermannTyton

Specification Sheet

Part Number: TAGPP1-788C



Clear polyester has a smooth surface, allowing for the highest resolution and print contrast.

The acrylic-based adhesive bonds to a wide variety of substrates and resists abrasion.

LaserTags are sheet fed for easy loading and fast printing.

LaserTags are made of high-temperature materials to withstand the high heat of laser printing.

Laser Tag Label, .63" x .31", 360 per sheet, PET, Clear, 1000/pkg

Article Number	594-02788
Туре	TAGPP1
Color	Clear (CL)

pack

Product Description

Quantity Per

HellermannTyton transparent/clear polyester labels are ideal for marking products where the visibility of the label needs to be minimized, such as consumer products, where the color of the housing needs to remain as clean looking as possible. The clear material allows the surface color to blend in with the printed text. These labels can also be used as an over-laminate to provide further protection for printed text in extreme environments.

Short Description Laser Tag Label, .63" x .31", 360 per sheet, PET, Clear, 1000/pkg

Global Part Name TAGPP1-788C-CL

Width W (Imperial) 0.625

Width W (Metric) 15.87

Thickness T (Metric) 64.0

Height H (Imperial) 0.333

Height H (Metric) 8.45

Material Type 788C, Polyester, clear (788C)

Material Shortcut 788C

Adhesive Acrylic

Halogen Free No

Adhesive Operating Temperature -40°F to +302°F (-40°C to +150°C)

Operating Temperature -40°F to +199°F (-40°C to +93°C)

Reach Compliant (Article 33) Yes

ROHS Compliant	Yes
Package Quantity (Imperial)	1000
Package Quantity (Metric)	1000
Customs Number	3919905060
Labels per Column	30
Labels per Row	12

© 2022 HellermannTyton. All Rights Reserved.

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions