THIS IS ISSUED IN STRICT CONFIDENCE THAT IT IS NOT USED AS A BASIS FOR MANUFACTURE OR SALE AND THAT IT IS NOT COPIED. REPRINTED OR DISCLOSED TO A THIRD PARTY EITHER WHOLLY OR IN PART WITHOUT THE PRIOR WRITTEN CONSENT OF CAL TEST ELECTRONICS, INC.

REVISIONS									
REV.	DESCRIPTIONS	DATE	APPROVED						
_	CLASS A RELEASED	7/11/99							
А	UPDATED TO METRIC FORMAT	3/9/19							

1. DO-IT-YOURSELF (DIY) 4 mm IN-LINE JACK, SOLDER ATTACHMENT.

2. SPECIFICATIONS:

INSULATOR BODY: POLYAMIDE (NYLON) JACK BODY: BRASS, NICKEL PLATED


3. RATING:


VOLTAGE: 1,200V AC/DC CURRENT: 36A MAX.

TEMPERATURE: -20° C TO $+80^{\circ}$ C.

4. MAXIMUM WIRE SIZES:

CONDUCTOR: Ø2.3 (.090) (12AWG) STRIP LENGTH: 6.4 (.25)





METRIC	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLE	CONTRACT NO.		Cal Test Electronics 22820 Savi Ranch Parkway Yorba Linda, CA 92887-4610				
IVIL I KIC	.X ± 0.8 ± 2° .XX ±0.25	APPROVALS	DATE	TITLE				
	DO NOT SCALE DRAWING	drawn WDH	7/11/99	DIY 4 mm JACK, SOLDER				
THIRD ANGLE PROJECTION	MATERIAL	CHECKED]				
	FINISH	ENGR. DESIGN ACTIVITY		SIZE	cage code 43F45	DWG. NO.	221300	REV.
				SCALE	1:1	,	SHEET 1 OF	1