Data sheet

28728.6 KDS-DE-FB4/B GR



Seal, Mounting type: Plug in, Length 109.3 mm, Width: 20.3 mm, IP 66, Colour: Grey

RAL: Ähnlich 7035

Business data

Article number	28728.6
Article name	KDS-DE-FB4/B GR
GTIN (EAN)	4044211221218
Colour	Grey
Packaging unit	5
Quantity unit	PC
Weight per piece (not including packaging)	36.64 g
Weight per piece (including packaging)	37.44 g
Unit of weight	G
Customs number	39259020
Country of origin	DE
Product description	Sealing Element

Data sheet

28728.6 KDS-DE-FB4/B GR

Technical data

Dimensions

Length	109.3 mm
Width	20.3 mm
Height	17.7 mm

Materials

Material	TPE
Flammability class UL 94	V-0
Working temperature, min.	-40 °C
Working temperature, max.	90 °C
Halogen-free	✓
Silicone-free	✓

Further technical data

Mounting type	Plug in
Degree of protection	IP66
Strain relief	✓
Cable width min.	85 mm
Cable width max.	99 mm
Cable thickness min.	4.2 mm
Cable thickness max.	5.2 mm

Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2022-01-07
REACH Candidate Substance Note	No
RoHS Conform	yes

Data sheet

28728.6 KDS-DE-FB4/B GR

Media

Data sheet

28728.6 KDS-DE-FB4/B GR

Accessories

##INVERSE##CONTA-CABLE



Cable entry with moulded-in seal, Mounting type: Screws, Length: 147 mm, Width: 39 mm, IP 66, Colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
28707.4	KDS-SR-FB4/A BK	4044211225544	10 ST