








HEADERS CODINGS

(CODING 2 SHOWN)


HEADER'S CODINGS FOR MODULE T2 (32W)					
COLOR	CODING	DIM. A	DIM. B	DIM. C	DIM. D
BLACK	1	9.1	4.3	5.9	4.3
GREY	2	7.5	5.9	9.1	5.9
BROWN	3	5.9	7.5	9.1	9.1
GREEN	4	7.5	9.1	4.3	4.3
BLUE	5	4.3	7.5	5.9	5.9
YELLOW	6	9.1	7.5	4.3	7.5


(CODING 3 SHOWN)

HEADER'S CODINGS FOR MODULE T3 (48W)					
COLOR	CODING	DIM. A	DIM. B	DIM. C	DIM. D
BLACK	1	12.9	6.3	8.5	6.3
GREY	2	10.7	8.5	12.9	8.5
BROWN	3	8.5	10.7	12.9	12.9
GREEN	4	10.7	12.9	6.3	6.3
BLUE	5	6.3	10.7	8.5	8.5
YELLOW	6	12.9	10.7	6.3	10.7

NOTE:

- 1- INTERFACE DEFINITION BASED ON NFR13-462 STANDARD.
2- HEADER: ELASTICITY MODULUS: 8000Mpa min.
(INITIAL CONDITION BEFORE AGEING)



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
DIMENSION UNITS		SCALE		CURRENT REV DESC: NX RE-MASTERING				molex				
mm		2:1										
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 603689 DRWN: SLAFAURE 2018/07/17 CHK'D: OPLESSIS 2018/08/31 APPR: SLAFAURE 2018/09/03				32 & 48CKT CMC INTERFACE				
ANGULAR TOL ± 2.0 °												
4 PLACES		± 0.10										
3 PLACES		± 0.10		INITIAL REVISION: DRWN: G.DESBRUERES 2008/10/02 APPR: OPLESSIS 2008/10/06				PRODUCT CUSTOMER DRAWING				
2 PLACES		± 0.10										
1 PLACE		± 0.10										
0 PLACES		±		DOCUMENT NUMBER SD-98644-006				DOC TYPE PSD		DOC PART 001		REVISION B1
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS												
FIRST ANGLE PROJECTION 		DRAWING A2-SIZE		SERIES 98644		MATERIAL NUMBER N/A		CUSTOMER GENERAL MARKET			SHEET NUMBER 1 OF 3	

5:1



5:1




5:1




13 12 11


LAYOUT FOR TWO INTERFACES T2 (32W)



LAYOUT FOR TWO INTERFACES T2 (32W) AND T3 (48W)




LAYOUT FOR TWO INTERFACES T3 (48W)



MULTI - HEADERS LAYOUT


LEGEND:



FREE VOLUME FOR MANUAL LOCKING AND UNLOCKING
DIMENSIONS GIVEN FOR INFORMATION ONLY BE
CONFIRMED BASED UPON VEHICLE CONFIGURATION.


CONNECTOR ON HEADER - OVERALL DIMENSIONS

UNLOCKED CONNECTOR - OVERALL DIMENSIONS




MODULE T2 (32W)

LOCKED CONNECTOR - OVERALL DIMENSIONS




UNLOCKED CONNECTOR - OVERALL DIMENSIONS



MODULE T3 (48W)

LOCKED CONNECTOR - OVERALL DIMENSIONS



NOTE:

1- T2 = 32 WAY / T3 = 48 WAY

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE	CURRENT REV DESC: NX RE-MASTERING			
mm	1:1				
GENERAL TOLERANCES (UNLESS SPECIFIED)					
ANGULAR TOL	± 2.0°				
4 PLACES	± 0.1				
3 PLACES	± 0.1				
2 PLACES	± 0.1				
1 PLACE	± 0.1				
0 PLACES	±				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		FIRST ANGLE PROJECTION	DRAWING	SERIES	
			A2-SIZE	98644	

EC NO: 603689		2018/07/17	
DRWN: SLAFAURE		2018/08/31	
CHK'D: OPLESSIS		2018/09/03	
APPR: SLAFAURE			
INITIAL REVISION:			
DRWN: GDESBRUERES		2008/10/02	
APPR: OPLESSIS		2008/10/06	

DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
SD-98644-006		PSD	001	B1

MATERIAL NUMBER	CUSTOMER	SHEET NUMBER
N/A	GENERAL MARKET	3 OF 3

molex

32 & 48CKT CMC INTERFACE

PRODUCT CUSTOMER DRAWING

SD-98644-006

PSD

001

B1

DOCUMENT STATUS	P1	RELEASE DATE	2018/09/03	08:17:38
-----------------	----	--------------	------------	----------

13 12 11

10 9 8 7 6 5 4 3 2 1