



CKT. SIZE	DIM. A		DIM. B REF.	
	(MM)	INCH	(MM)	INCH
4	(5.08)	0.200	(2.54)	0.100
6	(7.62)	0.300	(5.08)	0.200
8	(10.16)	0.400	(7.62)	0.300
10	(12.70)	0.500	(10.16)	0.400
12	(15.24)	0.600	(12.70)	0.500
14	(17.78)	0.700	(15.24)	0.600
16	(20.32)	0.800	(17.78)	0.700
18	(22.86)	0.900	(20.32)	0.800
20	(25.40)	1.000	(22.86)	0.900
22	(27.94)	1.100	(25.40)	1.000
24	(30.48)	1.200	(27.94)	1.100
26	(33.02)	1.300	(30.48)	1.200
28	(35.56)	1.400	(33.02)	1.300
30	(38.10)	1.500	(35.56)	1.400
32	(40.64)	1.600	(38.10)	1.500
34	(43.18)	1.700	(40.64)	1.600
36	(45.72)	1.800	(43.18)	1.700
38	(48.26)	1.900	(45.72)	1.800
40	(50.80)	2.000	(48.26)	1.900
42	(53.34)	2.100	(50.80)	2.000
44	(55.88)	2.200	(53.34)	2.100
46	(58.42)	2.300	(55.88)	2.200
48	(60.96)	2.400	(58.42)	2.300
50	(63.50)	2.500	(60.96)	2.400
52	(66.04)	2.600	(63.50)	2.500
54	(68.58)	2.700	(66.04)	2.600
56	(71.12)	2.800	(68.58)	2.700
58	(73.66)	2.900	(71.12)	2.800
60	(76.20)	3.000	(73.66)	2.900
62	(78.74)	3.100	(76.20)	3.000
64	(81.28)	3.200	(78.74)	3.100
66	(83.82)	3.300	(81.28)	3.200
68	(86.36)	3.400	(83.82)	3.300
70	(88.90)	3.500	(86.36)	3.400
72	(91.44)	3.600	(88.90)	3.500
74	(93.98)	3.700	(91.44)	3.600
76	(96.52)	3.800	(93.98)	3.700
78	(99.06)	3.900	(96.52)	3.800
80	(101.60)	4.000	(99.06)	3.900
82	(104.14)	4.100	(101.60)	4.000
84	(106.68)	4.200	(104.14)	4.100
86	(109.22)	4.300	(106.68)	4.200
88	(111.76)	4.400	(109.22)	4.300
90	(114.30)	4.500	(111.76)	4.400
92	(116.84)	4.600	(114.30)	4.500
94	(119.38)	4.700	(116.84)	4.600
96	(121.92)	4.800	(119.38)	4.700
98	(124.46)	4.900	(121.92)	4.800
100	(127.00)	5.000	(124.46)	4.900

NOTES:

1. MATERIAL:
PIN: COPPER ALLOY
WAFER: GLASS FILLED LCP (LIQUID CRYSTAL POLYMER, UL 94V-0, COLOR: BLACK.
2. FINISH:

TIN = (0.00380)/.000150 MINIMUM TIN PLATE
OVER (0.00127)/.000050 MINIMUM NICKEL PLATE.
15 GOLD = (0.00038)/.000015 MINIMUM GOLD PLATE IN SELECT AREA,
(0.00190)/.000075 MINIMUM TIN PLATE IN SELECT AREA,
OVER (0.00127)/.000050 MINIMUM NICKEL PLATE OVERALL.
30 GOLD = (0.00076)/.000030 MINIMUM GOLD PLATE IN SELECT AREA,
(0.00190)/.000075 MINIMUM TIN PLATE IN SELECT AREA,
OVER (0.00127)/.000050 MINIMUM NICKEL PLATE OVERALL.
GT15 = (0.00038)/.000015 MINIMUM GOLD PLATE IN SELECT AREA,
(0.00254)/.000100 MINIMUM TIN PLATE IN SELECT AREA,
OVER (0.00127)/.000050 MINIMUM NICKEL PLATE OVERALL.

* THE PRIMARY SHIPPING CARTON WILL BE LABELED "COMPLIANT TO RoHS DIRECTIVE 2002/95/EC AND ELV ANNEX II OF DIRECTIVE 2000/53/EC". CARTONS WITHOUT THIS LABEL MAY CONTAIN PRODUCT WITH LEAD PLATING.



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC: MIGRATED TO ECTR				molex							
MM/IN		4:1													
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 604937 DRWN: GSHARMA CHK'D: ISHWARG APPR: ISHWARG 2018/09/21 2018/10/04 2018/10/04											
		MM	INCH												
4 PLACES	±		±												
3 PLACES	±		± 0.005												
2 PLACES	±	0.13	± 0.01												
1 PLACE	±	0.25	±												
0 PLACES	±		±	INITIAL REVISION:				DOCUMENT NUMBER							
ANGULAR TOL				± 0.5 °		DRWN: SMR		04/19/1993		SDA-70280-0001-4000		DOC TYPE	DOC PART	REVISION	
				APPR: SMR		04/19/1993				PSD		001	H		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						C-SIZE		70280		SEE TABLE		GENERAL MARKET		1 OF 9	

12		11		10		9		8		7		6		5		4		3		2		1	
ENGINEERING NUMBER A-70280-		RELEASE FOR MANUFACTURE						E REF.		J REF.		C (0.25) ±.010						MATING END PLATING		P.C BOARD END PLATING		FOR PACKAGING INFORMATION, SEE NOTE 4, SHEET 1 (UNLESS OTHERWISE SPECIFIED BELOW)	
																		TYPE	D MEAS.		TYPE		
-0001/-0040		R.F.M.						(2.72) .107		(11.10) .437		(6.10) .240						TIN		(2.54) .100			
-0001/-0080		R.F.M.						(2.72) .107		(11.10) .437		(6.10) .240						15 GOLD		(2.54) .100			
-0081/-0120		R.F.M.						(2.72) .107		(11.10) .437		(6.10) .240						30 GOLD		(2.54) .100			
-0121/-0160		R.F.M.						(2.79) .110		(13.21) .520		(8.13) .320						TIN		(4.57) .180			
-0161/-0200		R.F.M.						(2.79) .110		(13.21) .520		(8.13) .320						15 GOLD		(4.57) .180			
-0201/-0240		R.F.M.						(2.79) .110		(13.21) .520		(8.13) .320						30 GOLD		(4.57) .180			
-0241/-0280		R.F.M.						(3.94) .155		(12.32) .485		(6.10) .240						30 GOLD		(2.54) .100			
CKTS	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	CKTS
	N.A.	AX-70280-0001	N.A.	AX-70280-0041	N.A.	AX-70280-0081	N.A.	AX-70280-0121	N.A.	AX-70280-0161	N.A.	AX-70280-0201	N.A.	AX-70280-0241									
4	010-89-7041	A-70280-0002	010-89-7042	A-70280-0042	010-89-7040	A-70280-0082	010-97-7045	A-70280-0122	010-97-7046	A-70280-0162	010-89-7043	A-70280-0202	010-87-9045	A-70280-0242	4								
6	010-89-7061	A-70280-0003	010-89-7062	A-70280-0043	010-89-7060	A-70280-0083	010-97-7065	A-70280-0123	010-97-7066	A-70280-0163	010-89-7063	A-70280-0203	010-87-9065	A-70280-0243	6								
8	010-89-7081	A-70280-0004	010-89-7082	A-70280-0044	010-89-7080	A-70280-0084	010-97-7085	A-70280-0124	010-97-7086	A-70280-0164	010-89-7083	A-70280-0204	010-87-9085	A-70280-0244	8								
10	010-89-7101	A-70280-0005	010-89-7102	A-70280-0045	010-89-7100	A-70280-0085	010-97-7105	A-70280-0125	010-97-7106	A-70280-0165	010-89-7103	A-70280-0205	010-87-9105	A-70280-0245	10								
12	010-89-7121	A-70280-0006	010-89-7122	A-70280-0046	010-89-7120	A-70280-0086	010-97-7125	A-70280-0126	010-97-7126	A-70280-0166	010-89-7123	A-70280-0206	010-87-9125	A-70280-0246	12								
14	010-89-7141	A-70280-0007	010-89-7142	A-70280-0047	010-89-7140	A-70280-0087	010-97-7145	A-70280-0127	010-97-7146	A-70280-0167	010-89-7143	A-70280-0207	010-87-9145	A-70280-0247	14								
16	010-89-7161	A-70280-0008	010-89-7162	A-70280-0048	010-89-7160	A-70280-0088	010-97-7165	A-70280-0128	010-97-7166	A-70280-0168	010-89-7163	A-70280-0208	010-87-9165	A-70280-0248	16								
18	010-89-7181	A-70280-0009	010-89-7182	A-70280-0049	010-89-7180	A-70280-0089	010-97-7185	A-70280-0129	010-97-7186	A-70280-0169	010-89-7183	A-70280-0209	010-87-9185	A-70280-0249	18								
20	010-89-7201	A-70280-0010	010-89-7202	A-70280-0050	010-89-7200	A-70280-0090	010-97-7205	A-70280-0130	010-97-7206	A-70280-0170	010-89-7203	A-70280-0210	010-87-9205	A-70280-0250	20								
22	010-89-7221	A-70280-0011	010-89-7222	A-70280-0051	010-89-7220	A-70280-0091	010-97-7225	A-70280-0131	010-97-7226	A-70280-0171	010-89-7223	A-70280-0211	010-87-9225	A-70280-0251	22								
24	010-89-7241	A-70280-0012	010-89-7242	A-70280-0052	010-89-7240	A-70280-0092	010-97-7245	A-70280-0132	010-97-7246	A-70280-0172	010-89-7243	A-70280-0212	010-87-9245	A-70280-0252	24								
26	010-89-7261	A-70280-0013	010-89-7262	A-70280-0053	010-89-7260	A-70280-0093	010-97-7265	A-70280-0133	010-97-7266	A-70280-0173	010-89-7263	A-70280-0213	010-87-9265	A-70280-0253	26								
28	010-89-7281	A-70280-0014	010-89-7282	A-70280-0054	010-89-7280	A-70280-0094	010-97-7285	A-70280-0134	010-97-7286	A-70280-0174	010-89-7283	A-70280-0214	010-87-9285	A-70280-0254	28								
30	010-89-7301	A-70280-0015	010-89-7302	A-70280-0055	010-89-7300	A-70280-0095	010-97-7305	A-70280-0135	010-97-7306	A-70280-0175	010-89-7303	A-70280-0215	010-87-9305	A-70280-0255	30								
32	010-89-7321	A-70280-0016	010-89-7322	A-70280-0056	010-89-7320	A-70280-0096	010-97-7325	A-70280-0136	010-97-7326	A-70280-0176	010-89-7323	A-70280-0216	010-87-9325	A-70280-0256	32								
34	010-89-7341	A-70280-0017	010-89-7342	A-70280-0057	010-89-7340	A-70280-0097	010-97-7345	A-70280-0137	010-97-7346	A-70280-0177	010-89-7343	A-70280-0217	010-87-9345	A-70280-0257	34								
36	010-89-7361	A-70280-0018	010-89-7362	A-70280-0058	010-89-7360	A-70280-0098	010-97-7365	A-70280-0138	010-97-7366	A-70280-0178	010-89-7363	A-70280-0218	010-87-9365	A-70280-0258	36								
38	010-89-7381	A-70280-0019	010-89-7382	A-70280-0059	010-89-7380	A-70280-0099	010-97-7385	A-70280-0139	010-97-7386	A-70280-0179	010-89-7383	A-70280-0219	010-87-9385	A-70280-0259	38								
40	010-89-7401	A-70280-0020	010-89-7402	A-70280-0060	010-89-7400	A-70280-0100	010-97-7405	A-70280-0140	010-97-7406	A-70280-0180	010-89-7403	A-70280-0220	010-87-9405	A-70280-0260	40								
42	010-89-7421	A-70280-0021	010-89-7422	A-70280-0061	010-89-7420	A-70280-0101	010-97-7425	A-70280-0141	010-97-7426	A-70280-0181	010-89-7423	A-70280-0221	010-87-9425	A-70280-0261	42								
44	010-89-7441	A-70280-0022	010-89-7442	A-70280-0062	010-89-7440	A-70280-0102	010-97-7445	A-70280-0142	010-97-7446	A-70280-0182	010-89-7443	A-70280-0222	010-87-9445	A-70280-0262	44								
46	010-89-7461	A-70280-0023	010-89-7462	A-70280-0063	010-89-7460	A-70280-0103	010-97-7465	A-70280-0143	010-97-7466	A-70280-0183	010-89-7463	A-70280-0223	010-87-9465	A-70280-0263	46								
48	010-89-7481	A-70280-0024	010-89-7482	A-70280-0064	010-89-7480	A-70280-0104	010-97-7485	A-70280-0144	010-97-7486	A-70280-0184													

12		11		10		9		8		7		6		5		4		3		2		1																										
ENGINEERING NUMBER A-70280-		RELEASE FOR MANUFACTURE						E REF.		J REF.		C (0.25) ±.010						MATING END PLATING		P.C BOARD END PLATING			FOR PACKAGING INFORMATION, SEE NOTE 4, SHEET 1 (UNLESS OTHERWISE SPECIFIED BELOW)																									
																		TYPE		D MEAS.					TYPE		F MEAS.																					
-0281/-0320		R.F.M.						(2.92) .115		(12.83) .505		(7.62) .300						TIN		(4.57) .180				TIN		(1.27) .050				PK-70873-0090																		
-0361/-0399		R.F.M.						(3.68) .145		(17.02) .670		(11.05) .435						TIN		(6.46) .254				TIN		(1.23) .048				PK-70873-0276																		
-0549/-0588		R.F.M.						(2.72) .107		(11.10) .437		(6.10) .240						TIN		(2.54) .100				TIN		(1.27) .050				PK-70873-0090																		
-0589/-0628		R.F.M.						(4.45) .175		(12.83) .505		(6.10) .240						TIN		(2.54) .100				TIN		(1.27) .050																						
CKTS	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	CKTS																			
	N.A	AX-70280-0281									N/A	A-70280-0549	N/A	A-70280-0589																																		
4	010-97-7047	A-70280-0282				70280-0361	A-70280-0361				70280-0550	A-70280-0550	70280-0590	A-70280-0590															4																			
6	010-97-7067	A-70280-0283				70280-0362	A-70280-0362				70280-0551	A-70280-0551	70280-0591	A-70280-0591															6																			
8	010-97-7087	A-70280-0284				70280-0363	A-70280-0363				70280-0552	A-70280-0552	70280-0592	A-70280-0592															8																			
10	010-97-7107	A-70280-0285				70280-0364	A-70280-0364				70280-0553	A-70280-0553	70280-0593	A-70280-0593															10																			
12	010-97-7127	A-70280-0286				70280-0365	A-70280-0365				70280-0554	A-70280-0554	70280-0594	A-70280-0594															12																			
14	010-97-7147	A-70280-0287				70280-0366	A-70280-0366				70280-0555	A-70280-0555	70280-0595	A-70280-0595															14																			
16	010-97-7167	A-70280-0288				70280-0367	A-70280-0367				70280-0556	A-70280-0556	70280-0596	A-70280-0596															16																			
18	010-97-7187	A-70280-0289				70280-0368	A-70280-0368				70280-0557	A-70280-0557	70280-0597	A-70280-0597															18																			
20	010-97-7207	A-70280-0290				70280-0369	A-70280-0369				70280-0558	A-70280-0558	70280-0598	A-70280-0598															20																			
22	010-97-7227	A-70280-0291				70280-0370	A-70280-0370				70280-0559	A-70280-0559	70280-0599	A-70280-0599															22																			
24	010-97-7247	A-70280-0292				70280-0371	A-70280-0371				70280-0560	A-70280-0560	70280-0600	A-70280-0600															24																			
26	010-97-7267	A-70280-0293				70280-0372	A-70280-0372				70280-0561	A-70280-0561	70280-0601	A-70280-0601															26																			
28	010-97-7287	A-70280-0294				70280-0373	A-70280-0373				70280-0562	A-70280-0562	70280-0602	A-70280-0602															28																			
30	010-97-7307	A-70280-0295				70280-0374	A-70280-0374				70280-0563	A-70280-0563	70280-0603	A-70280-0603															30																			
32	010-97-7327	A-70280-0296				70280-0375	A-70280-0375				70280-0564	A-70280-0564	70280-0604	A-70280-0604															32																			
34	010-97-7347	A-70280-0297				70280-0376	A-70280-0376				70280-0565	A-70280-0565	70280-0605	A-70280-0605															34																			
36	010-97-7367	A-70280-0298				70280-0377	A-70280-0377				70280-0566	A-70280-0566	70280-0606	A-70280-0606															36																			
38	010-97-7387	A-70280-0299				70280-0378	A-70280-0378				70280-0567	A-70280-0567	70280-0607	A-70280-0607															38																			
40	010-97-7407	A-70280-0300				70280-0379	A-70280-0379				70280-0568	A-70280-0568	70280-0608	A-70280-0608															40																			
42	010-97-7427	A-70280-0301				70280-0380	A-70280-0380				70280-0569	A-70280-0569	70280-0609	A-70280-0609															42																			
44	010-97-7447	A-70280-0302				70280-0381	A-70280-0381				70280-0570	A-70280-0570	70280-0610	A-70280-0610															44																			
46	010-97-7467	A-70280-0303				70280-0382	A-70280-0382				70280-0571	A-70280-0571	70280-0611	A-70280-0611															46																			
48	010-97-7487	A-70280-0304				70280-0383	A-70280-0383				70280-0572	A-70280-0572	70280-0612	A-70280-0612															48																			
50	010-97-7507	A-70280-0305				70280-0384	A-70280-0384				70280-0573	A-70280-0573	70280-0613	A-70280-0613															50																			
52	010-97-7527	A-70280-0306				70280-0385	A-70280-0385				70280-0574	A-70280-0574	70280-0614	A-70280-0614															52																			
54	010-97-7547	A-70280-0307				70280-0386	A-70280-0386				70280-0575	A-70280-0575	70280-0615	A-70280-0615															54																			
56	010-97-7567	A-70280-0308				70280-0387	A-70280-0387				70280-0576	A-70280-0576	70280-0616	A-70280-0616															56																			
58	010-97-7587	A-70280-0309				70280-0388	A-70280-0388				70280-0577	A-70280-0577	70280-0617	A-70280-0617															58																			
60	010-97-7607	A-70280-0310				70280-0389	A-70280-0389				70280-0578	A-70280-0578	70280-0618	A-70280-0618															60																			
62	010-97-7627	A-70280-0311				70280-0390	A-70280-0390				70280-0579	A-70280-0579	70280-0619	A-70280-0619															62																			
64	010-97-7647	A-70280-0312				70280-0391	A-70280-0391				70280-0580	A-70280-0580	70280-0620	A-70280-0620															64																			
66	010-97-7667	A-70280-0313				70280-0392	A-70280-0392				70280-0581	A-70280-0581	70280-0621	A-70280-0621															66																			
68	010-97-7687	A-70280-0314				70280-0393	A-70280-0393				70280-0582	A-70280-0582	70280-0622	A-70280-0622															68																			
70	010-97-7707	A-70280-0315				70280-0394	A-70280-0394				70280-0583	A-70280-0583	70280-0623	A-70280-0623															70																			
72	010-97-7727	A-70280-0316				70280-0395	A-70280-0395				70280-0584	A-70280-0584	70280-0624	A-70280-0624															72																			
74	010-97-7747	A-70280-0317				70280-0396	A-70280-0396				70280-0585	A-70280-0585	70280-0625	A-70280-0625															74																			
76	010-97-7767	A-70280-0318				70280-0397	A-70280-0397				70280-0586	A-70280-0586	70280-0626	A-70280-0626															76																			
78	010-97-7787	A-70280-0319				70280-0398	A-70280-0398				70280-0587	A-70280-0587	70280-0627	A-70280-0627															78																			
80	010-97-7807	A-70280-0320				70280-0399	A-70280-0399				70280-0588	A-70280-0588	70280-0628	A-70280-0628															80																			
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION DIMENSION UNITS SCALE MM/IN 1:1 GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>MM</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>±</td><td>±</td></tr><tr><td>3 PLACES</td><td>±</td><td>± 0.005</td></tr><tr><td>2 PLACES</td><td>± 0.13</td><td>± 0.01</td></tr><tr><td>1 PLACE</td><td>± 0.25</td><td>±</td></tr><tr><td>0 PLACES</td><td>±</td><td>±</td></tr><tr><td>ANGULAR TOL</td><td>± 0.5 °</td><td></td></tr></table> DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS THIRD ANGLE PROJECTION DRAWING SERIES C-SIZE 70280 CURRENT REV DESC: MIGRATED TO ECTR EC NO: 604937 DRWN: GSHARMA 2018/09/21 CHK'D: ISHWARG 2018/10/04 APPR: ISHWARG 2018/10/04 INITIAL REVISION: DRWN: SMR 04/19/1993 APPR: SMR 04/19/1993 SALES ASSY-HIGH TEMP. DUAL ROW WAFER W/BREAK- OFF OPT. .025 SQ PINS PRODUCT CUSTOMER DRAWING DOCUMENT NUMBER DOC TYPE DOC PART REVISION SDA-70280-0001-4000 PSD 001 H SEE TABLE GENERAL MARKET SHEET NUMBER 3 OF 9																													MM	INCH	4 PLACES	±	±	3 PLACES	±	± 0.005	2 PLACES	± 0.13	± 0.01	1 PLACE	± 0.25	±	0 PLACES	±	±	ANGULAR TOL	± 0.5 °	
	MM	INCH																																														
4 PLACES	±	±																																														
3 PLACES	±	± 0.005																																														
2 PLACES	± 0.13	± 0.01																																														
1 PLACE	± 0.25	±																																														
0 PLACES	±	±																																														
ANGULAR TOL	± 0.5 °																																															
DOCUMENT STATUS	P1	RELEASE DATE	2018/10/04	09:58:28																																												
12		11		10		9		8		7		6		5		4		3		2		1																										

12		11		10		9		8		7		6		5		4		3		2		1	
ENGINEERING NUMBER A-70280-	RELEASE FOR MANUFACTURE			E REF.		J REF.	C (0.25) ±.010			MATING END PLATING			P.C BOARD END PLATING			FOR PACKAGING INFORMATION, SEE NOTE 4, SHEET 1 (UNLESS OTHERWISE SPECIFIED BELOW)							
										TYPE	D MEAS.		TYPE	F MEAS.									
-0439/-0448	R.F.M.			(2.72) .107		(11.10) .437	(6.10) .240			TIN	(2.54) .100		TIN	(1.27) .050									
-0449/-0458	R.F.M.			(2.72) .107		(11.10) .437	(6.10) .240			15 GOLD	(2.54) .100		TIN	(1.27) .050									
-0459/-0468	R.F.M.			(2.72) .107		(11.10) .437	(6.10) .240			30 GOLD	(2.54) .100		TIN	(1.23) .048									
-0469/-0478	R.F.M.			(2.79) .110		(13.21) .520	(8.13) .320			TIN	(4.57) .180		TIN	(1.27) .050									
-0479/-0488	R.F.M.			(2.79) .110		(13.21) .520	(8.13) .320			15 GOLD	(4.57) .180		TIN	(1.27) .050									
-0489/-0498	R.F.M.			(2.79) .110		(13.21) .520	(8.13) .320			30 GOLD	(4.57) .180		TIN	(1.27) .050									
-0499/-0508	R.F.M.			(3.94) .155		(12.32) .485	(6.10) .240			30 GOLD	(2.54) .100		TIN	(1.27) .050									

CKTS	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	CKTS
82	70280-0439	A-70280-0439	70280-0449	A-70280-0449	70280-0459	A-70280-0459	70280-0469	A-70280-0469	70280-0479	A-70280-0479	70280-0489	A-70280-0489	70280-0499	A-70280-0499	82
84	70280-0440	A-70280-0440	70280-0450	A-70280-0450	70280-0460	A-70280-0460	70280-0470	A-70280-0470	70280-0480	A-70280-0480	70280-0490	A-70280-0490	70280-0500	A-70280-0500	84
86	70280-0441	A-70280-0441	70280-0451	A-70280-0451	70280-0461	A-70280-0461	70280-0471	A-70280-0471	70280-0481	A-70280-0481	70280-0491	A-70280-0491	70280-0501	A-70280-0501	86
88	70280-0442	A-70280-0442	70280-0452	A-70280-0452	70280-0462	A-70280-0462	70280-0472	A-70280-0472	70280-0482	A-70280-0482	70280-0492	A-70280-0492	70280-0502	A-70280-0502	88
90	70280-0443	A-70280-0443	70280-0453	A-70280-0453	70280-0463	A-70280-0463	70280-0473	A-70280-0473	70280-0483	A-70280-0483	70280-0493	A-70280-0493	70280-0503	A-70280-0503	90
92	70280-0444	A-70280-0444	70280-0454	A-70280-0454	70280-0464	A-70280-0464	70280-0474	A-70280-0474	70280-0484	A-70280-0484	70280-0494	A-70280-0494	70280-0504	A-70280-0504	92
94	70280-0445	A-70280-0445	70280-0455	A-70280-0455	70280-0465	A-70280-0465	70280-0475	A-70280-0475	70280-0485	A-70280-0485	70280-0495	A-70280-0495	70280-0505	A-70280-0505	94
96	70280-0446	A-70280-0446	70280-0456	A-70280-0456	70280-0466	A-70280-0466	70280-0476	A-70280-0476	70280-0486	A-70280-0486	70280-0496	A-70280-0496	70280-0506	A-70280-0506	96
98	70280-0447	A-70280-0447	70280-0457	A-70280-0457	70280-0467	A-70280-0467	70280-0477	A-70280-0477	70280-0487	A-70280-0487	70280-0497	A-70280-0497	70280-0507	A-70280-0507	98
100	70280-0448	A-70280-0448	70280-0458	A-70280-0458	70280-0468	A-70280-0468	70280-0478	A-70280-0478	70280-0488	A-70280-0488	70280-0498	A-70280-0498	70280-0508	A-70280-0508	100

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

MM/IN

SCALE

1:1

GENERAL TOLERANCES
(UNLESS SPECIFIED)

	MM	INCH
4 PLACES	±	±
3 PLACES	±	± 0.005
2 PLACES	± 0.13	± 0.01
1 PLACE	± 0.25	±
0 PLACES	±	±
ANGULAR TOL	± 0.5 °	

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

THIRD ANGLE PROJECTION

CURRENT REV DESC: MIGRATED TO ECTR

EC NO: 604937

DRWN: GSHARMA

CHK'D: ISHWARG

APPR: ISHWARG

2018/09/21

2018/10/04

2018/10/04

INITIAL REVISION:

DRWN: SMR

APPR: SMR

04/19/1993

04/19/1993

SALES ASSY-HIGH TEMP.
DUAL ROW WAFER W/BREAK- OFF OPT. .025 SQ
PINS

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
SDA-70280-0001-4000	PSD	001	H

DOCUMENT NUMBER

MATERIAL NUMBER

CUSTOMER

GENERAL MARKET

SHEET NUMBER

5 OF 9

12

11

10

9

8

7

6

5

4

3

2

1

DOCUMENT STATUS

P1

RELEASE DATE

2018/10/04 09:58:28

12

11

10

9

8

7

6

5

4

3

2

1

12

11

10

9

8

7

6

5

4

3

2

1

FORMATTED: Eng-High-Master-06-print-C
REVISION: D
DATE: 2018/01/18

12		11		10		9		8		7		6		5		4		3		2		1					
ENGINEERING NUMBER A-70280-		RELEASE FOR MANUFACTURE						E REF.				J REF.		C (0.25) ±.010						MATING END PLATING			P.C BOARD END PLATING			FOR PACKAGING INFORMATION, SEE NOTE 4, SHEET 1 (UNLESS OTHERWISE SPECIFIED BELOW)	
																				TYPE	D MEAS.		TYPE	F MEAS.			
-0509/-0518		R.F.M.						(2.92) .115				(12.83) .505		(7.62) .300						TIN	(4.57) .180		TIN	(1.27) .050		PK-70873-0090	
-0529/-0538		R.F.M.						(3.68) .145				(17.02) .670		(11.05) .435						TIN	(6.46) .254		TIN	(1.23) .048		PK-70873-0276	
-0869/-0878		R.F.M.						(2.67) .105				(11.05) .435		(6.10) .240						TIN	(2.54) .100		TIN	(1.27) .050		PK-70873-0090	
-0879/-0888		R.F.M.						(4.45) .175				(12.83) .505		(6.10) .240						TIN	(2.54) .100		TIN	(1.27) .050			
-0889/-0898		R.F.M.						(4.45) .175				(12.83) .505		(6.10) .240						15 GOLD	(2.54) .100		TIN	(1.27) .050			
CKTS	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	CKTS		
82	70280-0509	A-70280-0509			70280-0529	A-70280-0529			70280-0869	A-70280-0869	70280-0879	A-70280-0879	70280-0889	A-70280-0889	82												
84	70280-0510	A-70280-0510			70280-0530	A-70280-0530			70280-0870	A-70280-0870	70280-0880	A-70280-0880	70280-0890	A-70280-0890	84												
86	70280-0511	A-70280-0511			70280-0531	A-70280-0531			70280-0871	A-70280-0871	70280-0881	A-70280-0881	70280-0891	A-70280-0891	86												
88	70280-0512	A-70280-0512			70280-0532	A-70280-0532			70280-0872	A-70280-0872	70280-0882	A-70280-0882	70280-0892	A-70280-0892	88												
90	70280-0513	A-70280-0513			70280-0533	A-70280-0533			70280-0873	A-70280-0873	70280-0883	A-70280-0883	70280-0893	A-70280-0893	90												
92	70280-0514	A-70280-0514			70280-0534	A-70280-0534			70280-0874	A-70280-0874	70280-0884	A-70280-0884	70280-0894	A-70280-0894	92												
94	70280-0515	A-70280-0515			70280-0535	A-70280-0535			70280-0875	A-70280-0875	70280-0885	A-70280-0885	70280-0895	A-70280-0895	94												
96	70280-0516	A-70280-0516			70280-0536	A-70280-0536			70280-0876	A-70280-0876	70280-0886	A-70280-0886	70280-0896	A-70280-0896	96												
98	70280-0517	A-70280-0517			70280-0537	A-70280-0537			70280-0877	A-70280-0877	70280-0887	A-70280-0887	70280-0897	A-70280-0897	98												
100	70280-0518	A-70280-0518			70280-0538	A-70280-0538			70280-0878	A-70280-0878	70280-0888	A-70280-0888	70280-0898	A-70280-0898	100												

12		11		10		9		8		7		6		5		4		3		2		1	
ENGINEERING NUMBER A-70280-	RELEASE FOR MANUFACTURE			E REF.		J REF.	C (0.25) ±.010			MATING END PLATING			P.C BOARD END PLATING			FOR PACKAGING INFORMATION, SEE NOTE 4, SHEET 1 (UNLESS OTHERWISE SPECIFIED BELOW)							
										TYPE	D MEAS.		TYPE	F MEAS.									
-0899/-0908	R.F.M.			(4.45) .175		(12.83) .505	(6.10) .240			30 GOLD	(2.54) .100		TIN	(1.27) .050									
-0909/-0918	R.F.M.			(4.70) .185		(15.11) .595	(8.13) .320			TIN	(4.57) .180		TIN	(1.27) .050									
-0919/-0928	R.F.M.			(4.70) .185		(15.11) .595	(8.13) .320			15 GOLD	(4.57) .180		TIN	(1.27) .050									
-0929/-0938	R.F.M.			(4.70) .185		(15.11) .595	(8.13) .320			30 GOLD	(4.57) .180		TIN	(1.27) .050									
-0939/-0948	R.F.M.			(5.08) .200		(13.21) .520	(5.84) .230			TIN	(2.54) .100		TIN	(1.27) .050									

CKTS	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	CKTS
82	70280-0899	A-70280-0899	70280-0909	A-70280-0909	70280-0919	A-70280-0919	70280-0929	A-70280-0929	70280-0939	A-70280-0939							82
84	70280-0900	A-70280-0900	70280-0910	A-70280-0910	70280-0920	A-70280-0920	70280-0930	A-70280-0930	70280-0940	A-70280-0940							84
86	70280-0901	A-70280-0901	70280-0911	A-70280-0911	70280-0921	A-70280-0921	70280-0931	A-70280-0931	70280-0941	A-70280-0941							86
88	70280-0902	A-70280-0902	70280-0912	A-70280-0912	70280-0922	A-70280-0922	70280-0932	A-70280-0932	70280-0942	A-70280-0942							88
90	70280-0903	A-70280-0903	70280-0913	A-70280-0913	70280-0923	A-70280-0923	70280-0933	A-70280-0933	70280-0943	A-70280-0943							90
92	70280-0904	A-70280-0904	70280-0914	A-70280-0914	70280-0924	A-70280-0924	70280-0934	A-70280-0934	70280-0944	A-70280-0944							92
94	70280-0905	A-70280-0905	70280-0915	A-70280-0915	70280-0925	A-70280-0925	70280-0935	A-70280-0935	70280-0945	A-70280-0945							94
96	70280-0906	A-70280-0906	70280-0916	A-70280-0916	70280-0926	A-70280-0926	70280-0936	A-70280-0936	70280-0946	A-70280-0946							96
98	70280-0907	A-70280-0907	70280-0917	A-70280-0917	70280-0927	A-70280-0927	70280-0937	A-70280-0937	70280-0947	A-70280-0947							98
100	70280-0908	A-70280-0908	70280-0918	A-70280-0918	70280-0928	A-70280-0928	70280-0938	A-70280-0938	70280-0948	A-70280-0948							100

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

MM/IN

SCALE

1:1

GENERAL TOLERANCES
(UNLESS SPECIFIED)

	MM	INCH
4 PLACES	±	±
3 PLACES	±	± 0.005
2 PLACES	± 0.13	± 0.01
1 PLACE	± 0.25	±
0 PLACES	±	±
ANGULAR TOL	± 0.5 °	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		

CURRENT REV DESC: MIGRATED TO ECTR

EC NO: 604937

DRWN: GSHARMA

CHK'D: ISHWARG

APPR: ISHWARG

2018/09/21

2018/10/04

2018/10/04

INITIAL REVISION:

DRWN: SMR

APPR: SMR

04/19/1993

04/19/1993

SALES ASSY-HIGH TEMP.
DUAL ROW WAFER W/BREAK- OFF OPT. .025 SQ
PINS

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER

SDA-70280-0001-4000

DOC TYPE

PSD

DOC PART

001

REVISION

H

MATERIAL NUMBER

SEE TABLE

CUSTOMER

GENERAL MARKET

SHEET NUMBER

7 OF 9

THIRD ANGLE PROJECTION

DRAWING

C-SIZE

SERIES

70280

12

11

10

9

8

7

6

5

4

3

2

1

DOCUMENT STATUS

P1

RELEASE DATE

2018/10/04

09:58:28

FORMATT: Eng-High-Master-to-print-C

REVISION: D

DATE: 2018/10/18

12

11

10

9

8

7

6

5

4

3

2

1

[illegible]

	13	12	11	10	9	8	7	6	5	4	3	2	1																																																										
J	ENGINEERING NUMBER A-70280-	RELEASE FOR MANUFACTURE			E REF.		J REF.	C (0.25) ±.010			CONNECTOR END PLATING			P.C. BOARD END PLATING			FOR PACKAGING INFORMATION, SEE NOTE 4, SHEET 1 (UNLESS OTHERWISE SPECIFIED BELOW)	J																																																					
										TYPE	D MEAS.		TYPE	F MEAS.																																																									
	-0899/-0908	R.F.M.			(4.45) .175		(12.83) .505	(6.10) .240			30 GOLD	(2.54) .100		TIN	(1.27) .050																																																								
	-0909/-0918	R.F.M.			(4.70) .185		(15.11) .595	(8.13) .320			TIN	(4.57) .180		TIN	(1.27) .050																																																								
I	-0919/-0928	R.F.M.			(4.70) .185		(15.11) .595	(8.13) .320			15 GOLD	(4.57) .180		TIN	(1.27) .050		I																																																						
	-0929/-0938	R.F.M.			(4.70) .185		(15.11) .595	(8.13) .320			30 GOLD	(4.57) .180		TIN	(1.27) .050																																																								
	-0939/-0948	R.F.M.			(5.08) .200		(13.21) .520	(5.84) .230			TIN	(2.54) .100		TIN	(1.27) .050																																																								
H																	H																																																						
G																	G																																																						
	CKTS	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	EDP NUMBER	ENG NUMBER	CKTS																																																							
	82	70280-0899	A-70280-0899	70280-0909	A-70280-0909	70280-0919	A-70280-0919	70280-0929	A-70280-0929	70280-0939	A-70280-0939					82																																																							
	84	70280-0900	A-70280-0900	70280-0910	A-70280-0910	70280-0920	A-70280-0920	70280-0930	A-70280-0930	70280-0940	A-70280-0940					84																																																							
	86	70280-0901	A-70280-0901	70280-0911	A-70280-0911	70280-0921	A-70280-0921	70280-0931	A-70280-0931	70280-0941	A-70280-0941					86																																																							
	88	70280-0902	A-70280-0902	70280-0912	A-70280-0912	70280-0922	A-70280-0922	70280-0932	A-70280-0932	70280-0942	A-70280-0942					88																																																							
	90	70280-0903	A-70280-0903	70280-0913	A-70280-0913	70280-0923	A-70280-0923	70280-0933	A-70280-0933	70280-0943	A-70280-0943					90																																																							
F	92	70280-0904	A-70280-0904	70280-0914	A-70280-0914	70280-0924	A-70280-0924	70280-0934	A-70280-0934	70280-0944	A-70280-0944					92																																																							
	94	70280-0905	A-70280-0905	70280-0915	A-70280-0915	70280-0925	A-70280-0925	70280-0935	A-70280-0935	70280-0945	A-70280-0945					94																																																							
	96	70280-0906	A-70280-0906	70280-0916	A-70280-0916	70280-0926	A-70280-0926	70280-0936	A-70280-0936	70280-0946	A-70280-0946					96																																																							
	98	70280-0907	A-70280-0907	70280-0917	A-70280-0917	70280-0927	A-70280-0927	70280-0937	A-70280-0937	70280-0947	A-70280-0947					98																																																							
	100	70280-0908	A-70280-0908	70280-0918	A-70280-0918	70280-0928	A-70280-0928	70280-0938	A-70280-0938	70280-0948	A-70280-0948					100																																																							
E																	E																																																						
D																	D																																																						
C																	C																																																						
B																	B																																																						
A																	A																																																						
<table><tr><td rowspan="5">UPDATE DIMENSIONS EC NO: UCP2007-1440 DRAWN: PRIJODDER 2006/12/18 CHKD: ADEBR 2006/12/18 APPR: F.S.M.T.H 2007/01/10 REV G3</td><td rowspan="5">QUALITY SYMBOLS ▽=0 ▽=0</td><td colspan="3">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM/IN</td><td>SCALE ---</td><td>DESIGN UNITS INCH</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td><td>DRAWN BY DMORGAN</td><td>DATE 04/12/16</td><td colspan="4" rowspan="4">TITLE SALES ASSY-HIGH TEMP. DUAL ROW WAFER W/BREAK- OFF OPTION, .025 SQ PINS MOLEX INCORPORATED</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± ---</td><td>CHECKED BY BBARER</td><td>DATE 04/12/16</td></tr><tr><td>2 PLACES</td><td>± ---</td><td>± ---</td><td>APPROVED BY SMILLER</td><td>DATE 04/12/16</td></tr><tr><td>1 PLACE</td><td>± ---</td><td>± ---</td><td colspan="2">MATERIAL NO. SEE CHART</td><td>DOCUMENT NO. SDA-70280-0001-4000</td><td>SHEET NO. 7 OF 8</td></tr><tr><td colspan="3">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td>SIZE C</td><td colspan="13">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>																		UPDATE DIMENSIONS EC NO: UCP2007-1440 DRAWN: PRIJODDER 2006/12/18 CHKD: ADEBR 2006/12/18 APPR: F.S.M.T.H 2007/01/10 REV G3	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM/IN		SCALE ---	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		4 PLACES	± ---	± ---	DRAWN BY DMORGAN	DATE 04/12/16	TITLE SALES ASSY-HIGH TEMP. DUAL ROW WAFER W/BREAK- OFF OPTION, .025 SQ PINS MOLEX INCORPORATED				3 PLACES	± ---	± ---	CHECKED BY BBARER	DATE 04/12/16	2 PLACES	± ---	± ---	APPROVED BY SMILLER	DATE 04/12/16	1 PLACE	± ---	± ---	MATERIAL NO. SEE CHART		DOCUMENT NO. SDA-70280-0001-4000	SHEET NO. 7 OF 8	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE C	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
UPDATE DIMENSIONS EC NO: UCP2007-1440 DRAWN: PRIJODDER 2006/12/18 CHKD: ADEBR 2006/12/18 APPR: F.S.M.T.H 2007/01/10 REV G3	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM/IN		SCALE ---	DESIGN UNITS INCH	THIRD ANGLE PROJECTION																																																														
		4 PLACES	± ---	± ---	DRAWN BY DMORGAN	DATE 04/12/16	TITLE SALES ASSY-HIGH TEMP. DUAL ROW WAFER W/BREAK- OFF OPTION, .025 SQ PINS MOLEX INCORPORATED																																																																
		3 PLACES	± ---	± ---	CHECKED BY BBARER	DATE 04/12/16																																																																	
		2 PLACES	± ---	± ---	APPROVED BY SMILLER	DATE 04/12/16																																																																	
		1 PLACE	± ---	± ---	MATERIAL NO. SEE CHART						DOCUMENT NO. SDA-70280-0001-4000	SHEET NO. 7 OF 8																																																											
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE C	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																			
tb_frame_C_P_ME_T Rev. E 2006/04/15	12	11	10	9	8	7	6	5	4	3	2	1																																																											