



NOTES

1. 製品詳細寸法については図面 **512811000-SD** を参照下さい。
RE DETAILED DIMENSION, SEE **512811000-SD**
2. 梱包数量：3000個／リール
NUMBER OF CONNECTORS：3000PCS／REEL
3. リードテープ長さ LEAD TAPE LENGTH




4. トップテープの剥離強度：0.1N～1.3N {10gf～130gf}
(剥離方向は下図参照)


尚、本規格値は出荷時に適用。(但し、輸送時に剥離が発生しないこと。)
PEELING OFF FORCE OF TOP TAPE：0.1N～1.3N {10gf～130gf}
(PEELING DIRECTION AS SHOWN IN FOLLOWING FIG.)
THIS REQUIREMENT SHOULD BE APPLIED AT SHIPMENT.
PEEL OFF SHOULD NOT BE ALLOWED ,DURING TRANSPORTATION.




5. 材料 (MATERIAL)
キャリアテープ (CARRIER TAPE)：ポリプロピレン (POLYPROPYLENE)
トップテープ (TOPTAPE)：PET , PE , PEF
リール (REEL)：ポリスチレン (PS) <リサイクル材含む>
POLYSTYREN (PS) <RECYCLE MATERIAL CONTAINED>
6. C,D 寸法は SHEET 2 ～ 3 を参照下さい。
SEE SHEET 2 ～ 3 (DIMENSION C,D).



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex					
mm		NTS											
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 708402 DRWN: NARENC 2022/05/27 CHK'D: SMARUYAMA 2022/05/30 APPR: YNAITO 2022/05/30				0.5 FPC CONN NON-ZIF (HGT=1.2MM) EMBSTP PKG					
ANGULAR TOL ± 3.0 °								PRODUCT CUSTOMER DRAWING					
4 PLACES		± 0.2						INITIAL REVISION: DRWN: NARENC 2022/05/16 APPR: YNAITO 2022/05/30				DOCUMENT NUMBER	
3 PLACES		± 0.2										512810000-SD	
2 PLACES		± 0.2		THIRD ANGLE PROJECTION				DOC TYPE					
1 PLACE		± 0.2						PSD					
0 PLACES		± 0.2		DRAWING				DOC PART					
								000					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER			
				A3-SIZE		51281		SEE SHEET 2 TO 4		GENERAL MARKET			
										1 OF 4			



24	29.4	25.4	12.3	14.3	51281-2498	24
			11.3	13.3	51281-2298	22
			10.3	12.3	51281-2098	20
			9.3	11.3	51281-1898	18
			8.3	10.3	51281-1698	16
			7.3	9.3	51281-1498	14
			6.3	8.3	51281-1298	12
			5.8	7.8	51281-1198	11
			5.3	7.3	51281-1098	10
			4.8	6.8	51281-0998	9
キャリアテープ幅 CARRIER TAPE WIDTH	D	C	(B)	(A)	製品番号 MATERIAL No.	極数 CIRCUIT

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC:		molex									
mm		NTS													
GENERAL TOLERANCES (UNLESS SPECIFIED)						0.5 FPC CONN NON-ZIF (HGT=1.2MM) EMBSTP PKG									
ANGULAR TOL ± 3.0 °															
EC NO: 708402															
4 PLACES		± 0.2		DRWN: NARENC		2022/05/27		PRODUCT CUSTOMER DRAWING							
3 PLACES		± 0.2		CHK'D: SMARUYAMA		2022/05/30									
2 PLACES		± 0.2		APPR: YNAITO		2022/05/30									
1 PLACE		± 0.2		INITIAL REVISION:				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION			
0 PLACES		± 0.2		DRWN: NARENC		2022/05/16		512810000-SD		PSD	000	A			
				APPR: YNAITO		2022/05/30									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A3-SIZE		51281		SEE TABLE		GENERAL MARKET		3 OF 4	

F

F

E

E

D

D

C


C

B

B


A






A




32mm幅キャリアテープ
32mm WIDTH CARRIER TAPE

32	37.4	33.4	13.3	15.3	51281-2698	26
キャリアテープ幅 CARRIER TAPE WIDTH	D	C	(B)	(A)	製品番号 MATERIAL No.	極数 CIRCUIT

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS		SCALE		CURRENT REV DESC:		molex							
mm		NTS											
GENERAL TOLERANCES (UNLESS SPECIFIED)				0.5 FPC CONN NON-ZIF (HGT=1.2MM) EMBSTP PKG									
ANGULAR TOL ± 3.0 °													
4 PLACES		± 0.2		EC NO: 708402		PRODUCT CUSTOMER DRAWING							
3 PLACES		± 0.2		DRWN: NARENC 2022/05/27									
2 PLACES		± 0.2		CHK'D: SMARUYAMA 2022/05/30									
1 PLACE		± 0.2		APPR: YNAITO 2022/05/30		DOCUMENT NUMBER							
0 PLACES		± 0.2		INITIAL REVISION:						512810000-SD		DOC TYPE	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				DRWN: NARENC 2022/05/16									
				APPR: YNAITO 2022/05/30		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER			
				THIRD ANGLE PROJECTION									
				DRAWING		A3-SIZE		SEE TABLE		GENERAL MARKET		4 OF 4	
				SERIES									
				51281									



ISO VIEW (参考)



13.5	12.5	15.1	51281-2698	26
12.5	11.5	14.1	51281-2498	24
11.5	10.5	13.1	51281-2298	22
10.5	9.5	12.1	51281-2098	20
9.5	8.5	11.1	51281-1898	18
8.5	7.5	10.1	51281-1698	16
7.5	6.5	9.1	51281-1498	14
6.5	5.5	8.1	51281-1298	12
6.0	5.0	7.6	51281-1198	11
5.5	4.5	7.1	51281-1098	10
5.0	4.0	6.6	51281-0998	9
4.5	3.5	6.1	51281-0898	8
4.0	3.0	5.6	51281-0798	7
3.5	2.5	5.1	51281-0698	6
3.0	2.0	4.6	51281-0598	5
C	B	A	EMBOSSED TAPE	CIRCUIT
			ORDER No. オーダー番号	
CONNECTOR SERIES NO. : 51281-**48				

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex 0.5 FPC CONN NON-ZIF HSG ASSY (HGT=1.2MM) PRODUCT CUSTOMER DRAWING					
mm		NTS											
GENERAL TOLERANCES (UNLESS SPECIFIED)													
ANGULAR TOL		± 3.0 °											
4 PLACES		± 0.2											
3 PLACES		± 0.2		EC NO: 708402		2022/05/27							
2 PLACES		± 0.2		DRWN: NARENC		2022/05/30							
1 PLACE		± 0.2		CHK'D: SMARUYAMA		2022/05/30							
0 PLACES		± 0.2		APPR: YNAITO		2022/05/30							
INITIAL REVISION:				DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION			
DRWN: NARENC				512811000-SD		PSD		000		A			
APPR: YNAITO				2022/05/17		2022/05/30							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
				A3-SIZE		51281		SEE TABLE		GENERAL MARKET		1 OF 2	

