

Note: This datasheet may be out of date. Please download the latest datasheet of GRM155R60J106ME15# from the official website of Murata

http://www.murata.com/en-us/products/productdetail?partno=GRM155R60J106ME15%23

"#" indicates a package specification code.







GRM155R60J106ME15#










mobile devices

< List of part numbers with package codes > GRM155R60J106ME15D GRM155R60J106ME15J



Appearance & Shape







Manufacturing Co., Ltd.

References

Packaging	Specifications	Standard
		Packing
		Quantity
D	180mm Paper Tape	10000
J	330mm Paper Tape	40000

Mass (typ.)		
1 piece	2.5mg	
φ180mm Reel	135g	



Notices

Derating1. Only for mobile devices

1 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





GRM155R60J106ME15#

Note: This datasheet may be out of date. $Please\ download\ the\ latest\ data sheet\ of\ GRM155R60J106ME15\#\ from\ the\ official\ website\ of\ Murata$ Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=GRM155R60J106ME15%23

"#" indicates a package specification code.



Specifications

Length	1.0±0.15mm
Width	0.5±0.15mm
Thickness	0.5±0.15mm
Capacitance	10μF ±20%
Distance between external terminals g	0.3mm min.
External terminal size e	0.15 to 0.35mm
Operating Temperature Range	-55°C to 85°C
Rated Voltage	6.3Vdc
Size code in inch(mm)	0402 (1005M)
Capacitance change rate	±15.0%
Temperature characteristics (complied standard)	X5R(EIA)
Temperature range of temperature characteristics	-55°C to 85°C

2 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Product Search Data Sheet

Note: This datasheet may be out of date. Please download the latest datasheet of GRM155R60J106ME15# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=GRM155R60J106ME15%23


"#" indicates a package specification code.


GRM155R60J106ME15#





Characteristic Data

The charts below may show another part number which shares its characteristics.









3 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering






GRM155R60J106ME15#

Note: This datasheet may be out of date.


Please download the latest datasheet of GRM155R60J106ME15# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=GRM155R60J106ME15%23

"#" indicates a package specification code.



GRM155R60J106ME15 C-Temp. capchange, DCO.OV,



4 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

