






ITEM	DESCRIPTION
1	31mm M3 SCREW WITH GASKET
2	TYPE B COVER
3	PCB
4	TYPE B ISO INSERT
5	TYPE B GASKET
6	GROMMET
7	EXTERNAL NUT

S92200NC410T**

SERIES _____
S92= EXTERNAL THREAD FORM B ISO
POLES _____
2= 2 POLE
THREAD _____
00 = EXTERNAL THREAD
MATERIAL AND HOUSING COLOR _____
G= PA6 GRAY, N= PA6 BLACK, W= PA6 BLACK V0,
B= WHITE, T= TRANSPARENT
CIRCUIT _____
SEE DETAILS IN CATALOGUE
VOLTAGE _____
SEE DETAILS IN CATALOGUE
GROUND POSITION _____
0= UNMOUNTED, 2= H12 & 6 =H6
SCREW AND GASKET _____
T= NBR PROFILE GASKET AND IP67 SCREW
U= SILICON PROFILE GASKET AND IP67 SCREW
NON STANDARD PACKAGING _____
CN= BULK PACK UN-MOUNTED
SN= BULK PACK MOUNTED
67= NEUTRAL PACKAGING
SA= UL LISTED

NOTES:

1. FOR SPECIFIC PART NUMBERS PLEASE CONTACT SALES OR CONSULT THE INTELLIGENT PART NUMBERS IN THE TABLE ATTACHED
2. PACKAGING SPECIFICATION: PLEASE SEE PK-121201-001
3. PRODUCT SPECIFICATION: PLEASE SEE PS-121201-001
4. CABLE SIZES 4 - 9 MM DIAMETER
5. TIGHTENING TORQUES: SEE PS-121201-001
6. GROUND POSITION SHOWN H12

LAST INSPECTION NUMBER 8

ADDED P/N EC NO: IPG2013-0747 2012/11/16 DRAWN: JDSHEA CHKD: SMC GREVY 2012/11/21 APPR: STURGEON 2012/11/29	DESCRIPTION REV	QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION				
		▽=0				DRAWN BY DCARTON		DATE 2010/07/21	TITLE EXTERNAL THREAD S92 SERIES 121209					
		▽=0				CHECKED BY		DATE						
				4 PLACES ± ---		INCH		DMAHER		2010/07/21				
				3 PLACES ± ---										
				2 PLACES ± 0.1										
				1 PLACE ± 0.2				APPROVED BY		DATE				
				ANGULAR ± ---°				EFOLAN		2010/08/09	molex MOLEX INCORPORATED			
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				MATERIAL NO.		DOCUMENT NO.		SHEET NO.		
								SEE TABLES		SD-121209-001		1 OF 6		
						SIZE A2		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212090116	S92200TC410TCN	TYPE B ISO TRANSPARENT	C4	12v	RED LED
1212090117	S92200TC420TCN	TYPE B ISO TRANSPARENT	C4	24v	RED LED
1212090118	S92200TC430TCN	TYPE B ISO TRANSPARENT	C4	48v	RED LED
1212090119	S92200TC440TCN	TYPE B ISO TRANSPARENT	C4	115v	RED LED
1212090120	S92200TC450TCN	TYPE B ISO TRANSPARENT	C4	230v	RED LED
1212090121	S92200TC4A0TCN	TYPE B ISO TRANSPARENT	C4	12v	GREEN LED
1212090122	S92200TC4B0TCN	TYPE B ISO TRANSPARENT	C4	24v	GREEN LED
1212090123	S92200TC4C0TCN	TYPE B ISO TRANSPARENT	C4	48v	GREEN LED
1212090124	S92200TC4D0TCN	TYPE B ISO TRANSPARENT	C4	115v	GREEN LED
1212090125	S92200TC4E0TCN	TYPE B ISO TRANSPARENT	C4	230v	GREEN LED
1212090126	S92200TC4G0TCN	TYPE B ISO TRANSPARENT	C4	12v	AMBER LED
1212090127	S92200TC4H0TCN	TYPE B ISO TRANSPARENT	C4	24v	AMBER LED
1212090128	S92200TC4K0TCN	TYPE B ISO TRANSPARENT	C4	48v	AMBER LED
1212090129	S92200TC4L0TCN	TYPE B ISO TRANSPARENT	C4	115v	AMBER LED
1212090130	S92200TC4M0TCN	TYPE B ISO TRANSPARENT	C4	230v	AMBER LED

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212090131	S92200TD010TCN	TYPE B ISO TRANSPARENT	D0	12v	VDR
1212090132	S92200TD020TCN	TYPE B ISO TRANSPARENT	D0	24v	VDR
1212090133	S92200TD030TCN	TYPE B ISO TRANSPARENT	D0	48v	VDR
1212090134	S92200TD040TCN	TYPE B ISO TRANSPARENT	D0	115v	VDR
1212090135	S92200TD050TCN	TYPE B ISO TRANSPARENT	D0	230v	VDR

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212090140	S92200NE050TCN	TYPE B ISO BLACK	E0	230v	DIODE

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212090141	S92200TS010TCN	TYPE B ISO TRANSPARENT	S0	12v	RED LED
1212090142	S92200TS020TCN	TYPE B ISO TRANSPARENT	S0	24v	RED LED
1212090143	S92200TS030TCN	TYPE B ISO TRANSPARENT	S0	48v	RED LED
1212090144	S92200TS040TCN	TYPE B ISO TRANSPARENT	S0	115v	RED LED
1212090145	S92200TS050TCN	TYPE B ISO TRANSPARENT	S0	230v	RED LED
1212090146	S92200TS0A0TCN	TYPE B ISO TRANSPARENT	S0	12v	GREEN LED
1212090147	S92200TS0B0TCN	TYPE B ISO TRANSPARENT	S0	24v	GREEN LED
1212090148	S92200TS0C0TCN	TYPE B ISO TRANSPARENT	S0	48v	GREEN LED
1212090149	S92200TS0D0TCN	TYPE B ISO TRANSPARENT	S0	115v	GREEN LED
1212090150	S92200TS0E0TCN	TYPE B ISO TRANSPARENT	S0	230v	GREEN LED
1212090151	S92200TS0G0TCN	TYPE B ISO TRANSPARENT	S0	12v	AMBER LED
1212090152	S92200TS0H0TCN	TYPE B ISO TRANSPARENT	S0	24v	AMBER LED
1212090153	S92200TS0K0TCN	TYPE B ISO TRANSPARENT	S0	48v	AMBER LED
1212090154	S92200TS0L0TCN	TYPE B ISO TRANSPARENT	S0	115v	AMBER LED
1212090155	S92200TS0M0TCN	TYPE B ISO TRANSPARENT	S0	230v	AMBER LED

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212090156	S92200NS110TCN	TYPE B ISO BLACK	S1	12v	NO LED
1212090157	S92200NS120TCN	TYPE B ISO BLACK	S1	24v	NO LED
1212090158	S92200NS130TCN	TYPE B ISO BLACK	S1	48v	NO LED
1212090159	S92200NS140TCN	TYPE B ISO BLACK	S1	115v	NO LED
1212090160	S92200NS150TCN	TYPE B ISO BLACK	S1	230v	NO LED

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212090161	S92200TA012TSN	TYPE B ISO TRANSPARENT	A0	12v	LAMP/NEON
1212090162	S92200TA022TSN	TYPE B ISO TRANSPARENT	A0	24v	LAMP/NEON
1212090163	S92200TA032TSN	TYPE B ISO TRANSPARENT	A0	48v	LAMP/NEON
1212090164	S92200TA042TSN	TYPE B ISO TRANSPARENT	A0	115v	LAMP/NEON
1212090165	S92200TA052TSN	TYPE B ISO TRANSPARENT	A0	230v	LAMP/NEON

SEE SHEET 1

EC NO: IPG2013-0717

DRWN:JSHEA 2012/11/16

CHKD:SMCGREY 2012/11/21

APPR:STGERIEFIN 2012/11/29

DESCRIPTION

REV

QUALITY SYMBOLS

▽=0

▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

mm

INCH

4 PLACES ± --- ± ---

3 PLACES ± --- ± ---

2 PLACES ± 0.1 ± ---

1 PLACE ± 0.2 ± ---

ANGULAR ± ---°

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE

MM ONLY

DRAWN BY

DATE

CARTON

2010/07/21

CHECKED BY

DATE

MAHER

2010/07/21

APPROVED BY

DATE

EFOLAN

2010/08/09

MATERIAL NO.

SD-121209-001

SCALE

1:1

DESIGN UNITS

METRIC

FIRST ANGLE
PROJECTION

EXTERNAL THREAD S92
SERIES 121209

MOLEX

MOLEX INCORPORATED

DOCUMENT NO.

SD-121209-001

SHEET NO.

4 OF 6

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX
INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212090221	S92200TS012TSN	TYPE B ISO TRANSPARENT	S0	12v	RED LED
1212090222	S92200TS022TSN	TYPE B ISO TRANSPARENT	S0	24v	RED LED
1212090223	S92200TS032TSN	TYPE B ISO TRANSPARENT	S0	48v	RED LED
1212090224	S92200TS042TSN	TYPE B ISO TRANSPARENT	S0	115v	RED LED
1212090225	S92200TS052TSN	TYPE B ISO TRANSPARENT	S0	230v	RED LED
1212090226	S92200TS0A2TSN	TYPE B ISO TRANSPARENT	S0	12v	GREEN LED
1212090227	S92200TS0B2TSN	TYPE B ISO TRANSPARENT	S0	24v	GREEN LED
1212090228	S92200TS0C2TSN	TYPE B ISO TRANSPARENT	S0	48v	GREEN LED
1212090229	S92200TS0D2TSN	TYPE B ISO TRANSPARENT	S0	115v	GREEN LED
1212090230	S92200TS0E2TSN	TYPE B ISO TRANSPARENT	S0	230v	GREEN LED
1212090231	S92200TS0G2TSN	TYPE B ISO TRANSPARENT	S0	12v	AMBER LED
1212090232	S92200TS0H2TSN	TYPE B ISO TRANSPARENT	S0	24v	AMBER LED
1212090233	S92200TS0K2TSN	TYPE B ISO TRANSPARENT	S0	48v	AMBER LED
1212090234	S92200TS0L2TSN	TYPE B ISO TRANSPARENT	S0	115v	AMBER LED
1212090235	S92200TS0M2TSN	TYPE B ISO TRANSPARENT	S0	230v	AMBER LED

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212090236	S92200NS112TSN	TYPE B ISO BLACK	S1	12v	NO LED
1212090237	S92200NS122TSN	TYPE B ISO BLACK	S1	24v	NO LED
1212090238	S92200NS132TSN	TYPE B ISO BLACK	S1	48v	NO LED
1212090239	S92200NS142TSN	TYPE B ISO BLACK	S1	115v	NO LED
1212090240	S92200NS152TSN	TYPE B ISO BLACK	S1	230v	NO LED

SEE SHEET 1

EC NO: IPG2013-0717

DRW:JASHEA 2012/11/16

CHKD:SMCGREY 2012/11/21

APPR:STGERIEFIN 2012/11/29

DESCRIPTION

REV

QUALITY SYMBOLS

▽=0

▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

mm

INCH

4 PLACES ± --- ± ---

3 PLACES ± --- ± ---

2 PLACES ± 0.1 ± ---

1 PLACE ± 0.2 ± ---

ANGULAR ± ---°

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE

MM ONLY

DRAWN BY

DATE

CHECKED BY

DATE

APPROVED BY

DATE

MATERIAL NO.

SD-121209-001

SCALE

1:1

DESIGN UNITS

METRIC

FIRST ANGLE PROJECTION

TITLE

EXTERNAL THREAD S92
SERIES 121209

molex

MOLEX INCORPORATED

DOCUMENT NO.

SD-121209-001

SHEET NO.

6 OF 6

SIZE

A2

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX
INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION