

MATERIALS AND FINISHES






SMB (73404-3290): SEE SD-73404-329

SHROUD: SPS/PA66
COLOR SEE SHEET 2

END CAP, ISL CLIP SLOT: SPS/PA66
COLOR BLACK

CABLE SEAL: A2900 SILICONE RUBBER
30 DUROMETER, COLOR BROWN


CRIMP TUBE: COPPER
PLATED TIN (100μ-in MIN) OVER
NICKEL (100μ-in MIN)




FAKRA JACK SHROUD
(CODE E SHOWN)

CABLE SEAL


END CAP




SMB JACK SUB-ASSEMBLY





CRIMP TUBE



CONTACT
(SHOWN LOOSE
COMES T&R)







ISL 7mm
CLIP SLOT




9.05 REF
[.356]
2 PLS.


ISL NO
CLIP SLOT



ISL NO
CLIP SLOT




ISL 7mm CLIP SLOT




SEE SHEET 2 FOR SHROUD COLORS & KEYS
SEE SHEET 3-4 FOR ORDERING SCHEME


AS-89675-506		ASSEMBLY INSTRUCTIONS	
SPECIFICATION		DESCRIPTION	
RELEASE STATUS	P1	RELEASE DATE	21.09.2017 20:44:23

QUALITY SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
 = 0		MIGRATED	2017/09/07	2017/09/21	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION UNITS		SCALE							
 = 0								METRIC		NTS							
 = 0								MM	INCH	DRWN BY		DATE		FAKRA JACK SEALED RG58 7 MM CLIP SLOT FAKRA-JC, EWR-10016			
 = 0					4 PLACES			±	±	LMEIER		2016/05/16					
 = 0					3 PLACES			±	± 0.005	CHK'D BY		DATE					
 = 0					2 PLACES			± 0.13	± 0.01	SSS		2016/05/16					
 = 0					1 PLACES			± 0.25	±	APPR BY		DATE					
 = 0					0 PLACES			±	±	AROBERTSON		2016/07/12		PRODUCT CUSTOMER DRAWING			
 = 0								ANGULAR TOL ± 2.0			DRAWING SIZE		THIRD ANGLE PROJECTION				
 = 0					EC NO: 122054	DRWN: BSHAH	CHKD: AROBERTSON	APPR: AROBERTSON	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					SERIES		MATERIAL NUMBER	
= 0		C	REV		73403		SEE SHT'S 3 & 4										
= 0									DOCUMENT NUMBER		DOC TYPE		DOC PART		SHEET NUMBER		
									SD-73403-105		PSD		001		1 OF 4		


[illegible]




SHROUD




SMB SUB-ASSEMBLY




CONTACT
(SHOWN LOOSE
COMES ON T&R)




CRIMP TUBE



CABLE SEAL



END CAP



ISL 7mm CLIP SLOT


NOTES:

1. ITEM 2 TO BE TRAY PACKED.
2. ALL ITEMS MAY BE BAGGED INDIVIDUALLY TOGETHER WHEN SOLD AS 73403-1XXX ASSEMBLY NUMBER.
3. ITEMS 1/3/4/5/6/7 MAY BE INDIVIDUALLY BULK PACKED. BULK PACKAGE QUANTITIES MUST NOT INDUCE ANY DAMAGE TO PARTS.


73403-1063	N	PASTEL GREEN	89558-9203	73404-3290	89556-2511	89558-7992	89558-9230	89558-9210	89558-8140
73403-1062	M	PASTEL ORANGE	89558-9202	73404-3290	89556-2511	89558-7992	89558-9230	89558-9210	89558-8140
73403-1061	L	CARMINE RED	89558-9201	73404-3290	89556-2511	89558-7992	89558-9230	89558-9210	89558-8140
73403-1060	Z	WATER BLUE	89558-9200	73404-3290	89556-2511	89558-7992	89558-9230	89558-9210	89558-8140
73403-1059	K	CURRY YELLOW	89558-9199	73404-3290	89556-2511	89558-7992	89558-9230	89558-9210	89558-8140
73403-1058	I	BEIGE	89558-9198	73404-3290	89556-2511	89558-7992	89558-9230	89558-9210	89558-8140
73403-1057	H	VIOLET	89558-9197	73404-3290	89556-2511	89558-7992	89558-9230	89558-9210	89558-8140
73403-1056	G	GRAY	89558-9196	73404-3290	89556-2511	89558-7992	89558-9230	89558-9210	89558-8140
73403-1055	F	BROWN	89558-9195	73404-3290	89556-2511	89558-7992	89558-9230	89558-9210	89558-8140
73403-1054	E	GREEN	89558-9194	73404-3290	89556-2511	89558-7992	89558-9230	89558-9210	89558-8140
73403-1053	D	BORDEAUX VIOLET	89558-9193	73404-3290	89556-2511	89558-7992	89558-9230	89558-9210	89558-8140
73403-1052	C	BLUE	89558-9192	73404-3290	89556-2511	89558-7992	89558-9230	89558-9210	89558-8140
73403-1051	B	CREAM WHITE	89558-9191	73404-3290	89556-2511	89558-7992	89558-9230	89558-9210	89558-8140
73403-1050	A	BLACK	89558-9190	73404-3290	89556-2511	89558-7992	89558-9230	89558-9210	89558-8140
PART NO.	KEY CODE	COLOR	ITEM NO. 1	ITEM NO. 2	ITEM NO. 3	ITEM NO. 4	ITEM NO. 5	ITEM NO. 6	ITEM NO. 7
			SHROUD	SMB SUB-ASSY	CONTACT (T&R)	CRIMP TUBE	CABLE SEAL	END CAP	ISL 7mm CS

					THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																													
<table><tr><td>QUALITY SYMBOLS</td></tr><tr><td> = 0</td></tr><tr><td> = 0</td></tr><tr><td> = 0</td></tr><tr><td> = 0</td></tr><tr><td> = 0</td></tr><tr><td> = 0</td></tr><tr><td> = 0</td></tr><tr><td> = 0</td></tr></table>					QUALITY SYMBOLS	= 0	= 0	= 0	= 0	= 0	= 0	= 0	= 0	<table><tr><td colspan="3">GENERAL TOLERANCES (UNLESS SPECIFIED)</td></tr><tr><td></td><td>MM</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>±</td><td>±</td></tr><tr><td>3 PLACES</td><td>±</td><td>± 0.005</td></tr><tr><td>2 PLACES</td><td>± 0.13</td><td>± 0.01</td></tr><tr><td>1 PLACES</td><td>± 0.25</td><td>±</td></tr><tr><td>0 PLACES</td><td>±</td><td>±</td></tr><tr><td colspan="3">ANGULAR TOL ± 2.0</td></tr><tr><td colspan="3">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td></tr></table>		GENERAL TOLERANCES (UNLESS SPECIFIED)				MM	INCH	4 PLACES	±	±	3 PLACES	±	± 0.005	2 PLACES	± 0.13	± 0.01	1 PLACES	± 0.25	±	0 PLACES	±	±	ANGULAR TOL ± 2.0			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			DIMENSION UNITS		SCALE					
					QUALITY SYMBOLS																																													
					= 0																																													
					= 0																																													
					= 0																																													
					= 0																																													
					= 0																																													
					= 0																																													
					= 0																																													
					= 0																																													
GENERAL TOLERANCES (UNLESS SPECIFIED)																																																		
	MM	INCH																																																
4 PLACES	±	±																																																
3 PLACES	±	± 0.005																																																
2 PLACES	± 0.13	± 0.01																																																
1 PLACES	± 0.25	±																																																
0 PLACES	±	±																																																
ANGULAR TOL ± 2.0																																																		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																																																		
METRIC		NTS																																																
DRWN BY		DATE		FAKRA JACK SEALED RG58 7 MM CLIP SLOT FAKRA-JC, EWR-10016																																														
LMEIER		2016/05/16																																																
CHK'D BY		DATE		PRODUCT CUSTOMER DRAWING																																														
SSS		2016/05/16																																																
APPR BY		DATE		SERIES 73403																																														
AROERTSON		2016/07/12																																																
DRAWING SIZE		THIRD ANGLE PROJECTION		MATERIAL NUMBER SEE TABLE		CUSTOMER																																												
C																																																		
DOCUMENT NUMBER SD-73403-105		DOC TYPE PSD		DOC PART 001		SHEET NUMBER 3 OF 4																																												


RELEASE STATUS	P1	RELEASE DATE	21.09.2017	20:44:23
----------------	----	--------------	------------	----------




SHROUD




SMB SUB-ASSEMBLY




CONTACT
(SHOWN LOOSE
COMES ON T&R)




CRIMP TUBE



CABLE SEAL



END CAP



ISL NO CLIP SLOT

NOTES:

1. ITEM 2 TO BE TRAY PACKED.
2. ALL ITEMS MAY BE BAGGED INDIVIDUALLY TOGETHER WHEN SOLD AS 73403-1XXX ASSEMBLY NUMBER.
3. ITEMS 1/3/4/5/6/7 MAY BE INDIVIDUALLY BULK PACKED. BULK PACKAGE QUANTITIES MUST NOT INDUCE ANY DAMAGE TO PARTS.

73403-1123	N	PASTEL GREEN	89558-9203	73404-3290	89556-2511	89558-7992	89558-9230	89558-9210	89558-8150
73403-1122	M	PASTEL ORANGE	89558-9202	73404-3290	89556-2511	89558-7992	89558-9230	89558-9210	89558-8150
73403-1121	L	CARMINE RED	89558-9201	73404-3290	89556-2511	89558-7992	89558-9230	89558-9210	89558-8150
73403-1120	Z	WATER BLUE	89558-9200	73404-3290	89556-2511	89558-7992	89558-9230	89558-9210	89558-8150
73403-1119	K	CURRY YELLOW	89558-9199	73404-3290	89556-2511	89558-7992	89558-9230	89558-9210	89558-8150
73403-1118	I	BEIGE	89558-9198	73404-3290	89556-2511	89558-7992	89558-9230	89558-9210	89558-8150
73403-1117	H	VIOLET	89558-9197	73404-3290	89556-2511	89558-7992	89558-9230	89558-9210	89558-8150
73403-1116	G	GRAY	89558-9196	73404-3290	89556-2511	89558-7992	89558-9230	89558-9210	89558-8150
73403-1115	F	BROWN	89558-9195	73404-3290	89556-2511	89558-7992	89558-9230	89558-9210	89558-8150
73403-1114	E	GREEN	89558-9194	73404-3290	89556-2511	89558-7992	89558-9230	89558-9210	89558-8150
73403-1113	D	BORDEAUX VIOLET	89558-9193	73404-3290	89556-2511	89558-7992	89558-9230	89558-9210	89558-8150
73403-1112	C	BLUE	89558-9192	73404-3290	89556-2511	89558-7992	89558-9230	89558-9210	89558-8150
73403-1111	B	CREAM WHITE	89558-9191	73404-3290	89556-2511	89558-7992	89558-9230	89558-9210	89558-8150
73403-1110	A	BLACK	89558-9190	73404-3290	89556-2511	89558-7992	89558-9230	89558-9210	89558-8150
PART NO.	KEY CODE	COLOR	ITEM NO. 1	ITEM NO. 2	ITEM NO. 3	ITEM NO. 4	ITEM NO. 5	ITEM NO. 6	ITEM NO. 7
			SHROUD	SMB SUB-ASSY	CONTACT (T&R)	CRIMP TUBE	CABLE SEAL	END CAP	ISL NO CS

					THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																				
QUALITY SYMBOLS A = 0 E = 0 B = 0 = 0 C = 0 X = 0 = 0 = 0 MIGRATED EC NO: 122054 DRWN: BSHAH CHK'D: AROBERTSON APPR: AROBERTSON REV C 2017/09/07 2017/09/21 GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>MM</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>±</td><td>±</td></tr><tr><td>3 PLACES</td><td>±</td><td>± 0.005</td></tr><tr><td>2 PLACES</td><td>± 0.13</td><td>± 0.01</td></tr><tr><td>1 PLACES</td><td>± 0.25</td><td>±</td></tr><tr><td>0 PLACES</td><td>±</td><td>±</td></tr></table> DIMENSION UNITS METRIC SCALE NTS DRWN BY LMEIER DATE 2016/05/16 CHK'D BY SSS DATE 2016/05/16 APPR BY AROBERTSON DATE 2016/07/12 ANGULAR TOL ± 2.0 DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS DRAWING SIZE C THIRD ANGLE PROJECTION molex® FAKRA JACK SEALED RG58 7 MM CLIP SLOT FAKRA-JC, EWR-10016 PRODUCT CUSTOMER DRAWING <table><tr><td>SERIES</td><td>MATERIAL NUMBER</td><td>CUSTOMER</td></tr><tr><td>73403</td><td>SEE TABLE</td><td></td></tr></table> <table><tr><td>DOCUMENT NUMBER</td><td>DOC TYPE</td><td>DOC PART</td><td>SHEET NUMBER</td></tr><tr><td>SD-73403-105</td><td>PSD</td><td>001</td><td>4 OF 4</td></tr></table> <tr><td>RELEASE STATUS</td><td>P1</td><td>RELEASE DATE</td><td>21.09.2017</td><td>20:44:23</td></tr>						MM	INCH	4 PLACES	±	±	3 PLACES	±	± 0.005	2 PLACES	± 0.13	± 0.01	1 PLACES	± 0.25	±	0 PLACES	±	±	SERIES	MATERIAL NUMBER	CUSTOMER	73403	SEE TABLE		DOCUMENT NUMBER	DOC TYPE	DOC PART	SHEET NUMBER	SD-73403-105	PSD	001	4 OF 4	RELEASE STATUS	P1	RELEASE DATE	21.09.2017	20:44:23
						MM	INCH																																		
					4 PLACES	±	±																																		
					3 PLACES	±	± 0.005																																		
					2 PLACES	± 0.13	± 0.01																																		
					1 PLACES	± 0.25	±																																		
					0 PLACES	±	±																																		
					SERIES	MATERIAL NUMBER	CUSTOMER																																		
					73403	SEE TABLE																																			
					DOCUMENT NUMBER	DOC TYPE	DOC PART	SHEET NUMBER																																	
SD-73403-105	PSD	001	4 OF 4																																						
RELEASE STATUS	P1	RELEASE DATE	21.09.2017	20:44:23																																					