

# M12 D-cod 4-pol an/an m/m Rail 2.0m



Part number	09 48 808 0011 020
Specification	M12 D-cod 4-pol an/an m/m Rail 2.0m
HARTING eCatalogue	https://b2b.harting.com/09488080011020

Image is for illustration purposes only. Please refer to product description.

## Identification

Category	System cabling
Series	Circular connectors M12
Element	Cable assemblies
Specification	Pre-assembled on both sides
Connector 1	M12 D-coding Male Angled Overmoulded
Connector 2	M12 D-coding Male Angled Overmoulded
Type of cable	Copper cable (round)
Description of the cable	for railway applications

#### Version

Cable length	2 m
Number of cores	4
Core structure	4x AWG 22/7
Coding	D-coding D-coding

#### Technical characteristics

Transmission characteristics	Cat. 5 Class D up to 100 MHz
Data rate	10 Mbit/s 100 Mbit/s
Limiting temperature	-40 +85 °C unmoved -25 +70 °C moved



## Technical characteristics

Cable diameter	6.6 mm ± 0.2 mm
Minimum bending radius	6x Cable diameter (repeated bending) 5x Cable diameter (singular bending)
Impedance	100 Ω ±5 %

# Material properties

Elastomer
Black
compliant with exemption
6(c): Copper alloy containing up to 4 % lead by weight
compliant with exemption
50
Not contained
Not contained
Yes
Lead
Yes
Antimony trioxide
Lead Nickel

# Specifications and approvals

|--|

#### Commercial data

Packaging size	1
Net weight	188 g
Country of origin	Romania
European customs tariff number	85444290
GTIN	5713140067776
eCl@ss	27060390 Ready-made data cable (unspecified)