



BODY: BRASS
PLATED: SEE TABLE

CONTACT: BERYLLIUM COPPER
PLATED: GOLD

INSULATOR: TEFLON

KAPTON: POLYIMIDE FILM
(ON -1355 ONLY)




73251-1357	SAME AS 73251-1353	TAPE & REEL (550 PCS / REEL)	SHEET 2 & 4
73251-1356	BODY/CONTACT GOLD (5μ" MIN.)	TAPE & REEL (400 PCS / REEL)	SHEET 2 & 3
73251-1355	SAME AS 73251-1350	TAPE & REEL WITH KAPTON (400 PCS / REEL)	SHEET 2 & 3
73251-1354	SAME AS 73251-1353	TAPE & REEL (400 PCS / REEL)	SHEET 2 & 3
73251-1353	BODY NICKEL(100μ" MIN.)/ CONTACT GOLD (10μ" MIN.)	TRAY PACK (80 PCS / TRAY)	SHEET 5
73251-1352	SAME AS 73251-1350	ONE PIECE 73251-1350 PER BAG	N/A
73251-1351	SAME AS 73251-1350	TAPE & REEL (400 PCS / REEL)	SHEET 2 & 3
73251-1350	BODY/CONTACT GOLD (10μ" MIN.)	TRAY PACK (80 PCS / TRAY)	SHEET 5
PART NO.	PLATING	PACKAGING DESCRIPTION	PACKING DRAWING

PS-89675-3460	ELEC/MECH PERFORMANCE
MIL-STD-348A, FIG. 310.2	INTERFACE
SPECIFICATION	DESCRIPTION

C4	2020/07/01	ADD -1357 & PKG PER EWR13889-A
C3	2019/08/22	ADD -1351 &1353 PKG PER EWR13301-A
C2	2018/12/27	ADD PACKAGING TOL. PER EWR12756-A
REV.	DATE	DESCRIPTION

FUNCTIONAL SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
F A = 0		DIMENSION UNITS	SCALE	CURRENT REV DESC:				molex				
F C = 0		HYBRID	NTS									
F D = 0		GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 640938 DRWN: CWEI022020/07/01 CHK'D: YCHENG2020/07/13 APPR: YCHENG2020/07/13				SMA, JACK VERTICAL PCB SMT SMA-J/PCB, EWR-2107				
		ANGULAR TOL ± 2.0°										
DIVISIONAL SYMBOLS		4 PLACES	±	INITIAL REVISION:				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
		3 PLACES	±					SD-73251-135		PSD	001	C4
		2 PLACES	±									
		1 PLACE	±	2000/05/16								
		0 PLACES	±	2000/05/16								
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER
				C-SIZE		73251	SEE TABLE		GENERAL MARKET		1 OF 5	

NOTES:
1. TAPE PACKAGING FOR 73251-1351, 73251-1354, 73251-1355, 73251-1356 AND 73251-1357.
2. MATERIALS: PS BLACK-THICKNESS: 0.50±0.05 MM




FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
	DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex							
	HYBRID		NTS												
	GENERAL TOLERANCES (UNLESS SPECIFIED)							SMA, JACK VERTICAL PCB SMT SMA-J/PCB, EWR-2107							
ANGULAR TOL ± 2.0 °															
DIVISIONAL SYMBOLS	$\frac{F}{A} = 0$		4 PLACES		±		EC NO: 640938		2020/07/01						
	$\frac{F}{C} = 0$		3 PLACES		±		DRWN: CWEI02		2020/07/13						
	$\frac{F}{P} = 0$		2 PLACES		±		CHK'D: YCHENG		2020/07/13						
			1 PLACE		±		APPR: YCHENG		2020/07/13						
			0 PLACES		±		INITIAL REVISION:								
						DRWN: SSS		2000/05/16							
						APPR: GMH		2000/05/16							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						C-SIZE		73251		SEE TABLE		GENERAL MARKET		2 OF 5	

121110987654321

NOTES :

1. REEL PACKAGING FOR 73251-1351, 73251-1354, 73251-1355 AND 73251-1356

2. COMPONENT LOAD PER 13" REEL: 400 PCS




FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
= 0 = 0 = 0	DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex							
	HYBRID		NTS													
	GENERAL TOLERANCES (UNLESS SPECIFIED)															
ANGULAR TOL ± 2.0 °				EC NO: 640938 DRWN: CWEI02 2020/07/01 CHK'D: YCHENG 2020/07/13 APPR: YCHENG 2020/07/13				SMA, JACK VERTICAL PCB SMT SMA-J/PCB, EWR-2107								
4 PLACES		±														
3 PLACES		±														
DIVISIONAL SYMBOLS	2 PLACES		±		INITIAL REVISION: DRWN: SSS 2000/05/16 APPR: GMH 2000/05/16				PRODUCT CUSTOMER DRAWING							
	1 PLACE		±													
	0 PLACES		±						DOCUMENT NUMBER		DOC TYPE		DOC PART	REVISION		
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						C-SIZE		73251		SEE TABLE		GENERAL MARKET		3 OF 5		

DOCUMENT STATUS	P1	RELEASE DATE	2020/07/13	08:48:58
-----------------	----	--------------	------------	----------

121110987654321




NOTES:
1. REEL PACKAGING FOR 73251-1357
2. COMPONENT LOAD PER 15" REEL: 550 PCS




THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																		
FUNCTIONAL SYMBOLS FA = 0 FE = 0 FP = 0		DIMENSION UNITS		SCALE		CURRENT REV DESC: EC NO: 640938 DRWN: CWEI02 2020/07/01 CHK'D: YCHENG 2020/07/13 APPR: YCHENG 2020/07/13			molex SMA, JACK VERTICAL PCB SMT SMA-J/PCB, EWR-2107									
		HYBRID		NTS														
		GENERAL TOLERANCES (UNLESS SPECIFIED)																
DIVISIONAL SYMBOLS		ANGULAR TOL		± 2.0 °		EC NO: 640938 DRWN: CWEI02 2020/07/01 CHK'D: YCHENG 2020/07/13 APPR: YCHENG 2020/07/13			PRODUCT CUSTOMER DRAWING									
		4 PLACES		±														
		3 PLACES		±														
		2 PLACES		±					DOCUMENT NUMBER SD-73251-135 SEE TABLE									
		1 PLACE		±									DOC TYPE PSD		DOC PART 001		REVISION C4	
		0 PLACES		±									INITIAL REVISION: DRWN: SSS 2000/05/16 APPR: GMH 2000/05/16					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER						
				C-SIZE		73251		GENERAL MARKET		4 OF 5								

DOCUMENT STATUS	P1	RELEASE DATE	2020/07/13	08:48:58
-----------------	----	--------------	------------	----------

A technical drawing of a threaded plug. It features a hexagonal base with a central hole. A threaded section extends from the center of the base, consisting of several concentric circles representing the threads. The drawing is a line art illustration, showing the geometry of the part.



FUNCTIONAL SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
$F_A = 0$ $F_C = 0$ $F_D = 0$		DIMENSION UNITS HYBRID		SCALE NTS		CURRENT REV DESC: EC NO: 640938 DRWN: CWEI02 2020/07/01 CHK'D: YCHENG 2020/07/13 APPR: YCHENG 2020/07/13 INITIAL REVISION: DRWN: SSS 2000/05/16 APPR: GMH 2000/05/16		molex					
		GENERAL TOLERANCES (UNLESS SPECIFIED)		SMA, JACK VERTICAL PCB SMT SMA-J/PCB, EWR-2107									
		ANGULAR TOL ± 2.0°											
DIVISIONAL SYMBOLS		4 PLACES ±								PRODUCT CUSTOMER DRAWING			
		3 PLACES ±											
		2 PLACES ±											
		1 PLACE ±											
		0 PLACES ±						DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	
								SD-73251-135		PSD	001	C4	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION 		DRAWING C-SIZE		SERIES 73251		MATERIAL NUMBER SEE TABLE		CUSTOMER GENERAL MARKET	SHEET NUMBER 5 OF 5

DOCUMENT STATUS	P1	RELEASE DATE	2020/07/13	08:48:58
-----------------	----	--------------	------------	----------