




REVISION OF DRAWING MAY BE
CHANGED DURING FINAL RELEASED
FOR PRODUCTION.

DOCUMENT STATUS	P1	RELEASE DATE	2021/10/11	11:53:31
-----------------	----	--------------	------------	----------

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC: BRIGHT TIN PHASE OUT		molex			
DIMENSION UNITS	SCALE						
mm	NTS			2.54MM PITCH DUAL ROW HEADER SINGLE WAFER, T/H			
GENERAL TOLERANCES (UNLESS SPECIFIED)				PRODUCT CUSTOMER DRAWING			
		MM	INCH				
4 PLACES	±		±				
3 PLACES	±		±				
2 PLACES	±	0.2	±				
1 PLACE	±		±				
0 PLACES	±		±				
ANGULAR TOL		± 3.0 °					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER
			A3-SIZE	87914	SEE TABLE	GENERAL MARKET	1 OF 45

10		9		8		7		6		5		4		3		2		1			
F	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION										F		
									A	B	F	M	P								
F	87914-0211	-----	-----	-----	-----	2	-----	1	2.54	----	10.92	5.84	2.79						F		
	87914-0221	-----	-----	-----	-----	2	-----	1	2.54	----	12.25	7.00	2.96								
	87914-0231	-----	-----	-----	-----	2	-----	1	2.54	----	13.38	6.09	5.00								
E	87914-0212	-----	-----	-----	-----	2	-----	2	2.54	----	10.92	5.84	2.79						E		
	87914-0222	-----	-----	-----	-----	2	-----	2	2.54	----	12.25	7.00	2.96								
	87914-0232	-----	-----	-----	-----	2	-----	2	2.54	----	13.38	6.09	5.00								
D	87914-0213	-----	-----	-----	-----	2	-----	3	2.54	----	10.92	5.84	2.79						D		
	87914-0223	-----	-----	-----	-----	2	-----	3	2.54	----	12.25	7.00	2.96								
	87914-0233	-----	-----	-----	-----	2	-----	3	2.54	----	13.38	6.09	5.00								
C	87914-0214	-----	-----	-----	-----	2	-----	4	2.54	----	10.92	5.84	2.79						C		
	87914-0224	-----	-----	-----	-----	2	-----	4	2.54	----	12.25	7.00	2.96								
	87914-0234	-----	-----	-----	-----	2	-----	4	2.54	----	13.38	6.09	5.00								
B	87914-0215	-----	-----	-----	-----	2	-----	5	2.54	----	10.92	5.84	2.79								

