




|   | 12             | 11       | 10              | 9          | 8                | 7          | 6               | 5          | 4             | 3          | 2             | 1         |
|---|----------------|----------|-----------------|------------|------------------|------------|-----------------|------------|---------------|------------|---------------|-----------|
| H |                |          |                 | 39-30-9245 | 5566-24AGS2-2 IO | 39-29-6248 | 5566-24AGS-2 IO |            |               | 39-28-8240 | 5566-24A-2 IO | 24        |
|   |                |          |                 | 39-30-9225 | 5566-22AGS2-2 IO | 39-29-6228 | 5566-22AGS-2 IO |            |               | 39-28-8220 | -22A-2 IO     | 22        |
|   |                |          |                 | 39-30-9205 | 5566-20AGS2-2 IO | 39-29-6208 | 5566-20AGS-2 IO |            |               | 39-28-8200 | -20A-2 IO     | 20        |
|   |                |          |                 | 39-30-9185 | 5566-18AGS2-2 IO | 39-29-6188 | 5566-18AGS-2 IO |            |               | 39-28-8180 | -18A-2 IO     | 18        |
|   |                |          |                 | 39-30-9165 | 5566-16AGS2-2 IO | 39-29-6168 | 5566-16AGS-2 IO | 39-30-6162 | 5566-16AS-210 | 39-28-8160 | -16A-2 IO     | 16        |
|   |                |          |                 | 39-30-9145 | 5566-14AGS2-2 IO | 39-29-6148 | 5566-14AGS-2 IO |            |               | 39-28-8140 | -14A-2 IO     | 14        |
|   |                |          |                 | 39-30-9125 | 5566-12AGS2-2 IO | 39-29-6128 | 5566-12AGS-2 IO |            |               | 39-28-8120 | -12A-2 IO     | 12        |
|   |                |          |                 | 39-30-9105 | 5566-10AGS2-2 IO | 39-29-6108 | 5566-10AGS-2 IO |            |               | 39-28-8100 | -10A-2 IO     | 10        |
| G |                |          |                 | 39-30-9085 | 5566-08AGS2-2 IO | 39-29-6088 | 5566-08AGS-2 IO | 39-30-6082 | 5566-08AS-210 | 39-28-8080 | -08A-2 IO     | 8         |
|   |                |          |                 | 39-30-9065 | 5566-06AGS2-2 IO | 39-29-6068 | 5566-06AGS-2 IO | 39-30-6062 | 5566-06AS-210 | 39-28-8060 | -06A-2 IO     | 6         |
|   |                |          |                 | 39-30-9045 | 5566-04AGS2-2 IO | 39-29-6048 | 5566-04AGS-2 IO | 39-30-6042 | 5566-04AS-210 | 39-28-8040 | -04A-2 IO     | 4         |
|   |                |          |                 | 39-30-9025 | 5566-02AGS2-2 IO | 39-29-6028 | 5566-02AGS-2 IO |            |               | 39-28-8020 | 5566-02A-2 IO | 2         |
|   | EDP NO.        | ENG. NO. |                 | EDP NO.    | ENG. NO.         | EDP NO.    | ENG. NO.        | EDP NO.    | ENG. NO.      | EDP NO.    | ENG. NO.      | CKT. SIZE |
|   | 5566-NAPB-2 IO |          | 5566-NAGS2-2 IO |            | 5566-NAGS-2 IO   |            | 5566-NAS-2 IO   |            | 5566-NA-2 IO  |            |               |           |
|   |                |          |                 | 39-30-9244 | 5566-24AGS2      | 39-29-0243 | 5566-24AGS      |            |               | 39-28-1243 | 5566-24A      | 24        |
|   |                |          |                 | 39-30-9224 | 5566-22AGS2      |            |                 |            |               | 39-28-1223 | 5566-22A      | 22        |
| F |                |          |                 | 39-30-9204 | 5566-20AGS2      | 39-29-0203 | 5566-20AGS      |            |               | 39-28-1203 | 5566-20A      | 20        |
|   |                |          |                 | 39-30-9184 | 5566-18AGS2      | 39-29-0183 | 5566-18AGS      |            |               | 39-28-1183 | 5566-18A      | 18        |
|   |                |          |                 | 39-30-9164 | 5566-16AGS2      |            |                 |            |               | 39-28-1163 | 5566-16A      | 16        |
|   |                |          |                 | 39-30-9144 | 5566-14AGS2      |            |                 |            |               | 39-28-1143 | 5566-14A      | 14        |
|   |                |          |                 | 39-30-9124 | 5566-12AGS2      | 39-29-0123 | 5566-12AGS      |            |               | 39-28-1123 | 5566-12A      | 12        |
|   |                |          |                 | 39-30-9104 | 5566-10AGS2      | 39-29-0103 | 5566-10AGS      | 39-30-6101 | 5566-10AS     | 39-28-1103 | 5566-10A      | 10        |
|   |                |          |                 | 39-30-9084 | 5566-08AGS2      | 39-29-0083 | 5566-08AGS      | 39-30-6081 | 5566-08AS     | 39-28-1083 | 5566-08A      | 8         |
|   |                |          |                 | 39-30-9064 | 5566-06AGS2      | 39-29-0063 | 5566-06AGS      |            |               | 39-28-1063 | 5566-06A      | 6         |
| E |                |          |                 | 39-30-9044 | 5566-04AGS2      | 39-29-0043 | 5566-04AGS      |            |               | 39-28-1043 | 5566-04A      | 4         |
|   |                |          |                 | 39-30-9024 | 5566-02AGS2      | 39-29-0023 | 5566-02AGS      |            |               | 39-28-1023 | 5566-02A      | 2         |
|   | EDP NO.        | ENG. NO. |                 | EDP NO.    | ENG. NO.         | EDP NO.    | ENG. NO.        | EDP NO.    | ENG. NO.      | EDP NO.    | ENG. NO.      | CKT. SIZE |
|   | 5566-NAPB      |          | 5566-NAGS2      |            | 5566-NAGS        |            | 5566-NAS        |            | 5566-NA       |            |               |           |

PARTS WITHOUT DRAIN HOLES

|                                                                                                                                               |        |         |      |                                                                                                                                                                             |  |         |  |                                                        |  |                 |  |                |          |              |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------|--------|---------|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------|--|--------------------------------------------------------|--|-----------------|--|----------------|----------|--------------|--|
| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |        |         |      |                                                                                                                                                                             |  |         |  |                                                        |  |                 |  |                |          |              |  |
| DIMENSION UNITS                                                                                                                               |        | SCALE   |      | CURRENT REV DESC:                                                                                                                                                           |  |         |  | <div>molex</div>                                       |  |                 |  |                |          |              |  |
| IN/MM                                                                                                                                         |        | 1:1     |      |                                                                                                                                                                             |  |         |  |                                                        |  |                 |  |                |          |              |  |
| GENERAL TOLERANCES<br>(UNLESS SPECIFIED)                                                                                                      |        |         |      |                                                                                                                                                                             |  |         |  | MINI FIT JR VERTICAL<br>HEADER ASSEMBLIES WITHOUT PEGS |  |                 |  |                |          |              |  |
|                                                                                                                                               | MM     |         | INCH |                                                                                                                                                                             |  |         |  |                                                        |  |                 |  |                |          |              |  |
| 4 PLACES                                                                                                                                      | ±      | ±       |      |                                                                                                                                                                             |  |         |  |                                                        |  |                 |  |                |          |              |  |
| 3 PLACES                                                                                                                                      | ±      | ± 0.005 |      | EC NO: 681570                                                                                                                                                               |  |         |  | PRODUCT CUSTOMER DRAWING                               |  |                 |  |                |          |              |  |
| 2 PLACES                                                                                                                                      | ± 0.13 | ± 0.01  |      | DRWN: HPAN18<br>2021/10/07                                                                                                                                                  |  |         |  |                                                        |  |                 |  |                |          |              |  |
| 1 PLACE                                                                                                                                       | ± 0.25 | ±       |      | CHK'D: XQZHANG<br>2021/10/18                                                                                                                                                |  |         |  |                                                        |  |                 |  |                |          |              |  |
| 0 PLACES                                                                                                                                      | ±      | ±       |      | APPR: XQZHANG<br>2021/10/18                                                                                                                                                 |  |         |  | DOCUMENT NUMBER                                        |  | DOC TYPE        |  | DOC PART       | REVISION |              |  |
| ANGULAR TOL ± 0.5 °                                                                                                                           |        |         |      | INITIAL REVISION:                                                                                                                                                           |  |         |  | SD-5566-002                                            |  | PSD             |  | 000            | M4       |              |  |
| DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS                                                                                    |        |         |      | THIRD ANGLE PROJECTION                                                                                                                                                      |  | DRAWING |  | SERIES                                                 |  | MATERIAL NUMBER |  | CUSTOMER       |          | SHEET NUMBER |  |
|                                                                                                                                               |        |         |      |   |  | C-SIZE  |  | 5566                                                   |  | SEE TABLE       |  | GENERAL MARKET |          | 2 OF 5       |  |
|                                                                                                                                               |        |         |      |                                                                                                                                                                             |  |         |  |                                                        |  |                 |  |                |          |              |  |
| DRWN: H.HIRAMOTO<br>1989/04/03                                                                                                                |        |         |      | APPR: FSMITH<br>2012/05/04                                                                                                                                                  |  |         |  |                                                        |  |                 |  |                |          |              |  |

|                 |    |              |            |          |
|-----------------|----|--------------|------------|----------|
| DOCUMENT STATUS | P1 | RELEASE DATE | 2021/10/18 | 14:30:01 |
|-----------------|----|--------------|------------|----------|

| 12 |  | 11 |  | 10 |  | 9 |  | 8 |  | 7 |  | 6 |               | 5          |                | 4          |              | 3          |          | 2         |    | 1 |  |
|----|--|----|--|----|--|---|--|---|--|---|--|---|---------------|------------|----------------|------------|--------------|------------|----------|-----------|----|---|--|
| H  |  |    |  |    |  |   |  |   |  |   |  |   |               |            |                |            |              | 24         | H        |           |    |   |  |
|    |  |    |  |    |  |   |  |   |  |   |  |   |               |            |                |            |              | 22         |          |           |    |   |  |
|    |  |    |  |    |  |   |  |   |  |   |  |   |               |            |                |            |              | 20         |          |           |    |   |  |
|    |  |    |  |    |  |   |  |   |  |   |  |   |               |            |                |            |              | 18         |          |           |    |   |  |
|    |  |    |  |    |  |   |  |   |  |   |  |   |               | 39-31-0168 | 5566-16BGS-210 | 39-31-0160 | 5566-16B-210 | 16         |          |           |    |   |  |
|    |  |    |  |    |  |   |  |   |  |   |  |   |               | 39-31-0148 | 5566-14BGS-210 | 39-31-0140 | 5566-14B-210 | 14         |          |           |    |   |  |
|    |  |    |  |    |  |   |  |   |  |   |  |   |               | 39-31-0128 | 5566-12BGS-210 | 39-31-0120 | 5566-12B-210 | 12         |          |           |    |   |  |
|    |  |    |  |    |  |   |  |   |  |   |  |   |               | 39-31-0108 | 5566-10BGS-210 | 39-31-0100 | 5566-10B-210 | 10         |          |           |    |   |  |
| G  |  |    |  |    |  |   |  |   |  |   |  |   |               | 39-31-0088 | 5566-08BGS-210 | 39-31-0080 | 5566-08B-210 | 8          | G        |           |    |   |  |
|    |  |    |  |    |  |   |  |   |  |   |  |   |               | 39-31-0068 | 5566-06BGS-210 | 39-31-0060 | 5566-06B-210 | 6          |          |           |    |   |  |
|    |  |    |  |    |  |   |  |   |  |   |  |   |               | 39-31-0048 | 5566-04BGS-210 | 39-31-0040 | 5566-04B-210 | 4          |          |           |    |   |  |
|    |  |    |  |    |  |   |  |   |  |   |  |   |               | 39-31-0028 | 5566-02BGS-210 | 39-31-0020 | 5566-02B-210 | 2          |          |           |    |   |  |
|    |  |    |  |    |  |   |  |   |  |   |  |   |               | EDP NO.    | ENG. NO.       | EDP NO.    | ENG. NO.     | CKT. SIZE  |          |           |    |   |  |
|    |  |    |  |    |  |   |  |   |  |   |  |   | 5566-NBGS-210 |            | 5566-NB-210    |            | E            |            |          |           |    |   |  |
|    |  |    |  |    |  |   |  |   |  |   |  |   |               |            |                |            |              | 24         |          |           |    |   |  |
|    |  |    |  |    |  |   |  |   |  |   |  |   |               |            |                |            |              | 22         |          |           |    |   |  |
|    |  |    |  |    |  |   |  |   |  |   |  |   |               |            | 39-31-0207     | 5566-20BGS |              | 39-29-3206 | 5566-20B | 20        |    |   |  |
|    |  |    |  |    |  |   |  |   |  |   |  |   |               |            |                |            |              |            |          | 18        |    |   |  |
| F  |  |    |  |    |  |   |  |   |  |   |  |   |               |            |                |            |              | 16         | F        |           |    |   |  |
|    |  |    |  |    |  |   |  |   |  |   |  |   |               |            |                |            |              |            |          |           | 14 |   |  |
|    |  |    |  |    |  |   |  |   |  |   |  |   |               |            |                |            |              |            |          |           | 12 |   |  |
|    |  |    |  |    |  |   |  |   |  |   |  |   |               |            |                | 39-31-0107 | 5566-10BGS   | 39-29-3106 |          | 5566-10B  | 10 |   |  |
|    |  |    |  |    |  |   |  |   |  |   |  |   |               |            |                | 39-31-0087 | 5566-08BGS   | 39-29-3086 |          | 5566-08B  | 8  |   |  |
| E  |  |    |  |    |  |   |  |   |  |   |  |   |               |            |                | 39-31-0067 | 5566-06BGS   | 39-29-3066 | 5566-06B | 6         | E  |   |  |
|    |  |    |  |    |  |   |  |   |  |   |  |   |               |            |                | 39-31-0047 | 5566-04BGS   | 39-29-3046 | 5566-04B | 4         |    |   |  |
|    |  |    |  |    |  |   |  |   |  |   |  |   |               |            |                | 39-31-0027 | 5566-02BGS   | 39-29-3026 | 5566-02B | 2         |    |   |  |
|    |  |    |  |    |  |   |  |   |  |   |  |   |               | EDP NO.    | ENG. NO.       | EDP NO.    | ENG. NO.     | EDP NO.    | ENG. NO. | CKT. SIZE |    |   |  |
|    |  |    |  |    |  |   |  |   |  |   |  |   |               | 5566-NBGS2 |                | 5566-NBGS  |              | 5566-NB    |          |           |    |   |  |



PENDING OBSOLETE

-NOT RECOMENDED FOR NEW APPLICATIONS  
-NO WITH DRAIN HOLE VERSION PRODUCT

|                                                                |                                                                                                                                               |    |              |                        |                                                                                                            |         |        |                 |                                                        |   |              |          |          |   |  |   |  |   |  |   |  |   |  |
|----------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|----|--------------|------------------------|------------------------------------------------------------------------------------------------------------|---------|--------|-----------------|--------------------------------------------------------|---|--------------|----------|----------|---|--|---|--|---|--|---|--|---|--|
| A                                                              | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |    |              |                        |                                                                                                            |         |        |                 |                                                        |   |              |          |          |   |  |   |  |   |  |   |  |   |  |
|                                                                | DIMENSION UNITS                                                                                                                               |    | SCALE        |                        | CURRENT REV DESC:                                                                                          |         |        |                 | <div>molex</div>                                       |   |              |          |          |   |  |   |  |   |  |   |  |   |  |
|                                                                | IN/MM                                                                                                                                         |    | 1:1          |                        |                                                                                                            |         |        |                 |                                                        |   |              |          |          |   |  |   |  |   |  |   |  |   |  |
|                                                                | GENERAL TOLERANCES<br>(UNLESS SPECIFIED)                                                                                                      |    |              |                        | EC NO: 681570<br>DRWN: HPAN18<br>CHK'D: XQZHANG<br>APPR: XQZHANG<br>2021/10/07<br>2021/10/18<br>2021/10/18 |         |        |                 | MINI FIT JR VERTICAL<br>HEADER ASSEMBLIES WITHOUT PEGS |   |              |          |          |   |  |   |  |   |  |   |  |   |  |
|                                                                |                                                                                                                                               | MM | INCH         |                        |                                                                                                            |         |        |                 |                                                        |   |              |          |          |   |  |   |  |   |  |   |  |   |  |
|                                                                | 4 PLACES                                                                                                                                      | ±  |              | ±                      |                                                                                                            |         |        |                 |                                                        |   |              |          |          |   |  |   |  |   |  |   |  |   |  |
|                                                                | 3 PLACES                                                                                                                                      | ±  |              | ± 0.005                |                                                                                                            |         |        |                 |                                                        |   |              |          |          |   |  |   |  |   |  |   |  |   |  |
|                                                                | 2 PLACES                                                                                                                                      | ±  | 0.13         | ± 0.01                 |                                                                                                            |         |        |                 |                                                        |   |              |          |          |   |  |   |  |   |  |   |  |   |  |
|                                                                | 1 PLACE                                                                                                                                       | ±  | 0.25         | ±                      | INITIAL REVISION:<br>DRWN: H.HIRAMOTO<br>APPR: FSMITH<br>1989/04/03<br>2012/05/04                          |         |        |                 | DOCUMENT NUMBER                                        |   | DOC TYPE     | DOC PART | REVISION |   |  |   |  |   |  |   |  |   |  |
|                                                                | 0 PLACES                                                                                                                                      | ±  |              | ±                      |                                                                                                            |         |        |                 | SD-5566-002                                            |   | PSD          | 000      | M4       |   |  |   |  |   |  |   |  |   |  |
| ANGULAR TOL ± 0.5 °                                            |                                                                                                                                               |    |              | THIRD ANGLE PROJECTION |                                                                                                            | DRAWING | SERIES | MATERIAL NUMBER | CUSTOMER                                               |   | SHEET NUMBER |          |          |   |  |   |  |   |  |   |  |   |  |
| DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS     |                                                                                                                                               |    |              |                        |                                                                                                            | C-SIZE  | 5566   | SEE TABLE       | GENERAL MARKET                                         |   | 3 OF 5       |          |          |   |  |   |  |   |  |   |  |   |  |
| DOCUMENT STATUS                                                |                                                                                                                                               | P1 | RELEASE DATE | 2021/10/18             | 14:30:01                                                                                                   |         |        |                 |                                                        |   |              |          |          |   |  |   |  |   |  |   |  |   |  |
| 12                                                             |                                                                                                                                               | 11 |              | 10                     |                                                                                                            | 9       |        | 8               |                                                        | 7 |              | 6        |          | 5 |  | 4 |  | 3 |  | 2 |  | 1 |  |
| FORMAT: Exp-Header-Dr-Prod-C<br>REVISION: E<br>DATE: 2020/1/14 |                                                                                                                                               |    |              |                        |                                                                                                            |         |        |                 |                                                        |   |              |          |          |   |  |   |  |   |  |   |  |   |  |

[illegible]

TRAY PACKED PART NUMBERS

PARTS WITHOUT DRAIN HOLES

|                                                                                                         |            |                  |                                                                                                         |            |                |              |
|---------------------------------------------------------------------------------------------------------|------------|------------------|---------------------------------------------------------------------------------------------------------|------------|----------------|--------------|
| TRAY PACKED PER TA  | 46999-0137 | 5566-24AMS       | TRAY PACKED PER TA  | 46999-0149 | 5566-24AMS-210 | 24           |
|                                                                                                         | 46999-0136 | 5566-22AMS       |                                                                                                         | 46999-0148 | 5566-22AMS-210 | 22           |
|                                                                                                         | 46999-0135 | 5566-20AMS       |                                                                                                         | 46999-0147 | 5566-20AMS-210 | 20           |
|                                                                                                         | 46999-0134 | 5566-18AMS       |                                                                                                         | 46999-0146 | 5566-18AMS-210 | 18           |
|                                                                                                         | 46999-0133 | 5566-16AMS       |                                                                                                         | 46999-0145 | 5566-16AMS-210 | 16           |
|                                                                                                         | 46999-0132 | 5566-14AMS       |                                                                                                         | 46999-0144 | 5566-14AMS-210 | 14           |
|                                                                                                         | 46999-0131 | 5566-12AMS       |                                                                                                         | 46999-0143 | 5566-12AMS-210 | 12           |
|                                                                                                         | 46999-0130 | 5566-10AMS       |                                                                                                         | 46999-0142 | 5566-10AMS-210 | 10           |
|                                                                                                         | 46999-0129 | 5566-08AMS       |                                                                                                         | 46999-0141 | 5566-08AMS-210 | 8            |
|                                                                                                         | 46999-0128 | 5566-06AMS       |                                                                                                         | 46999-0140 | 5566-06AMS-210 | 6            |
|                                                                                                         | 46999-0127 | 5566-04AMS       |                                                                                                         | 46999-0139 | 5566-04AMS-210 | 4            |
|                                                                                                         | 46999-0126 | 5566-02AMS       |                                                                                                         | 46999-0138 | 5566-02AMS-210 | 2            |
|                                                                                                         | EDP. NO.   | ENG. NO.         |                                                                                                         | EDP. NO.   | ENG. NO.       | CKT.<br>SIZE |
| 5566-NAMS                                                                                               |            |                  | 5566-NAMS-210                                                                                           |            |                |              |
|                                                                                                         |            |                  |                                                                                                         |            |                | 24           |
|                                                                                                         |            |                  |                                                                                                         |            |                | 22           |
|                                                                                                         |            |                  |                                                                                                         |            |                | 20           |
|                                                                                                         |            |                  |                                                                                                         | 39-53-9188 | 5566-18A-TA    | 18           |
|                                                                                                         |            |                  |                                                                                                         |            |                | 16           |
|                                                                                                         |            |                  |                                                                                                         |            |                | 14           |
|                                                                                                         |            |                  |                                                                                                         |            |                | 12           |
|                                                                                                         |            |                  |                                                                                                         |            |                | 10           |
|                                                                                                         |            |                  |                                                                                                         |            |                | 8            |
|                                                                                                         |            | 46999-0630       | 5566-06AGS2-BL-TA                                                                                       |            |                | 6            |
|                                                                                                         |            | 46999-0629       | 5566-04AGS2-BL-TA                                                                                       |            |                | 4            |
|                                                                                                         |            |                  |                                                                                                         |            |                | 2            |
|                                                                                                         |            | EDP NO.          | ENG. NO.                                                                                                | EDP NO.    | ENG. NO.       | CKT.<br>SIZE |
|                                                                                                         |            | 5566-NAGS2-BL-TA |                                                                                                         | 5566-NA-TA |                |              |

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

IN/MM

SCALE

1:1

GENERAL TOLERANCES  
(UNLESS SPECIFIED)

|                                                            |         |         |
|------------------------------------------------------------|---------|---------|
|                                                            | MM      | INCH    |
| 4 PLACES                                                   | ±       | ±       |
| 3 PLACES                                                   | ±       | ± 0.005 |
| 2 PLACES                                                   | ± 0.13  | ± 0.01  |
| 1 PLACE                                                    | ± 0.25  | ±       |
| 0 PLACES                                                   | ±       | ±       |
| ANGULAR TOL                                                | ± 0.5 ° |         |
| DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS |         |         |

CURRENT REV DESC:

EC NO: 681570  
DRWN: HPAN18  
CHK'D: XQZHANG  
APPR: XQZHANG

2021/10/07  
2021/10/18  
2021/10/18

INITIAL REVISION:  
DRWN: H.HIRAMOTO  
APPR: FSMITH

1989/04/03  
2012/05/04

THIRD ANGLE PROJECTION

DRAWING

C-SIZE

SERIES

5566

molex

MINI FIT JR VERTICAL  
HEADER ASSEMBLIES WITHOUT PEGS

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER

SD-5566-002

DOC TYPE

PSD

DOC PART

000

REVISION

M4

MATERIAL NUMBER

SEE TABLE

CUSTOMER

GENERAL MARKET

SHEET NUMBER

5 OF 5

|                 |    |              |            |          |
|-----------------|----|--------------|------------|----------|
| DOCUMENT STATUS | P1 | RELEASE DATE | 2021/10/18 | 14:30:01 |
|-----------------|----|--------------|------------|----------|

12

11

10

9

8

7

6

5

4

3

2

1

FORMA1: Top Edge Header 16 pins C  
REVISION: E  
DATE: 2020/01/16