

https://www.phoenixcontact.com/us/products/3032168



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Reducing bridge, pitch: 13.2 mm, number of positions: 2, color: red

## Commercial data

Item number	3032168
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BE29
Product key	BE2Z2X
GTIN	4055626130934
Weight per piece (including packing)	10.25 g
Weight per piece (excluding packing)	10.25 g
Customs tariff number	85366990
Country of origin	PL



https://www.phoenixcontact.com/us/products/3032168



## Technical data

## Product properties

Product type	Reducing bridge
Number of positions	2
Pitch	13.2 mm

## Electrical properties

Maximum load current	57 A (The current values for the jumpers can deviate when used
	in different modular terminal blocks. The precise values can be
	found in the accessories data for the respective modular terminal
	blocks.)

#### Connection data

Maximum load current	57 A (The current values for the jumpers can deviate when used
	in different modular terminal blocks. The precise values can be
	found in the accessories data for the respective modular terminal
	blocks.)

#### **Dimensions**

Pitch 13.2 mm
---------------

## Material specifications

Color	red
Material	Copper
Flammability rating according to UL 94	V0
Insulating material	PA

#### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	125 °C
,	

## Mounting

Mounting type	Plug-in mounting
<del>-</del> ··	The state of the s



https://www.phoenixcontact.com/us/products/3032168



## Classifications

UNSPSC 21.0

#### **ECLASS**

	ECLASS-11.0	27141140
	ECLASS-12.0	27141140
	ECLASS-13.0	27250303
ETIM		
	ETIM 9.0	EC000489
UNS	SPSC	

39121400



https://www.phoenixcontact.com/us/products/3032168



## Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com