

PBR 42A RD - Cross connection



2201915
<https://www.phoenixcontact.com/us/products/2201915>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Jumper for PCO power connector in ME-MAX housing, color: red (similar to RAL 3000)

Your advantages

- Distribute high currents between modules
- Mounting and removal of modules in a group
- Simplified device system wiring saves money

Commercial data

Item number	2201915
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	AC08
Product key	ACHADZ
GTIN	4046356933964
Weight per piece (including packing)	46.5 g
Weight per piece (excluding packing)	40.788 g
Customs tariff number	85389099
Country of origin	DE

PBR 42A RD - Cross connection



2201915

<https://www.phoenixcontact.com/us/products/2201915>

Technical data

Product properties

Product type	Bridge
Housing type	Component housing
Housing series	ME-MAX

Electrical properties

Nominal current I_N	42 A
-----------------------	------

Dimensions

Length	500 mm
--------	--------

Material specifications

Color	red
Flammability rating according to UL 94	V0
Housing material	Polyamide

PBR 42A RD - Cross connection



2201915

<https://www.phoenixcontact.com/us/products/2201915>

Classifications

ECLASS

ECLASS-11.0	27141140
ECLASS-12.0	27141140
ECLASS-13.0	27250303

ETIM

ETIM 9.0	EC000489
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%
EF3.0 Climate Change	
CO2e kg	0.16 kg CO2e

PBR 42A RD - Cross connection



2201915

<https://www.phoenixcontact.com/us/products/2201915>

Accessories

PCO 22,5-L KMGY - Power connector

2201685

<https://www.phoenixcontact.com/us/products/2201685>



Power connector for ME-MAX housing, design width: 22.5 mm, 2-pos., used to transmit a total current of up to 42 A at 60 V DC.

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com