

BATTERY MOUNTING CASE - Mounting set for
securing the batteries

2320458
<https://www.phoenixcontact.com/us/products/2320458>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Used for mounting batteries that cannot be mounted on DIN rails.



Product description

Mounting set, consisting of battery frame for universal wall mounting or surface mounting, 2 x cross dowel (M6) with collar, 2 x screw (M6 x 140), 2 x washer (6.4 x 12), 1 x battery retaining bracket with fixing bracket, and 4 x screw (M3 x 14).

Commercial data

Item number	2320458
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	CM24
Product key	CMUEZ9
Catalog page	Page 339 (C-4-2019)
GTIN	4046356933131
Weight per piece (including packing)	5,500 g
Weight per piece (excluding packing)	5,410 g
Customs tariff number	73269098
Country of origin	DE

BATTERY MOUNTING CASE - Mounting set for securing the batteries



2320458

<https://www.phoenixcontact.com/us/products/2320458>

Technical data

Product properties

Product type	Mounting material
Product family	Mounting material

Dimensions

Item dimensions

Width	464 mm
Height	201 mm
Depth	205 mm

Material specifications

Housing material	Steel, powder-coated
------------------	----------------------

Environmental and real-life conditions

Ambient conditions

Shock (operation)	15g, 11 ms, half sine (IEC 60068-2-27)
Vibration (operation)	0,7g (DNV-GL / IEC 60068-2-6)

Approvals

DNV GL data

Vibration	Class A
-----------	---------

BATTERY MOUNTING CASE - Mounting set for securing the batteries



2320458

<https://www.phoenixcontact.com/us/products/2320458>

Approvals

To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/2320458>

	LR Approval ID: LR22136091TA
	BV Approval ID: 41516/B0 BV
	ABS Approval ID: 22-2244289-PDA
	ABS Approval ID: 22-2244289-PDA
	BV Approval ID: 41516/B0 BV
	LR Approval ID: LR22136091TA

BATTERY MOUNTING CASE - Mounting set for securing the batteries



2320458

<https://www.phoenixcontact.com/us/products/2320458>

Classifications

ECLASS

ECLASS-11.0	27059090
ECLASS-12.0	27059090
ECLASS-13.0	27059090

ETIM

ETIM 9.0	EC002839
----------	----------

UNSPSC

UNSPSC 21.0	26111700
-------------	----------

BATTERY MOUNTING CASE - Mounting set for securing the batteries



2320458
<https://www.phoenixcontact.com/us/products/2320458>

Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

BATTERY MOUNTING CASE - Mounting set for securing the batteries



2320458

<https://www.phoenixcontact.com/us/products/2320458>

Accessories

UPS-BAT/VRLA-WTR/24DC/26AH - Battery module

2320429

<https://www.phoenixcontact.com/us/products/2320429>

Battery module, lead AGM, VRLA technology, 24 V DC, 26 Ah, tool-free battery replacement, automatic detection, and communication with QUINT UPS-IQ



UPS-BAT/PB/24DC/20AH - Battery module

1348516

<https://www.phoenixcontact.com/us/products/1348516>

Battery module, VRLA-AGM, 24 V DC, 20 Ah, automatic detection and communication with QUINT UPS-IQ



BATTERY MOUNTING CASE - Mounting set for securing the batteries



2320458

<https://www.phoenixcontact.com/us/products/2320458>

UPS-BAT/PB/24DC/40AH - Battery module

1354641

<https://www.phoenixcontact.com/us/products/1354641>



Battery module, VRLA-AGM, 24 V DC, 40 Ah, automatic detection and communication with QUINT UPS-IQ

UPS-BAT/VRLA-WTR/24DC/13AH - Battery module

2320416

<https://www.phoenixcontact.com/us/products/2320416>



Battery module, lead AGM, VRLA technology, 24 V DC, 13 Ah, tool-free battery replacement, automatic detection, and communication with QUINT UPS-IQ

Phoenix Contact 2024 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com