

HC-B-TA-PG16-PLR-BK - Adapter

1414248

<https://www.phoenixcontact.com/us/products/1414248>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Plastic thread adapter with bayonet lock, for EVO housing series B, Pg16 thread



Commercial data

Item number	1414248
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BF57
Product key	BF7APL
Catalog page	Page 659 (C-2-2019)
GTIN	4055626022116
Weight per piece (including packing)	25.6 g
Weight per piece (excluding packing)	25.3 g
Customs tariff number	85389099
Country of origin	PL

HC-B-TA-PG16-PLR-BK - Adapter



1414248

<https://www.phoenixcontact.com/us/products/1414248>

Technical data


Product properties

Product type	Thread adapter
Application	Bayonet B - Pg
Type of the screw connection	Pg16

Connection data

Tightening torque	... 6 Nm
-------------------	----------

Dimensions

Dimensional drawing	
Thread type on seal side	Pg16

Internal dimensions

Length of internal thread	10 mm
---------------------------	-------

Material specifications

Material	PA
Flammability rating according to UL 94	V0
Seal material O-ring	NBR
Housing material	PA

Mechanical properties

Mechanical data

Type of the screw connection	Pg16
------------------------------	------

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP66
Ambient temperature (operation)	-40 °C ... 100 °C

Mounting

Assembly note	Bayonet locking max. 3x can be removed The plastic thread adapter does not establish an electrical connection between the cable gland and connector housing. For this reason, only plastic cable protection systems or plastic cable glands may be used.
---------------	---

HC-B-TA-PG16-PLR-BK - Adapter


1414248

<https://www.phoenixcontact.com/us/products/1414248>



Drawings

Dimensional drawing



Dimensional drawing

HC-B-TA-PG16-PLR-BK - Adapter



1414248

<https://www.phoenixcontact.com/us/products/1414248>

Approvals

To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/1414248>

**DNV**
Approval ID: TAE000037S

**cUL Recognized**
Approval ID: E255026

**UL Recognized**
Approval ID: E255026

**EAC**
Approval ID: RU C-DE.AI30.B.01102

cULus Recognized

HC-B-TA-PG16-PLR-BK - Adapter



1414248

<https://www.phoenixcontact.com/us/products/1414248>

Classifications

ECLASS

ECLASS-11.0	27144432
ECLASS-12.0	27140801
ECLASS-13.0	27140801

ETIM

ETIM 9.0	EC000441
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

HC-B-TA-PG16-PLR-BK - Adapter

1414248

<https://www.phoenixcontact.com/us/products/1414248>



Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

HC-B-TA-PG16-PLR-BK - Adapter

1414248

<https://www.phoenixcontact.com/us/products/1414248>



Accessories

G-INS-PG16-M68N-PNES-BK - Cable gland

1424499

<https://www.phoenixcontact.com/us/products/1424499>



Cable gland, material for screw connection: PA, application: Standard, external cable diameter 10 mm ... 14 mm, shielding: no, connecting thread: Pg16, color: jet black RAL 9005

WP-G HF IP66 PG16 BK - Screw connection

3240891

<https://www.phoenixcontact.com/us/products/3240891>



Cable gland, Pg thread, IP66 protection, straight

HC-B-TA-PG16-PLR-BK - Adapter

1414248

<https://www.phoenixcontact.com/us/products/1414248>



WP-G HF IP69K PG16 BK - Screw connection

3240877

<https://www.phoenixcontact.com/us/products/3240877>

Cable gland, Pg thread, IP68/69k protection, straight



WP-GA HF IP66 PG16 BK - Screw connection

3240919

<https://www.phoenixcontact.com/us/products/3240919>

Cable gland, Pg thread, IP66 protection, angled



HC-B-TA-PG16-PLR-BK - Adapter

1414248

<https://www.phoenixcontact.com/us/products/1414248>



WP-GA HF IP69K PG16 BK - Screw connection

3240905

<https://www.phoenixcontact.com/us/products/3240905>

Cable gland, Pg thread, IP68/69k protection, angled



WP-GR HF IP66 PG16 BK - Screw connection

3240947

<https://www.phoenixcontact.com/us/products/3240947>

Cable gland, Pg thread, IP66 protection, with strain relief



HC-B-TA-PG16-PLR-BK - Adapter

1414248

<https://www.phoenixcontact.com/us/products/1414248>



WP-GR HF IP69K PG16 BK - Screw connection

3240933

<https://www.phoenixcontact.com/us/products/3240933>



Cable gland, Pg thread, IP68/69k protection, with strain relief

WP-G PP HF PG16 - Screw connection

3240991

<https://www.phoenixcontact.com/us/products/3240991>



Cable gland made from PP with Pg thread, IP65 protection

HC-B-TA-PG16-PLR-BK - Adapter

1414248

<https://www.phoenixcontact.com/us/products/1414248>



WP-GT PP HF PG16 - Screw connection

3241005

<https://www.phoenixcontact.com/us/products/3241005>



Cable gland made from PP with Pg thread, rotatable, IP54 protection

WP-G BRASS IP40 PG16 - Screw connection

3241040

<https://www.phoenixcontact.com/us/products/3241040>



Cable gland made from brass with Pg thread, IP40 protection

HC-B-TA-PG16-PLR-BK - Adapter

1414248

<https://www.phoenixcontact.com/us/products/1414248>



WP-GT BRASS PG16 - Screw connection

3241026

<https://www.phoenixcontact.com/us/products/3241026>

Cable gland made from brass with Pg thread, rotatable, IP40 protection



WP-G BRASS IP65 PG16 - Screw connection

3241054

<https://www.phoenixcontact.com/us/products/3241054>

Cable gland made from brass with Pg thread, IP65 protection



Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com