

G-INVEN-M12-M67N-NNES-S - Cable gland



1424538

<https://www.phoenixcontact.com/us/products/1424538>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Cable gland, material for screw connection: Brass, nickel-plated, application: Standard, external cable diameter 4 mm ... 7 mm, shielding: no, connecting thread: M12 x 1.5, color: silver, with pressure compensation element and O-ring

Product description

Cable gland with integrated pressure compensation element. Prevents low pressure forming in the housing. Membrane: resistant to water and dirt

Your advantages

- Reduces the formation of condensation
- Screw connection with integrated pressure compensation element

Commercial data

Item number	1424538
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BF68
Product key	BF7DAX
Catalog page	Page 694 (C-2-2019)
GTIN	4055626374437
Weight per piece (including packing)	30.95 g
Weight per piece (excluding packing)	29.1 g
Customs tariff number	74198090
Country of origin	TR

G-INVEN-M12-M67N-NNES-S - Cable gland



1424538

<https://www.phoenixcontact.com/us/products/1424538>

Technical data


Product properties

Product type	Cable screw gland
Application	Standard
No. of conductors	1
Type	with pressure compensation element and O-ring
Manufacturer	BIMED
Manufacturer Designation	BMBCVG-0S
Air flow rate	25 (l/h at a pressure differential of 70 mbar)
Shielded	no
Execution of the strain relief	A

Characteristics

Category of shock impact	5
Design, Strain relief	A

Dimensions

Dimensional drawing	
Length	36.5 mm
Length of the connecting thread	6 mm
Hole diameter	12.1 mm ... 12.2 mm
Wrench size, union nut	17 mm
Wrench size, support	17 mm
Thread type connection side	M12 x 1.5
Thread pitch	1.5 mm

Connection data

Tightening torque	6 Nm (Cap nut)
	3 Nm (Support sleeve)

Material specifications

Color	Brass
Material	PTFE
Seal material O-ring	NBR
Seal material Cable seal	CR
Material for screw connection	Brass, nickel-plated

Cable/line

External cable diameter Cable 1	4 mm ... 7 mm
---------------------------------	---------------

G-INVEN-M12-M67N-NNES-S - Cable gland



1424538

<https://www.phoenixcontact.com/us/products/1424538>

External cable diameter	4 mm ... 8 mm (for UL 514 B)
Halogen-free	no

Environmental and real-life conditions

Ambient conditions	
Degree of protection	IP67
	IP66
Ambient temperature (operation)	-20 °C ... 100 °C (static)


G-INVEN-M12-M67N-NNES-S - Cable gland

1424538

<https://www.phoenixcontact.com/us/products/1424538>



Drawings



Dimensional drawing

G-INVEN-M12-M67N-NNES-S - Cable gland



1424538

<https://www.phoenixcontact.com/us/products/1424538>

Approvals

To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/1424538>



cUL Recognized
Approval ID: E199260



UL Recognized
Approval ID: E199260

cULus Recognized

G-INVEN-M12-M67N-NNES-S - Cable gland



1424538

<https://www.phoenixcontact.com/us/products/1424538>

Classifications

ECLASS

ECLASS-11.0	27144432
ECLASS-12.0	27140801
ECLASS-13.0	27140801

ETIM

ETIM 9.0	EC000441
----------	----------

UNSPSC

UNSPSC 21.0	39121300
-------------	----------

G-INVEN-M12-M67N-NNES-S - Cable gland



1424538

<https://www.phoenixcontact.com/us/products/1424538>

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes
Exemption	6(c)

China RoHS

Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.

EU REACH SVHC

REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)
SCIP	752bdf12-f5b8-4cf3-a622-09167e687db9

G-INVEN-M12-M67N-NNES-S - Cable gland

1424538

<https://www.phoenixcontact.com/us/products/1424538>



Accessories

A-INL-M12-N-S - Counter nut

1411240

<https://www.phoenixcontact.com/us/products/1411240>

Counter nut, for threads M12 x 1.5, color: silver



SEALING PLUG 6X16 RD - Closing cap

1400254

<https://www.phoenixcontact.com/us/products/1400254>

Closing cap, color: red



Phoenix Contact 2024 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA

586 Fulling Mill Road

Middletown, PA 17057, United States

(+717) 944-1300

info@phoenixcon.com