

1413985

https://www.phoenixcontact.com/us/products/1413985

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Panel mounting frames, degree of protection: IP65



#### Commercial data

Item number	1413985
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	AB17
Product key	ABNODZ
Catalog page	Page 360 (C-2-2019)
GTIN	4055626082325
Weight per piece (including packing)	11 g
Weight per piece (excluding packing)	11 g
Customs tariff number	85389099
Country of origin	DE



1413985

https://www.phoenixcontact.com/us/products/1413985

#### Technical data

#### Product properties

Product type	Panel mounting frame
Туре	Version 14
Insulation characteristics	
Degree of pollution	2

#### **Dimensions**

Width	24.1 mm
Height	55.3 mm
Length	33.2 mm

#### Material specifications

Material	PA 6
Flammability rating according to UL 94	V0
Seal material	NBR
	HNBR

#### Environmental and real-life conditions

#### Ambient conditions

Degree of protection	IP65
Ambient temperature (operation)	-40 °C 70 °C
Ambient temperature (storage/transport)	-40 °C 70 °C
Ambient temperature (assembly)	-5 °C 55 °C



1413985

https://www.phoenixcontact.com/us/products/1413985

### Classifications

#### **ECLASS**

UNSPSC 21.0

ECLASS-11.0	27440210
ECLASS-12.0	27440210
ECLASS-13.0	27440210
ETIM	
ETIM 8.0	EC002310
UNSPSC	

39121400



1413985

https://www.phoenixcontact.com/us/products/1413985

### Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%



1413985

https://www.phoenixcontact.com/us/products/1413985

#### Accessories

#### FOC-V14-F1ZNI-EM/SJO - Panel mounting frames

1413981

https://www.phoenixcontact.com/us/products/1413981



RJ45 panel mounting frame for transceiver, IP67, for push-pull interlocking, metal, for square mounting cutout, with seal and mounting screws

#### CUC-V14-F1ZNI-EM/R4F8 - Panel mounting frames

1413961

https://www.phoenixcontact.com/us/products/1413961



RJ45 panel mounting frame, IP67, for push-pull interlocking, metal, for rectangular mounting cutout, with seal and mounting screws, incl. RJ45 insert with IDC cable connection



1413985

https://www.phoenixcontact.com/us/products/1413985

#### CUC-V14-F1ZNI-EM/R4B8 - Panel mounting frames

1413962

https://www.phoenixcontact.com/us/products/1413962



RJ45 panel mounting frame, IP67, for push-pull interlocking, metal, for rectangular mounting cutout, with seal and mounting screws, incl. RJ45 coupling module

#### CUC-V14-F1ZNI-EM/R4O - Panel mounting frames

1413963

https://www.phoenixcontact.com/us/products/1413963



RJ45 panel mounting frame, IP67, for push-pull interlocking, metal, for PCB connection, for square panel cutout, with grommet and mounting screws

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com